

Tables of the Appell Hypergeometric Functions F_2

Jonathan Murley and Nasser Saad*

*Department of Mathematics and Statistics, University of Prince
Edward Island Charlottetown, Prince Edward Island C1A 4P3, Canada*

Abstract: The generalized hypergeometric function ${}_qF_p$ is a power series in which the ratio of successive terms is a rational function of the summation index. The Gaussian hypergeometric functions ${}_2F_1$ and ${}_3F_2$ are most common special cases of the generalized hypergeometric function ${}_qF_p$. The Appell hypergeometric functions F_q , $q = 1, 2, 3, 4$ are product of two hypergeometric functions ${}_2F_1$ that appear in many areas of mathematical physics. Here, we are interested in the Appell hypergeometric function F_2 which is known to have a double integral representation. As demonstrated by Opps, Saad, and Srivastava (J. Math. Anal. Appl. 302 (2005) 180-195), the double integral representation of F_2 can be reduced to a single integral that can be easily evaluated for certain values of the parameters in terms of ${}_2F_1$ and ${}_3F_2$. Using many of the reduction formulas of ${}_2F_1$ and ${}_3F_2$ and the representation of F_2 in terms of a single integral, we have begun to tabulate new reduction formulas for F_2 .

PACS: Primary 33C65, 33C05, 33D15, 33D60; Secondary 33B15, 33C20, 33D90.

keywords: Multiple hypergeometric functions, Appell series, Generalized hypergeometric function, Gauss hypergeometric function, Clausen hypergeometric function, Reduction and transformation formulas, Radiation field, Hubbell integral.

I. INTRODUCTION

Appell hypergeometric functions F_D , $D = 1, 2, 3, 4$ play an important role in mathematical physics ([1]-[3], [5], [6]-[7], [31], [32]). In particular, the Appell hypergeometric series F_2 arises frequently in various physical and chemical applications ([4], [8] to [26], [28] to [35]). The exact solution of number of problems in quantum mechanics has been given [24] in terms of Appell's function F_2 . It is defined by [[31], p. 211, Equation (8.1.4)]:

$$F_2(\sigma, \alpha_1, \alpha_2; \beta_1, \beta_2; x, y) = \sum_{m=0}^{\infty} \sum_{n=0}^{\infty} \frac{(\sigma)_{m+n} (\alpha_1)_m (\alpha_2)_n}{(\beta_1)_m (\beta_2)_n} \frac{x^m}{m!} \frac{y^n}{n!}, \quad (1)$$

for $|x| + |y| < 1$; $\beta_j \in \mathbb{C} \setminus \mathbb{Z}_0^-$; $\mathbb{Z}_0^- := \{0, -1, -2, \dots\}$, and $(\lambda)_k$ denotes the Pochhammer symbol defined, in terms of Gamma functions, by

$$(\lambda)_k := \frac{\Gamma(\lambda + k)}{\Gamma(\lambda)} = \begin{cases} 1 & \text{if } (k = 0; \lambda \in \mathbb{C} \setminus \{0\}) \\ \lambda(\lambda + 1)(\lambda + 2) \dots (\lambda + k - 1) & \text{if } (k \in \mathbb{N}; \lambda \in \mathbb{C}) \end{cases}$$

where $\mathbb{N}$ being the set of *positive* integers. Further, it also has the following double integral representation [[31], p. 214, Equation (8.2.3)]:

$$F_2(\sigma, \alpha_1, \alpha_2; \beta_1, \beta_2; x, y) = \frac{\Gamma(\beta_1)\Gamma(\beta_2)}{\Gamma(\alpha_1)\Gamma(\alpha_2)\Gamma(\beta_1 - \alpha_1)\Gamma(\beta_2 - \alpha_2)} \int_0^1 \int_0^1 u^{\alpha_1-1} \tau^{\alpha_2-1} \\ \times (1-u)^{\beta_1-\alpha_1-1} (1-\tau)^{\beta_2-\alpha_2-1} (1-xu-y\tau)^{-\sigma} du d\tau \quad (2)$$

where $\Re(\beta_j) > \Re(\alpha_j) > 0$, $j = 1, 2$ and $|x| + |y| < 1$. Recently, Opps et al. [26] used the Euler's integral representation of the Gauss hypergeometric function [[31], p. 20, Equation (1.6.6)]

$${}_2F_1\left(\begin{matrix} a, b \\ c \end{matrix} \middle| z\right) = \frac{\Gamma(c)}{\Gamma(b)\Gamma(c-b)} \int_0^1 \tau^{b-1} (1-\tau)^{c-b-1} (1-z\tau)^{-a} d\tau \quad (3)$$

to reduce the double integral representation (2) into a single integral in term of ${}_2F_1$,

$$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y) = \frac{\Gamma(\beta_1)}{\Gamma(\alpha_1)\Gamma(\beta_1 - \alpha_1)} \int_0^1 \frac{u^{\alpha_1-1} (1-u)^{\beta_1-\alpha_1-1}}{(1-xu)^\sigma} {}_2F_1\left(\begin{matrix} \sigma, \alpha_2 \\ \beta_2 \end{matrix} \middle| \frac{y}{1-xu}\right) du \quad (4)$$

*Electronic address: Jmurley@stu1.cs.upei.ca; Electronic address: nsaad@upei.ca

for $\Re(\beta_1) > \Re(\alpha_1) > 0$, and $|x| + |y| < 1$. Using some properties of ${}_2F_1$, they prove the following theorem [[26], Theorem 1]:

Theorem 1. For $|x| + |y| < 1$, the Appell hypergeometric function F_2 is given by

$$F_2(a+1; \alpha_1, 1; \beta_1, 2; x, y) = -\frac{1}{ay} {}_2F_1\left(\begin{matrix} a, \alpha_1 \\ \beta_1 \end{matrix} \middle| x\right) + \frac{1}{ay(1-y)^a} {}_2F_1\left(\begin{matrix} a, \alpha_1 \\ \beta_1 \end{matrix} \middle| \frac{x}{1-y}\right) \quad (5)$$

where $a \neq 0$; $\alpha_1 \in \mathbb{C}$; $\beta_1 \in \mathbb{C} \setminus \mathbb{Z}_0^-$ and

$$F_2(1; \alpha_1, 1; \beta_1, 2; x, y) = \frac{\alpha_1}{\beta_1 y} \left[\frac{x}{1-y} {}_3F_2\left(\begin{matrix} \alpha_1 + 1, 1, 1 \\ \beta_1 + 1, 2 \end{matrix} \middle| \frac{x}{1-y}\right) - x {}_3F_2\left(\begin{matrix} \alpha_1 + 1, 1, 1 \\ \beta_1 + 1, 2 \end{matrix} \middle| x\right) \right] - \frac{\ln(1-y)}{y} \quad (6)$$

where $\alpha_1 \in \mathbb{C}$; $\beta_1 \in \mathbb{C} \setminus \mathbb{Z}_0^-$. The present work is devoted to compute $F_2(\sigma; \alpha_1, 1; \beta_1, 2; x, y)$ explicitly for different values $\sigma, \alpha_1, \beta_1$ of the function parameters using (5) and (6). This is mostly done using many of the reduction formulas of ${}_2F_1$ and ${}_3F_2$ listed in [27] and other sources of special functions ([5], [6]-[7], [31], [32]), we begun here to tabulate reduction and transformation formulas for F_2 . First, in Tables I and II, we give the corrections to some formulas misprinted in the classical monograph by Prudnikov et al. [27].

TABLE I: Correction to some formulas for ${}_2F_1$ reported in the classical work of Prudnikov et al [27].

σ	α	β	${}_2F_1(\sigma; \alpha; \beta; z)$
$\frac{5}{2}$	4	1	$\frac{1}{16}(16 + 72z + 18z^2 - z^3)(1-z)^{-\frac{11}{2}}$
$\frac{4}{5}$	1	$\frac{14}{5}$	$\frac{9}{5x^5} - \frac{9}{25x^9}(1-x^5)[\ln(1-x^5) - 5\ln(1-x) - \sqrt{5}\ln\frac{1-2^{-1}(\sqrt{5}-1)x+x^2}{1+2^{-1}(\sqrt{5}+1)x+x^2} - 2(10+2\sqrt{5})^{\frac{1}{2}}\arctan\frac{(10+2\sqrt{5})^{\frac{1}{2}}x}{4-(\sqrt{5}-1)x} - 2(10-2\sqrt{5})^{\frac{1}{2}}\arctan\frac{(10-2\sqrt{5})^{\frac{1}{2}}x}{4+(\sqrt{5}+1)x}]$ $[x = z^{\frac{1}{5}}]$
$\frac{5}{6}$	1	$\frac{17}{5}$	$\frac{11}{6x^6} + \frac{55}{36x^{11}}(1-x^6)(\ln\frac{1-x}{1+x} + \frac{1}{2}\ln\frac{1-x+x^2}{1+x+x^2} + \sqrt{3}\arctan\frac{3\sqrt{2}x}{1-x^2})$
1	$\frac{7}{2}$	$\frac{9}{2}$	$-\frac{7}{15z^3}[15 + 15z + 3z^2 - \frac{15\tanh^{-1}\sqrt{z}}{\sqrt{z}}]$
1	b	$b-m$	$\frac{b-m-1}{b-1}\sum_{k=0}^{m-1}\frac{(-m)_k}{(2-b)_k}(1-z)^{-k-1} - \frac{m!}{(1-b)_m}(z-1)^{-m-1}$
$-\frac{n}{2}$	$\frac{1-n}{2}$	$1-n$	$2^{-n}(1+\sqrt{1-z})^n, \quad (n \neq 1, 2)$

TABLE II: Correction to some formulas for ${}_3F_2$ reported in the classical work of Prudnikov et al [27].

a_1	a_2	a_3	b_1	b_2	${}_3F_2(a_1, a_2, a_3; b_1, b_2; z)$
$\frac{1}{4}$	1	1	$\frac{5}{4}$	2	$\frac{1}{3z}[\ln(1-z) + z^{\frac{3}{4}}(\ln\frac{1+z^{\frac{1}{4}}}{1-z^{\frac{1}{4}}} + 2\arctan z^{\frac{1}{4}})]$

II. SPECIAL VALUES OF THE APPELL HYPERGEOMETRIC FUNCTIONS F_2

In the next, we tabulate the explicit computations of $F_2(\sigma; \alpha_1, 1; \beta_1, 2; x, y)$ for different values of the function parameters σ, α_1 , and β_1 . Since the role of α_1, β_1, x and α_2, β_2, y in $F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$ are interchanged, similar tables can be obtain for $F_2(\sigma; 1, \alpha_2; 2, \beta_2; x, y)$. Even-though the table is given only for $\alpha_2 = 1$ and $\beta_2 = 2$, the table can be used for a wider variety of cases. This can be notice from the following properties.

1. $F_2(\sigma, \alpha_1, \alpha_2; \beta_1, \beta_2; x, y) = F_2(\sigma, \alpha_2, \alpha_1; \beta_2, \beta_1; y, x)$.
2. $F_2(\sigma, \alpha_1, \alpha_2; \beta_1, \beta_2; x, y) = (1-x)^{-\sigma} F_2(\sigma, \beta_1 - \alpha_1, \alpha_2; \beta_1, \beta_2; \frac{x}{x-1}, \frac{y}{1-x}) = (1-x-y)^{-\sigma} F_2(\sigma, \beta_1 - \alpha_1, \beta_2 - \alpha_2; \beta_1, \beta_2; \frac{x}{x+y-1}, \frac{y}{x+y-1})$.
3. $F_1(\alpha; \beta, \beta', \gamma; x, y) = \left(\frac{x}{y}\right)^{\beta'} F_2(\beta + \beta'; \alpha, \beta'; \gamma, \beta + \beta'; x, 1 - \frac{x}{y}) = \left(\frac{y}{x}\right)^{\beta} F_2(\beta + \beta'; \alpha, \beta; \gamma, \beta + \beta'; y, 1 - \frac{y}{x})$.

Further, the analytic expressions presented in the following tables can be useful in many applications of mathematical physics including the computation of the generalized Hubbell rectangular source integrals, elliptic integrals, and the radiation fields ([4], [8] to [26], [28] to [35]).

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$\frac{1}{2}$	$-\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{y}[(1-x)^{\frac{1}{2}} - (1-x-y)^{\frac{1}{2}}]$
$\frac{1}{2}$	$-\frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{y}[\sqrt{1-x} - \sqrt{1-x-y} + \sqrt{x}(\arcsin \sqrt{x} - \arcsin \sqrt{\frac{x}{1-y}})]$
$\frac{1}{2}$	$\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{y}[(1-x)^{-\frac{1}{2}} - (1-y)(1-x-y)^{-\frac{1}{2}}]$
$\frac{1}{2}$	$\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{y}[\frac{\arcsin \sqrt{x-(1-y)} \arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{x}} + \sqrt{1-x} - \sqrt{1-x-y}]$
$\frac{1}{2}$	$\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{3}{8xy}[(1+2x)\sqrt{1-x} - (1-y+2x)\sqrt{1-x-y} - \frac{(1-4x) \arcsin \sqrt{x-(1-y)}(1-y-4x) \arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{x}}]$
$\frac{1}{2}$	$\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{64x^2y}[3(\frac{(1-4x+8x^2) \arcsin \sqrt{x-(1-y)}((1-y)^2-4x(1-y)+8x^2)}{\sqrt{x}}) - (3-10x-8x^2)\sqrt{1-x} + (3(1-y)^2-10x(1-y)-8x^2)\sqrt{1-x-y}]$
$\frac{1}{2}$	1	1	$-\frac{1}{2}$	2	$\frac{2}{y}[(1-x)^{-1} - (1-y)^{\frac{3}{2}}(1-x-y)^{-1}]$
$\frac{1}{2}$	1	1	$\frac{1}{2}$	2	$\frac{2}{y}[1 - \sqrt{1-y} - \sqrt{x}(\tanh^{-1} \sqrt{x} - \tanh^{-1} \sqrt{\frac{x}{1-y}})]$
$\frac{1}{2}$	1	1	$\frac{3}{2}$	2	$\frac{1}{y}[1 - \sqrt{1-y} - \frac{(1-x) \tanh^{-1} \sqrt{x-(1-x-y)} \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{x}}]$
$\frac{1}{2}$	1	1	2	2	$\frac{4}{3xy}[1 - (1-x)^{\frac{3}{2}} - (1-y)^{\frac{3}{2}} + (1-y-x)^{\frac{3}{2}}]$
$\frac{1}{2}$	1	1	$\frac{5}{2}$	2	$\frac{3}{4xy}[1+x - (1-y+x)\sqrt{1-y} - \frac{(1-x)^2 \tanh^{-1} \sqrt{x-(1-x-y)} \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{x}}]$
$\frac{1}{2}$	1	1	3	2	$\frac{16}{15x^2y}[(1-x)^{\frac{5}{2}} - (1-x-y)^{\frac{5}{2}} - 1 + \frac{5}{2}x - (1-y)^{\frac{3}{2}}(1-y + \frac{5}{2}x)]$
$\frac{1}{2}$	1	1	$\frac{7}{2}$	2	$\frac{5}{24x^2y}[3(\frac{(1-x)^3 \tanh^{-1} \sqrt{x-(1-x-y)} \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{x}}) - 3 + 8x + 3x^2 + \sqrt{1-y}(3(1-y)^2 + 8x(1-y) + 3x^2)]$
$\frac{1}{2}$	1	1	4	2	$\frac{4}{35x^3y}[8(1-(1-x)^{\frac{4}{2}} - (1-y)^{\frac{4}{2}} + (1-y-x)^{\frac{4}{2}}) - 28x(1-(1-y)^{\frac{5}{2}}) + 35x^2(1-(1-y)^{\frac{3}{2}})]$
$\frac{1}{2}$	$\frac{3}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{y}[(1-x)^{-\frac{3}{2}} - (1-y)^2(1-x-y)^{-\frac{3}{2}}]$
$\frac{1}{2}$	$\frac{3}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{y}[\frac{1-2x}{\sqrt{1-x}} - \frac{1-y-2x}{\sqrt{1-y-x}}]$
$\frac{1}{2}$	$\frac{3}{2}$	1	$\frac{5}{2}$	2	$\frac{3}{4xy}[\frac{\arcsin \sqrt{x-(1-y)} \arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{x}} - (1-2x)\sqrt{1-x} + (1-y-2x)\sqrt{1-x-y}]$
$\frac{1}{2}$	$\frac{3}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{16x^2y}[(3-4x+4x^2)\sqrt{1-x} - (3(1-y)^2-4x(1-y)+4x^2)\sqrt{1-x-y} - 3(\frac{(1-2x) \arcsin \sqrt{x-(1-y)}(1-y-2x) \arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{x}})]$
$\frac{1}{2}$	2	1	$-\frac{1}{2}$	2	$\frac{2}{y}[(1-x)^{-2} - (1-y)^{\frac{5}{2}}(1-x-y)^{-2}]$
$\frac{1}{2}$	2	1	$\frac{1}{2}$	2	$\frac{1}{y}[2\frac{3x}{1-x} - \frac{\sqrt{1-y}(2(1-y)-3x)}{1-x-y} - 3\sqrt{x}(\tanh^{-1} \sqrt{x} - \tanh^{-1} \sqrt{\frac{x}{1-y}})]$
$\frac{1}{2}$	2	1	1	2	$\frac{1}{y}[2\frac{3x}{\sqrt{1-x}} - \frac{2-2y-3x}{\sqrt{1-y-x}}]$
$\frac{1}{2}$	2	1	$\frac{3}{2}$	2	$\frac{1}{2y}[3(1-\sqrt{1-y}) + \frac{(1-3x) \tanh^{-1} \sqrt{x-(1-y-3x)} \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{x}}]$
$\frac{1}{2}$	2	1	$\frac{5}{2}$	2	$\frac{3}{8xy}[\frac{(1+3x)(1-x) \tanh^{-1} \sqrt{x-(1-y+3x)}(1-y-x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{x}} - 1 + 3x + \sqrt{1-y}(1-y-3x)]$
$\frac{1}{2}$	2	1	3	2	$\frac{8}{15x^2y}[2(1-(1-y)^{\frac{5}{2}}) - (2+3x)(1-x)^{\frac{3}{2}} + (2-2y+3x)(1-y-x)^{\frac{3}{2}}]$
$\frac{1}{2}$	2	1	$\frac{7}{2}$	2	$\frac{5}{16x^2y}[3-2x+3x^2 - \sqrt{1-y}(3(1-y)^2-2x(1-y)+3x^2) - 3(\frac{(1-x)^2(1+x) \tanh^{-1} \sqrt{x-(1-x-y)}(1-y+x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{x}})]$
$\frac{1}{2}$	2	1	4	2	$-\frac{16}{35x^3y}[4(1-(1-y)^{\frac{7}{2}}) - 7x(1-(1-y)^{\frac{5}{2}}) - (4+3x)(1-x)^{\frac{5}{2}} + (4-4y+3x)(1-y-x)^{\frac{5}{2}}]$
$\frac{1}{2}$	$\frac{5}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{y}[(1-x)^{-\frac{5}{2}} - (1-y)^3(1-x-y)^{-\frac{5}{2}}]$
$\frac{1}{2}$	$\frac{5}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{3y}[\frac{3-12x+8x^2}{(1-x)^{\frac{3}{2}}} - \frac{3(1-y)^2-12x(1-y)+8x^2}{(1-y-x)^{\frac{3}{2}}}]$
$\frac{1}{2}$	$\frac{5}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{3y}[\frac{3-4x}{\sqrt{1-x}} - \frac{3-3y-4x}{\sqrt{1-y-x}}]$
$\frac{1}{2}$	$\frac{5}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{24x^2y}[\frac{3(1-y)^3-x(1-y)^2-10x^2(1-y)+8x^3}{\sqrt{1-x-y}} - \frac{3-x-10x^2+8x^3}{\sqrt{1-x}} - 3(\frac{(1-y)^3 \arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}}{\sqrt{x}})]$
$\frac{1}{2}$	3	1	$-\frac{1}{2}$	2	$\frac{2}{y}[(1-x)^{-3} - (1-y)^{\frac{7}{2}}(1-x-y)^{-3}]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$\frac{1}{2}$	3	1	$\frac{1}{2}$	2	$\frac{1}{4y} \left[15\sqrt{x}(\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}) - \frac{\sqrt{1-y}(8(1-y)^2 - 25x(1-y) + 15x^2)}{(1-x-y)^2} + \frac{8-25x+15x^2}{(1-x)^2} \right]$
$\frac{1}{2}$	3	1	1	2	$\frac{1}{4y} \left[\frac{8-24x+15x^2}{(1-x)^{\frac{3}{2}}} - \frac{8(1-y)^2 - 24x(1-y) + 15x^2}{(1-y-x)^{\frac{3}{2}}} \right]$
$\frac{1}{2}$	3	1	$\frac{3}{2}$	2	$-\frac{1}{8y} \left[\frac{\sqrt{1-y}(13(1-y)-15x)}{1-x-y} - \frac{13-15x}{1-x} + 3 \left(\frac{(1-y-5x) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1-5x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right) \right]$
$\frac{1}{2}$	3	1	2	2	$\frac{1}{2y} \left[\frac{4-5x}{\sqrt{1-x}} - \frac{4-4y-5x}{\sqrt{1-y-x}} \right]$
$\frac{1}{2}$	3	1	$\frac{5}{2}$	2	$\frac{3}{32xy} \left[\sqrt{1-y}(1-y-15x) - 1 + 15x - \frac{((1-y)^2 + 6x(1-y) - 15x^2) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1+6x-15x^2) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{1}{2}$	3	1	$\frac{7}{2}$	2	$\frac{5}{64x^2y} \left[\sqrt{1-y}(3(1-y)^2 + 4x(1-y) - 15x^2) - 3 - 4x + 15x^2 - 3 \left(\frac{((1-y)^2 + 2x(1-y) + 5x^2)(1-x-y) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1+2x+5x^2)(1-x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right) \right]$
$\frac{1}{2}$	3	1	4	2	$\frac{4}{35x^3y} \left[8(1 - (1-y)^{\frac{7}{2}}) - (8 + 12x + 15x^2)(1-x)^{\frac{3}{2}} + (8(1-y)^2 + 12x(1-y) + 15x^2)(1-y-x)^{\frac{3}{2}} \right]$
$\frac{1}{2}$	$\frac{7}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{y} \left[(1-x)^{-\frac{7}{2}} - (1-y)^4(1-x-y)^{-\frac{7}{2}} \right]$
$\frac{1}{2}$	$\frac{7}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{5y} \left[\frac{5-30x+40x^2-16x^3}{(1-x)^{\frac{5}{2}}} - \frac{5(1-y)^3 - 30x(1-y)^2 + 40x^2(1-y) - 16x^3}{(1-x-y)^{\frac{5}{2}}} \right]$
$\frac{1}{2}$	$\frac{7}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{15y} \left[\frac{15-40x+24x^2}{(1-x)^{\frac{3}{2}}} - \frac{15(1-y)^2 - 40x(1-y) + 24x^2}{(1-x-y)^{\frac{3}{2}}} \right]$
$\frac{1}{2}$	$\frac{7}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{5y} \left[\frac{5-6x}{\sqrt{1-x}} - \frac{5-5y-6x}{\sqrt{1-x-y}} \right]$
$\frac{1}{2}$	4	1	$-\frac{1}{2}$	2	$\frac{2}{y} \left[(1-x)^{-4} - (1-y)^{\frac{9}{2}}(1-x-y)^{-4} \right]$
$\frac{1}{2}$	4	1	$\frac{1}{2}$	2	$\frac{1}{24y} \left[105\sqrt{x}(\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}) - \frac{\sqrt{1-y}(48(1-y)^3 - 231x(1-y)^2 + 280x^2(1-y) - 105x^3)}{(1-x-y)^3} + \frac{48-231x+280x^2-105x^3}{(1-x)^3} \right]$
$\frac{1}{2}$	4	1	1	2	$\frac{1}{8y} \left[\frac{16-72x+90x^2-35x^3}{(1-x)^{\frac{5}{2}}} - \frac{16(1-y)^3 - 72x(1-y)^2 + 90x^2(1-y) - 35x^3}{(1-x-y)^{\frac{5}{2}}} \right]$
$\frac{1}{2}$	4	1	$\frac{3}{2}$	2	$-\frac{1}{48y} \left[\frac{\sqrt{1-y}(81(1-y)^2 - 190x(1-y) + 105x^2)}{(1-x-y)^2} - \frac{81-190x+105x^2}{(1-x)^2} + 15 \left(\frac{(1-y-7x) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1-7x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right) \right]$
$\frac{1}{2}$	4	1	2	2	$\frac{1}{12y} \left[\frac{24-60x-35x^2}{(1-x)^{\frac{3}{2}}} - \frac{24(1-y)^2 - 60x(1-y) + 35x^2}{(1-x-y)^{\frac{3}{2}}} \right]$
$\frac{1}{2}$	4	1	$\frac{5}{2}$	2	$\frac{1}{64xy} \left[\frac{\sqrt{1-y}(3(1-y)^2 + 100x(1-y) + 105x^2)}{1-x-y} - \frac{3+100x+105x^2}{1-x} - 3 \left(\frac{((1-y)^2 + 10x(1-y) - 35x^2) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1+10x-35x^2) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right) \right]$
$\frac{1}{2}$	4	1	3	2	$\frac{1}{3y} \left[\frac{6-7x}{\sqrt{1-x}} - \frac{6(1-y)-7x}{\sqrt{1-y-x}} \right]$
$\frac{1}{2}$	4	1	$\frac{7}{2}$	2	$\frac{5}{384x^2y} \left[\sqrt{1-y}(3(1-y)^2 + 10x(1-y) - 105x^2) - (3 + 10x - 105x^2) - 3 \left(\frac{((1-y)^3 + 3x(1-y)^2 + 15x^2(1-y) - 35x^3) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1+3x+15x^2-35x^3) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right) \right]$
1	$-\frac{3}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{y} \left[\frac{2xy}{1-y} - 2x^{\frac{3}{2}} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - \tanh^{-1} \sqrt{x} \right) + \ln \left(\frac{1-x}{1-x-y} \right) \right]$
1	$-\frac{3}{2}$	1	$\frac{1}{2}$	2	$-\frac{1}{y} \left[\frac{xy}{1-y} + \sqrt{x} \left(\frac{(3(1-y)-x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - (3-x) \tanh^{-1} \sqrt{x} \right) - \ln \left(\frac{1-x}{1-x-y} \right) \right]$
1	$-\frac{3}{2}$	1	1	2	$\frac{2}{3y} \left[\frac{(4(1-y)-x)\sqrt{1-x-y}}{(1-y)^{\frac{3}{2}}} - (4-x)\sqrt{1-x} + 3 \ln \left(\frac{1+\sqrt{1-x}}{\sqrt{1-y}+\sqrt{1-x-y}} \right) \right]$
1	$-\frac{3}{2}$	1	$\frac{3}{2}$	2	$-\frac{1}{4y} \left[\frac{1}{\sqrt{x}} \left(\frac{(3(1-y)^2 + 6x(1-y) - x^2) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - (3+6x-x^2) \tanh^{-1} \sqrt{x} \right) + \frac{xy}{1-y} - 4 \ln \left(\frac{1-x}{1-y-x} \right) \right]$
1	$-\frac{3}{2}$	1	2	2	$\frac{1}{15xy} \left[6y + \frac{2(3(1-y)^2 + 14x(1-y) - 2x^2) \sqrt{1-x-y}}{(1-y)^{\frac{5}{2}}} - 2(3+14x-2x^2)\sqrt{1-x} + 30x \ln \left(\frac{1+\sqrt{1-x}}{\sqrt{1-y}+\sqrt{1-x-y}} \right) \right]$
1	$-\frac{3}{4}$	1	$\frac{1}{4}$	2	$-\frac{1}{y} \left[\ln \left(\frac{1-x-y}{1-x} \right) + x^{\frac{3}{4}} \left((1-y)^{-\frac{3}{4}} \ln \left(\frac{(1-y)^{\frac{1}{4}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} \right) - \ln \left(\frac{1+x^{\frac{1}{4}}}{1-x^{\frac{1}{4}}} \right) + 2 \left(\arctan \left(\frac{x}{1-y} \right)^{\frac{1}{4}} - \arctan(x)^{\frac{1}{4}} \right) \right] \right]$
1	$-\frac{2}{3}$	1	$\frac{1}{3}$	2	$-\frac{1}{2y} \left[2\sqrt{3}x^{\frac{2}{3}} \left((1-y)^{-\frac{2}{3}} \arctan \left(\frac{\sqrt{3}x^{\frac{1}{3}}}{2(1-y)^{\frac{1}{3}} + x^{\frac{1}{3}}} \right) - \arctan \left(\frac{\sqrt{3}x^{\frac{1}{3}}}{1-x^{\frac{1}{3}}} \right) \right) + \frac{2(1-y)^{\frac{2}{3}} + x^{\frac{2}{3}}}{(1-y)^{\frac{2}{3}}} \ln \left(\frac{1-x-y}{1-y} \right) - (2+x^{\frac{2}{3}}) \ln(1-x) - 3x^{\frac{2}{3}} \left((1-y)^{-\frac{2}{3}} \ln \left(\frac{(1-y)^{\frac{1}{3}} - x^{\frac{1}{3}}}{(1-y)^{\frac{1}{3}}} \right) - \ln(1-x^{\frac{1}{3}}) \right) + 2 \ln(1-y) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
1	$-\frac{1}{2}$	1	$\frac{1}{2}$	2	$-\frac{1}{y} [2(\sqrt{\frac{x}{1-y}} \tanh^{-1}(\sqrt{\frac{x}{1-y}}) - \sqrt{x} \tanh^{-1}(\sqrt{x})) + \ln(\frac{1-y-x}{1-x})]$
1	$-\frac{1}{2}$	1	1	2	$\frac{2}{y} [\sqrt{\frac{1-x-y}{1-y}} - \sqrt{1-x} + \ln(\frac{1+\sqrt{1-x}}{\sqrt{1-y}+\sqrt{1-x-y}})]$
1	$-\frac{1}{2}$	1	$\frac{3}{2}$	2	$-\frac{1}{y} [\frac{1}{\sqrt{x}} (\frac{(1-y+x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{1-y}} - (1+x) \tanh^{-1} \sqrt{x}) - \ln(\frac{1-x}{1-x-y})]$
1	$-\frac{1}{2}$	1	2	2	$\frac{2}{3xy} [y + \frac{(1-y+2x)\sqrt{1-x-y}}{\sqrt{1-y}} - (1+2x)\sqrt{1-x} + 3x \ln(\frac{1+\sqrt{1-x}}{\sqrt{1-y}+\sqrt{1-x-y}})]$
1	$-\frac{1}{3}$	1	$\frac{2}{3}$	2	$\frac{1}{y} \ln(\frac{1-x}{1-x-y}) - \frac{x^{\frac{1}{3}}}{2y} [(1-y)^{-\frac{1}{3}} \ln(\frac{1-x-y}{((1-y)^{\frac{1}{3}}-x^{\frac{1}{3}})^3}) - \ln(\frac{1-x}{(1-x^{\frac{1}{3}})^3})$ $- 2\sqrt{3}((1-y)^{-\frac{1}{3}} \arctan(\frac{\sqrt{3}x^{\frac{1}{3}}}{2(1-y)^{\frac{1}{3}}+x^{\frac{1}{3}}}) - \arctan(\frac{\sqrt{3}x^{\frac{1}{3}}}{2+x^{\frac{1}{3}}}))]$
1	$-\frac{1}{4}$	1	$\frac{3}{4}$	2	$-\frac{1}{y} [\ln(\frac{1-x-y}{1-x}) + x^{\frac{1}{4}}((1-y)^{-\frac{1}{4}} \ln(\frac{(1-y)^{\frac{1}{4}}+x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}}-x^{\frac{1}{4}}}) - \ln(\frac{1+x^{\frac{1}{4}}}{1-x^{\frac{1}{4}}}) - \frac{2 \arctan(\frac{x}{1-y})^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}}} + 2 \arctan(x^{\frac{1}{4}}))]$
1	$\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{y} [\ln(\frac{1-x}{1-x-y}) - \frac{2xy}{(1-x)(1-x-y)}]$
1	$\frac{1}{2}$	1	1	2	$\frac{2}{y} \ln(\frac{1+\sqrt{1-x}}{\sqrt{1-y}+\sqrt{1-x-y}})$
1	$\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{y} [2(\frac{\tanh^{-1} \sqrt{x} - \sqrt{1-y} \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{x}}) + \ln(\frac{1-x}{1-x-y})]$
1	$\frac{1}{2}$	1	2	2	$\frac{2}{xy} [y - \sqrt{1-x} + \sqrt{(1-y)(1-x-y)} + x \ln(\frac{1+\sqrt{1-x}}{\sqrt{1-y}+\sqrt{1-x-y}})]$
1	1	1	$-\frac{3}{2}$	2	$\frac{2x}{3y} [3x^{\frac{3}{2}} (\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}}) - \frac{1-y-4x}{(1-x-y)^2} + \frac{1-4x}{(1-x)^2}] - \frac{\ln(1-y)}{y}$
1	1	1	$-\frac{1}{2}$	2	$-\frac{2x}{y} [\frac{y}{(1-x)(1-x-y)} + \sqrt{x} (\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}})] - \frac{\ln(1-y)}{y}$
1	1	1	$\frac{1}{2}$	2	$\frac{2\sqrt{x}}{y} [\frac{\arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{1-x-y}} - \frac{\arcsin \sqrt{x}}{\sqrt{1-x}}] - \frac{\ln(1-y)}{y}$
1	1	1	$\frac{3}{2}$	2	$\frac{2}{\sqrt{xy}} [\sqrt{1-x} \arcsin \sqrt{x} - \sqrt{1-x-y} \arcsin \sqrt{\frac{x}{1-y}}] - \frac{\ln(1-y)}{y}$
1	1	1	2	2	$\frac{1}{xy} [(1-x-y) \ln(1-x-y) - (1-y) \ln(1-y) - (1-x) \ln(1-x)]$
1	1	1	$\frac{5}{2}$	2	$\frac{2}{xy} [\frac{1}{\sqrt{x}} ((1-x-y)^{\frac{3}{2}} \arcsin \sqrt{\frac{x}{1-y}} - (1-x)^{\frac{3}{2}} \arcsin \sqrt{x}) + y] - \frac{\ln(1-y)}{y}$
1	1	1	3	2	$\frac{1}{x^2 y} [xy - (1-x-y)^2 \ln(\frac{1-x-y}{1-y}) - (1-x)^2 \ln(1-x) - x^2 \ln(1-y)]$
1	1	1	4	2	$\frac{1}{2x^3 y} [2((1-x-y)^3 \ln(\frac{1-x-y}{1-y}) - (1-x)^3 \ln(1-x) - x^3 \ln(1-y)) + xy(5x+2y-4)]$
1	$\frac{3}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{y} [\frac{4xy(x^2+y-1)}{(1-x)^2(1-x-y)^2} + \ln(\frac{1-x}{1-x-y})]$
1	$\frac{3}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{y} [\frac{2xy}{(1-x)(1-x-y)} + \ln(\frac{1-x}{1-x-y})]$
1	$\frac{3}{2}$	1	1	2	$\frac{2}{y} [\sqrt{\frac{1-y}{1-x-y}} - \frac{1}{\sqrt{1-x}} + \ln(\frac{1+\sqrt{1-x}}{\sqrt{1-y}+\sqrt{1-x-y}})]$
1	$\frac{3}{2}$	1	2	2	$\frac{2}{xy} [\sqrt{1-x} - \sqrt{(1-y)(1-x-y)} - y + x \ln(\frac{1+\sqrt{1-x}}{\sqrt{1-y}+\sqrt{1-x-y}})]$
1	$\frac{3}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{xy} [x \ln(\frac{1-x}{1-x-y}) - 2(y + \frac{(1-y)^{\frac{3}{2}} \tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}})]$
1	2	1	$-\frac{1}{2}$	2	$-\frac{x}{y} [\frac{4(1-y)-x}{(1-x-y)^2} - \frac{4-x}{(1-x)^2} + \sqrt{x} (\frac{(5(1-y)-2x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{(5-2x) \arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}}) + \frac{\ln(1-y)}{x}]$
1	2	1	$\frac{1}{2}$	2	$\frac{x}{y} [\frac{y}{(1-x-y)(1-x)} + \frac{1}{\sqrt{x}} (\frac{(3(1-y)-2x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{(3-2x) \arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}}) - \frac{\ln(1-y)}{x}]$
1	2	1	1	2	$\frac{1}{y} [\frac{xy}{(1-x)(1-x-y)} + \ln(\frac{1-x}{1-x-y})]$
1	2	1	$\frac{3}{2}$	2	$-\frac{1}{\sqrt{xy}} [\frac{(1-y-2x) \arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{1-x-y}} - \frac{(1-2x) \arcsin \sqrt{x}}{\sqrt{1-x}} + \sqrt{x} \ln(1-y)]$
1	2	1	3	2	$\frac{1}{x^2 y} [x^2 \ln(\frac{1-x}{1-x-y}) + (1-y)^2 \ln(\frac{1-x-y}{1-y}) - \ln(1-x) - xy]$
1	3	1	4	2	$\frac{1}{2x^3 y} [2x((1-y)^2 - 1) - x^2 y + 2((1-y)^3 \ln(\frac{1-x-y}{1-y}) - \ln(1-x) + x^3 \ln(\frac{1-x}{1-x-y}))]$
$\frac{9}{8}$	1	1	$\frac{9}{8}$	2	$\frac{1}{x^{\frac{1}{8}} y} [\ln(\frac{(1-y)^{\frac{1}{8}}+x^{\frac{1}{8}}}{((1-y)^{\frac{1}{8}}-x^{\frac{1}{8}})(1+x^{\frac{1}{8}})}) + 2(\arctan(\frac{x}{1-y})^{\frac{1}{8}} - \arctan(x^{\frac{1}{8}}))$ $+ \sqrt{2}(\arctan \frac{\sqrt{2}(x(1-y))^{\frac{1}{8}}}{(1-y)^{\frac{1}{4}}-x^{\frac{1}{4}}} - \arctan \frac{\sqrt{2}x^{\frac{1}{8}}}{1-x^{\frac{1}{4}}}) - 2^{-\frac{1}{2}} \ln \frac{((1-y)^{\frac{1}{4}}-\sqrt{2}(x(1-y))^{\frac{1}{8}}+x^{\frac{1}{4}})(1+\sqrt{2}x^{\frac{1}{8}}+x^{\frac{1}{4}})}{((1-y)^{\frac{1}{4}}+\sqrt{2}(x(1-y))^{\frac{1}{8}}+x^{\frac{1}{4}})(1-\sqrt{2}x^{\frac{1}{8}}+x^{\frac{1}{4}}})]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$\frac{7}{6}$	1	1	$\frac{7}{6}$	2	$\frac{1}{2x^{\frac{1}{6}}y} \left[\ln \frac{((1-y)^{\frac{1}{6}} + x^{\frac{1}{6}})^2 (1-x^{\frac{1}{6}})^2 ((1-y)^{\frac{1}{3}} + (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}}) (1-x^{\frac{1}{6}} + x^{\frac{1}{3}})}{((1-y)^{\frac{1}{6}} - x^{\frac{1}{6}})^2 (1+x^{\frac{1}{6}})^2 ((1-y)^{\frac{1}{3}} - (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}}) (1+x^{\frac{1}{6}} + x^{\frac{1}{3}})} \right. \\ \left. + 2\sqrt{3} \left(\arctan \frac{\sqrt{3}(x(1-y))^{\frac{1}{6}}}{(1-y)^{\frac{1}{3}} - x^{\frac{1}{3}}} - \arctan \frac{\sqrt{3}x^{\frac{1}{6}}}{1-x^{\frac{1}{3}}} \right) \right]$
$\frac{7}{6}$	1	1	$\frac{13}{6}$	2	$\frac{7((1-y)^{\frac{5}{6}} - 1)}{xy} - \frac{7}{6x^{\frac{7}{6}}y} \left[(1-x-y) \ln \frac{((1-y)^{\frac{1}{6}} + x^{\frac{1}{6}}) \sqrt{(1-y)^{\frac{1}{3}} + (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}}}}{((1-y)^{\frac{1}{6}} - x^{\frac{1}{6}}) \sqrt{(1-y)^{\frac{1}{3}} - (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}}}} \right. \\ \left. - (1-x) \ln \frac{(1+x^{\frac{1}{6}}) \sqrt{1+x^{\frac{1}{6}} + x^{\frac{1}{3}}}}{(1-x^{\frac{1}{6}}) \sqrt{1-x^{\frac{1}{6}} + x^{\frac{1}{3}}}} + \sqrt{3} \left((1-x-y) \arctan \frac{\sqrt{3}(x(1-y))^{\frac{1}{6}}}{(1-y)^{\frac{1}{3}} - x^{\frac{1}{3}}} - (1-x) \arctan \frac{\sqrt{3}x^{\frac{1}{6}}}{1-x^{\frac{1}{3}}} \right) \right]$
$\frac{6}{5}$	1	1	$\frac{6}{5}$	2	$\frac{1}{4x^{\frac{1}{5}}y} \left[(\sqrt{5}+1) \ln \left(\frac{(1-y)^{\frac{2}{5}} + (\frac{\sqrt{5}+1}{2})(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{(1+(\frac{\sqrt{5}+1}{2})x^{\frac{1}{5}} + x^{\frac{2}{5}})} \right) - (\sqrt{5}-1) \ln \left(\frac{(1-y)^{\frac{2}{5}} - (\frac{\sqrt{5}-1}{2})(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{(1-(\frac{\sqrt{5}-1}{2})x^{\frac{1}{5}} + x^{\frac{2}{5}})} \right) \right. \\ \left. + 2\sqrt{10-2\sqrt{5}} \left(\arctan \left(\frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} \right) - \arctan \left(\frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}} \right) \right) \right. \\ \left. + 2\sqrt{10+2\sqrt{5}} \left(\arctan \left(\frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} \right) - \arctan \left(\frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}} \right) \right) - 4 \ln \left(\frac{(1-y)^{\frac{1}{5}} - x^{\frac{1}{5}}}{1-x^{\frac{1}{5}}} \right) \right]$
$\frac{6}{5}$	1	1	$\frac{11}{5}$	2	$\frac{6((1-y)^{\frac{4}{5}} - 1)}{xy} - \frac{3}{10x^{\frac{6}{5}}y} \left[(\sqrt{5}+1) \left((1-x-y) \ln \left((1-y)^{\frac{2}{5}} + (\frac{\sqrt{5}+1}{2})(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}} \right) \right. \right. \\ \left. - (1-x) \ln \left(1 + (\frac{\sqrt{5}+1}{2})x^{\frac{1}{5}} + x^{\frac{2}{5}} \right) \right) \\ \left. - (\sqrt{5}-1) \left((1-x-y) \ln \left((1-y)^{\frac{2}{5}} - (\frac{\sqrt{5}-1}{2})(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}} \right) - (1-x) \ln \left(1 - (\frac{\sqrt{5}-1}{2})x^{\frac{1}{5}} + x^{\frac{2}{5}} \right) \right) \right. \\ \left. + 2\sqrt{10-2\sqrt{5}} \left((1-x-y) \arctan \left(\frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} \right) - (1-x) \arctan \left(\frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}} \right) \right) \right. \\ \left. + 2\sqrt{10+2\sqrt{5}} \left((1-x-y) \arctan \left(\frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} \right) - (1-x) \arctan \left(\frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}} \right) \right) \right. \\ \left. - 4 \left((1-x-y) \ln \left((1-y)^{\frac{1}{5}} - x^{\frac{1}{5}} \right) - (1-x) \ln \left(1 - x^{\frac{1}{5}} \right) \right) \right]$
$\frac{5}{4}$	$\frac{3}{4}$	1	$\frac{1}{2}$	2	$\frac{2\sqrt{2}}{y} \left[\frac{\sqrt{\sqrt{1-y} + \sqrt{1-x-y}}}{\sqrt{1-x-y}} - \frac{\sqrt{1+\sqrt{1-x}}}{\sqrt{1-x}} \right]$
$\frac{5}{4}$	$\frac{3}{4}$	1	$\frac{3}{2}$	2	$\frac{\sqrt{32}}{y} \left[(\sqrt{1-y} + \sqrt{1-x-y})^{-\frac{1}{2}} - (1 + \sqrt{1-x})^{-\frac{1}{2}} \right]$
$\frac{5}{4}$	1	1	$\frac{5}{4}$	2	$\frac{1}{x^{\frac{1}{4}}y} \left[\ln \left(\frac{((1-y)^{\frac{1}{4}} + x^{\frac{1}{4}})(1-x^{\frac{1}{4}})}{((1-y)^{\frac{1}{4}} - x^{\frac{1}{4}})(1+x^{\frac{1}{4}})} \right) + 2 \left(\arctan \left(\frac{x}{1-y} \right)^{\frac{1}{4}} - \arctan x^{\frac{1}{4}} \right) \right]$
$\frac{5}{4}$	1	1	$\frac{9}{4}$	2	$\frac{5}{4x^{\frac{5}{4}}y} \left[4x^{\frac{1}{4}} \left((1-y)^{\frac{3}{4}} - 1 \right) + (1-x) \ln \frac{1+x^{\frac{1}{4}}}{1-x^{\frac{1}{4}}} - (1-x-y) \ln \frac{(1-y)^{\frac{1}{4}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} \right. \\ \left. + 2 \left((1-x) \arctan x^{\frac{1}{4}} - (1-x-y) \arctan \left(\frac{x}{1-y} \right)^{\frac{1}{4}} \right) \right]$
$\frac{4}{3}$	1	1	$\frac{4}{3}$	2	$\frac{1}{2x^{\frac{1}{3}}y} \left[\ln \left(\frac{((1-y)^{\frac{2}{3}} + (x(1-y))^{\frac{1}{3}} + x^{\frac{2}{3}})(1-x^{\frac{1}{3}})^2}{(1+x^{\frac{1}{3}} + x^{\frac{2}{3}})((1-y)^{\frac{1}{3}} - x^{\frac{1}{3}})^2} \right) + 2\sqrt{3} \left(\arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2(1-y)^{\frac{1}{3}} + x^{\frac{1}{3}}} - \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2+x^{\frac{1}{3}}} \right) \right]$
$\frac{4}{3}$	1	1	$\frac{7}{3}$	2	$\frac{4}{3x^{\frac{4}{3}}y} \left[3x^{\frac{1}{3}} \left((1-y)^{\frac{2}{3}} - 1 \right) + (1-x) \ln \frac{\sqrt{1+x^{\frac{1}{3}} + x^{\frac{2}{3}}}}{1-x^{\frac{1}{3}}} - (1-x-y) \ln \frac{\sqrt{(1-y)^{\frac{2}{3}} + (x(1-y))^{\frac{1}{3}} + x^{\frac{2}{3}}}}{(1-y)^{\frac{1}{3}} - x^{\frac{1}{3}}} \right. \\ \left. + \sqrt{3} \left((1-x) \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2+x^{\frac{1}{3}}} - (1-x-y) \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2(1-y)^{\frac{1}{3}} + x^{\frac{1}{3}}} \right) \right]$
$\frac{11}{8}$	1	1	$\frac{11}{8}$	2	$\frac{1}{x^{\frac{3}{8}}y} \left[\ln \frac{((1-y)^{\frac{1}{8}} + x^{\frac{1}{8}})(1-x^{\frac{1}{8}})}{((1-y)^{\frac{1}{8}} - x^{\frac{1}{8}})(1+x^{\frac{1}{8}})} - 2^{-\frac{1}{2}} \ln \frac{((1-y)^{\frac{1}{4}} + \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}})(1-\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}})}{((1-y)^{\frac{1}{4}} - \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}})(1+\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}})} \right. \\ \left. + \sqrt{2} \left(\arctan \frac{\sqrt{2}(x(1-y))^{\frac{1}{8}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} - \arctan \frac{\sqrt{2}x^{\frac{1}{8}}}{1-x^{\frac{1}{4}}} \right) - 2 \left(\arctan \left(\frac{x}{1-y} \right)^{\frac{1}{8}} - \arctan x^{\frac{1}{8}} \right) \right]$
$\frac{7}{5}$	1	1	$\frac{7}{5}$	2	$\frac{1}{4x^{\frac{2}{5}}y} \left[\ln \frac{(1-x-y)(1-x^{\frac{1}{5}})^5}{(1-x)((1-y)^{\frac{1}{5}} - x^{\frac{1}{5}})^5} - \sqrt{5} \ln \frac{((1-y)^{\frac{2}{5}} + \frac{\sqrt{5}+1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}})(1-\frac{\sqrt{5}-1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}})}{((1-y)^{\frac{2}{5}} - \frac{\sqrt{5}-1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}})(1+\frac{\sqrt{5}+1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}})} \right. \\ \left. + 2\sqrt{10-2\sqrt{5}} \left(\arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}} \right) \right. \\ \left. - 2\sqrt{10+2\sqrt{5}} \left(\arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}} \right) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$\frac{7}{5}$	1	1	$\frac{12}{5}$	2	$\frac{7((1-y)^{\frac{3}{5}}-1)}{2xy} - \frac{7}{20x^{\frac{1}{5}}y} \left[(1-x-y) \ln \frac{1-x-y}{((1-y)^{\frac{1}{5}}-x^{\frac{1}{5}})^5} - (1-x) \ln \frac{1-x}{(1-x^{\frac{1}{5}})^5} \right.$ $- \sqrt{5} \left((1-x-y) \ln \frac{(1-y)^{\frac{2}{5}} + \frac{\sqrt{5}+1}{2} (x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{(1-y)^{\frac{2}{5}} - \frac{\sqrt{5}-1}{2} (x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}} - (1-x) \ln \frac{1 + \frac{\sqrt{5}+1}{2} x^{\frac{1}{5}} + x^{\frac{2}{5}}}{1 - \frac{\sqrt{5}-1}{2} x^{\frac{1}{5}} + x^{\frac{2}{5}}} \right)$ $+ 2\sqrt{10-2\sqrt{5}} \left((1-x-y) \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} - (1-x) \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4 - (\sqrt{5}-1)x^{\frac{1}{5}}} \right)$ $- 2\sqrt{10+2\sqrt{5}} \left((1-x-y) \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} - (1-x) \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4 + (\sqrt{5}+1)x^{\frac{1}{5}}} \right)$
$\frac{3}{2}$	$-\frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{y} [(1-y)^{-1}(1-x-y)^{\frac{1}{2}} - (1-x)^{\frac{1}{2}}]$
$\frac{3}{2}$	$-\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{y} \left[\frac{\arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}}{\sqrt{x}} + \frac{\sqrt{1-x-y}}{1-y} - \sqrt{1-x} \right]$
$\frac{3}{2}$	$-\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{3}{8xy} \left[\frac{(1-y+2x)\sqrt{1-x-y}}{1-y} - (1+2x)\sqrt{1-x} - \frac{(1-y-4x) \arcsin \sqrt{\frac{x}{1-y}} - (1-4x) \arcsin \sqrt{x}}{\sqrt{x}} \right]$
$\frac{3}{2}$	$-\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{64x^2y} \left[3 \left(\frac{(1-y)^2 - 4x(1-y) + 8x^2}{\sqrt{x}} \arcsin \sqrt{\frac{x}{1-y}} - (1-4x+8x^2) \arcsin \sqrt{x} \right) - \frac{(3(1-y)^2 - 10x(1-y) - 8x^2) \sqrt{1-x-y}}{1-y} \right.$ $\left. + (3-10x-8x^2) \sqrt{1-x} \right]$
$\frac{3}{2}$	$\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{y} \left[\frac{1-y-2x}{(1-x-y)^{\frac{3}{2}}} - \frac{1-2x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{3}{2}$	$\frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{y} [(1-x-y)^{-\frac{1}{2}} - (1-x)^{-\frac{1}{2}}]$
$\frac{3}{2}$	$\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{\sqrt{xy}} \left[\arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x} \right]$
$\frac{3}{2}$	$\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{3}{2xy} \left[\sqrt{1-x-y} - \sqrt{1-x} - \frac{(1-y-2x) \arcsin \sqrt{\frac{x}{1-y}} - (1-2x) \arcsin \sqrt{x}}{\sqrt{x}} \right]$
$\frac{3}{2}$	$\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{15}{32x^2y} \left[\frac{(3(1-y)^2 - 8x(1-y) + 8x^2) \arcsin \sqrt{\frac{x}{1-y}} - (3-8x+8x^2) \arcsin \sqrt{x}}{\sqrt{x}} \right.$ $\left. - 3((1-y-2x)\sqrt{1-x-y} - (1-2x)\sqrt{1-x}) \right]$
$\frac{3}{2}$	1	1	$-\frac{1}{2}$	2	$\frac{2}{y} \left[\frac{(1-y)^{\frac{1}{2}}(1-y-3x)}{(1-y-x)^2} - \frac{1-3x}{(1-x)^2} \right]$
$\frac{3}{2}$	1	1	$\frac{1}{2}$	2	$\frac{2}{y} [(1-y)^{\frac{1}{2}}(1-x-y)^{-1} - (1-x)^{-1}]$
$\frac{3}{2}$	1	1	$\frac{3}{2}$	2	$\frac{2}{\sqrt{xy}} \left[\arctan \sqrt{\frac{x}{1-y}} - \arctan \sqrt{x} \right]$
$\frac{3}{2}$	1	1	2	2	$\frac{4}{xy} [\sqrt{1-x} + \sqrt{1-y} - \sqrt{1-x-y} - 1]$
$\frac{3}{2}$	1	1	$\frac{5}{2}$	2	$\frac{3}{xy} \left[\sqrt{1-y} - 1 - \frac{(1-x-y) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1-x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{3}{2}$	1	1	3	2	$\frac{8}{3x^2y} [2((1-x-y)^{\frac{3}{2}} - (1-x)^{\frac{3}{2}}) - (2-2y-3x)(1-y)^{\frac{1}{2}} + 2-3x]$
$\frac{3}{2}$	1	1	$\frac{7}{2}$	2	$\frac{5}{4x^2y} \left[3 \left(\frac{(1-x-y)^2 \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1-x)^2 \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right) - \sqrt{1-y} (3(1-y) - 5x) + 3-5x \right]$
$\frac{3}{2}$	1	1	4	2	$-\frac{4}{5x^3y} [8(1-(1-y)^{\frac{5}{2}} - (1-x)^{\frac{5}{2}} + (1-x-y)^{\frac{5}{2}}) - 20x(1-(1-y)^{\frac{3}{2}})$ $- 20x(1-(1-y)^{\frac{3}{2}}) + 15x^2(1-(1-y)^{\frac{1}{2}})]$
$\frac{3}{2}$	$\frac{3}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{y} \left[\frac{(1-y-4x)(1-y)^{\frac{5}{2}}}{(1-x-y)^{\frac{5}{2}}} - \frac{1-4x}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{3}{2}$	$\frac{3}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{y} [(1-y)(1-x-y)^{-\frac{3}{2}} - (1-x)^{-\frac{3}{2}}]$
$\frac{3}{2}$	$\frac{3}{2}$	1	$\frac{5}{2}$	2	$\frac{3}{xy} \left[\frac{(1-y) \arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}}{\sqrt{x}} - \sqrt{1-x-y} + \sqrt{1-x} \right]$
$\frac{3}{2}$	$\frac{3}{2}$	1	$\frac{7}{2}$	2	$\frac{15}{8x^2y} \left[(3(1-y) - 2x) \sqrt{1-x-y} - (3-2x) \sqrt{1-x} - \frac{(1-y)(3(1-y)-4x) \arcsin \sqrt{\frac{x}{1-y}} - (3-4x) \arcsin \sqrt{x}}{\sqrt{x}} \right]$
$\frac{3}{2}$	2	1	$-\frac{1}{2}$	2	$\frac{2}{y} \left[\frac{(1-y-5x)(1-y)^{\frac{3}{2}}}{(1-x-y)^3} - \frac{1-5x}{(1-x)^3} \right]$
$\frac{3}{2}$	2	1	$\frac{1}{2}$	2	$\frac{2}{y} [(1-y)^{\frac{3}{2}}(1-x-y)^{-2} - (1-x)^{-2}]$
$\frac{3}{2}$	2	1	1	2	$\frac{1}{y} \left[\frac{2(1-y)-x}{(1-x-y)^{\frac{3}{2}}} - \frac{2-x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{3}{2}$	2	1	$\frac{3}{2}$	2	$\frac{1}{y} \left[\frac{\sqrt{1-y}}{1-x-y} - \frac{1}{1-x} + \frac{\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{3}{2}$	2	1	$\frac{5}{2}$	2	$\frac{3}{2xy} \left[\frac{(1-y+x) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1+x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} - \sqrt{1-y} + 1 \right]$
$\frac{3}{2}$	2	1	3	2	$\frac{8}{3x^2y} [2((1-y)^{\frac{3}{2}} - 1) + (2+x)\sqrt{1-x} + (2(1-y)+x)\sqrt{1-x-y}]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$\frac{3}{2}$	2	1	$\frac{7}{2}$	2	$\frac{15}{8x^2y} \left[\sqrt{1-y} (3(1-y) - x) - (3-x) - \frac{(1-x-y)(3(1-y)+x) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1-x)(3+x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{3}{2}$	2	1	4	2	$\frac{16}{5x^3y} \left[(4(1-y) + x)(1-x-y)^{\frac{3}{2}} - (4(1-y) - 5x)(1-y)^{\frac{3}{2}} - (4+x)(1-x)^{\frac{3}{2}} + 4 - 5x \right]$
$\frac{3}{2}$	$\frac{5}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{y} \left[\frac{(1-y-6x)(1-y)^{\frac{5}{2}}}{(1-x-y)^{\frac{5}{2}}} - \frac{1-6x}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{3}{2}$	$\frac{5}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{y} \left[(1-y)^2 (1-x-y)^{-\frac{5}{2}} - (1-x)^{-\frac{5}{2}} \right]$
$\frac{3}{2}$	$\frac{5}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{3y} \left[\frac{3(1-y)-2x}{(1-x-y)^{\frac{3}{2}}} - \frac{3-2x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{3}{2}$	$\frac{5}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{4x^2y} \left[3 \frac{(1-y)^2 \arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}}{\sqrt{x}} - (3(1-y) + 2x) \sqrt{1-x-y} + (3+2x) \sqrt{1-x} \right]$
$\frac{3}{2}$	3	1	$-\frac{1}{2}$	2	$\frac{2}{y} \left[\frac{(1-y-7x)(1-y)^{\frac{5}{2}}}{(1-x-y)^4} - \frac{1-7x}{(1-x)^4} \right]$
$\frac{3}{2}$	3	1	$\frac{1}{2}$	2	$\frac{2}{y} \left[(1-y)^{\frac{5}{2}} (1-x-y)^{-3} - (1-x)^{-3} \right]$
$\frac{3}{2}$	3	1	1	2	$\frac{1}{4y} \left[\frac{8(1-y)^2 - 8x(1-y) + 3x^2}{(1-x-y)^{\frac{5}{2}}} - \frac{8-8x+3x^2}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{3}{2}$	3	1	$\frac{3}{2}$	2	$\frac{1}{4y} \left[\frac{\sqrt{1-y}(5(1-y)-3x)}{(1-x-y)^2} - \frac{5-3x}{(1-x)^2} + 3 \frac{\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{3}{2}$	3	1	2	2	$\frac{1}{2y} \left[\frac{4(1-y)-3x}{(1-x-y)^{\frac{3}{2}}} - \frac{4-3x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{3}{2}$	3	1	$\frac{5}{2}$	2	$\frac{3}{8xy} \left[\frac{(1-y+3x) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1+3x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} - \frac{\sqrt{1-y}(1-y-3x)}{1-x-y} - \frac{1-3x}{1-x} \right]$
$\frac{3}{2}$	3	1	$\frac{7}{2}$	2	$\frac{15}{32x^2y} \left[\frac{(3(1-y)^2 + 2x(1-y) + 3x^2) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (3+2x+3x^2) \tanh^{-1} \sqrt{x}}{\sqrt{x}} - 3(\sqrt{1-y}(1+x+y) - (1+x)) \right]$
$\frac{3}{2}$	3	1	4	2	$\frac{4}{5x^2y} \left[8((1-y)^{\frac{5}{2}} - 1) + (8+4x+3x^2) \sqrt{1-x} - (8(1-y)^2 + 4x(1-y)^2 + 3x^2) \sqrt{1-x-y} \right]$
$\frac{3}{2}$	$\frac{7}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{y} \left[\frac{(1-y-8x)(1-y)^{\frac{3}{2}}}{(1-x-y)^{\frac{5}{2}}} - \frac{1-8x}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{3}{2}$	$\frac{7}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{y} \left[(1-y)^3 (1-x-y)^{-\frac{7}{2}} - (1-x)^{-\frac{7}{2}} \right]$
$\frac{3}{2}$	$\frac{7}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{15y} \left[\frac{15(1-y)^2 - 20x(1-y) + 8x^2}{(1-x-y)^{\frac{5}{2}}} - \frac{15-20x+8x^2}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{3}{2}$	$\frac{7}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{5y} \left[\frac{5(1-y)-4x}{(1-x-y)^{\frac{5}{2}}} - \frac{5-4x}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{3}{2}$	4	1	$-\frac{1}{2}$	2	$\frac{2}{y} \left[\frac{(1-y-9x)(1-y)^{\frac{5}{2}}}{(1-x-y)^5} - \frac{1-9x}{(1-x)^5} \right]$
$\frac{3}{2}$	4	1	$\frac{1}{2}$	2	$\frac{2}{y} \left[(1-y)^{\frac{7}{2}} (1-x-y)^{-4} - (1-x)^{-4} \right]$
$\frac{3}{2}$	4	1	1	2	$\frac{1}{8y} \left[\frac{16(1-y)^3 - 24x(1-y)^2 + 18x^2(1-y) - 5x^3}{(1-x-y)^{\frac{7}{2}}} - \frac{16-24x+18x^2-5x^3}{(1-x)^{\frac{7}{2}}} \right]$
$\frac{3}{2}$	4	1	$\frac{3}{2}$	2	$\frac{1}{24y} \left[\frac{(33(1-y)^2 - 40x(1-y) + 15x^2) \sqrt{1-y}}{(1-x-y)^3} - \frac{33-40x+15x^2}{(1-x)^3} + 15 \frac{\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{3}{2}$	4	1	2	2	$\frac{1}{4y} \left[\frac{8(1-y)^2 - 12x(1-y) + 5x^2}{(1-x-y)^{\frac{5}{2}}} - \frac{8-12x+5x^2}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{3}{2}$	4	1	$\frac{5}{2}$	2	$\frac{1}{16xy} \left[3 \frac{(1-y+5x) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1+5x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} - \frac{\sqrt{1-y}(3(1-y)^2 - 22x(1-y) + 15x^2)}{(1-x-y)^2} + \frac{3-22x+15x^2}{(1-x)^2} \right]$
$\frac{3}{2}$	4	1	3	2	$\frac{1}{3y} \left[\frac{6(1-y)-5x}{(1-x-y)^{\frac{3}{2}}} - \frac{6-5x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{3}{2}$	4	1	$\frac{7}{2}$	2	$\frac{5}{64x^2y} \left[3 \frac{((1-y)^2 + 2x(1-y) + 5x^2) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1+2x+5x^2) \tanh^{-1} \sqrt{x}}{\sqrt{x}} - \frac{\sqrt{1-y}(3(1-y)^2 + 4x(1-y) - 15x^2)}{1-x-y} + \frac{3+4x-15x^2}{1-x} \right]$
$\frac{8}{5}$	1	1	$\frac{8}{5}$	2	$\frac{1}{4x^{\frac{3}{5}}y} \left[(\sqrt{5}+1) \ln \left(\frac{(1-y)^{\frac{2}{5}} - \frac{\sqrt{5}-1}{2} (x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{1 - \frac{\sqrt{5}-1}{2} x^{\frac{1}{5}} + x^{\frac{2}{5}}} \right) - (\sqrt{5}-1) \ln \left(\frac{(1-y)^{\frac{2}{5}} + \frac{\sqrt{5}+1}{2} (x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{1 + \frac{\sqrt{5}+1}{2} x^{\frac{1}{5}} + x^{\frac{2}{5}}} \right) \right. \\ \left. - 4 \ln \left(\frac{(1-y)^{\frac{1}{5}} - x^{\frac{1}{5}}}{1-x^{\frac{1}{5}}} \right) + 2\sqrt{10+2\sqrt{5}} \left(\arctan \frac{\sqrt{10-2\sqrt{5}} x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10-2\sqrt{5}} x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}} \right) \right. \\ \left. - 2\sqrt{10-2\sqrt{5}} \left(\arctan \frac{\sqrt{10+2\sqrt{5}} x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10+2\sqrt{5}} x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}} \right) \right]$
$\frac{13}{8}$	1	1	$\frac{13}{8}$	2	$\frac{1}{x^{\frac{5}{8}}y} \left[\ln \left(\frac{(1-y)^{\frac{1}{8}} + x^{\frac{1}{8}}}{(1-y)^{\frac{1}{8}} - x^{\frac{1}{8}}} \right) \frac{(1-x^{\frac{1}{8}})}{(1+x^{\frac{1}{8}})} - 2^{-\frac{1}{2}} \ln \left(\frac{(1-y)^{\frac{1}{4}} + \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} - \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}}} \right) \frac{(1-\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}})}{(1+\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}})} \right. \\ \left. + 2 \left(\arctan \left(\frac{x}{1-y} \right)^{\frac{1}{8}} - \arctan x^{\frac{1}{8}} \right) - \sqrt{2} \left(\arctan \frac{\sqrt{2}(x(1-y))^{\frac{1}{8}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} - \arctan \frac{\sqrt{2}x^{\frac{1}{8}}}{1-x^{\frac{1}{4}}} \right) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$\frac{5}{3}$	1	1	$\frac{5}{3}$	2	$\frac{1}{2x^{\frac{2}{3}}y} \left[\ln \frac{(1-x-y)(1-x^{\frac{1}{3}})^3}{(1-x)((1-y)^{\frac{1}{3}}-x^{\frac{1}{3}})^3} - 2\sqrt{3} \left(\arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2(1-y)^{\frac{1}{3}}+x^{\frac{1}{3}}} - \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2+x^{\frac{1}{3}}} \right) \right]$
$\frac{5}{3}$	1	1	$\frac{8}{3}$	2	$\frac{5((1-y)^{\frac{1}{3}}-1)}{2xy} - \frac{5}{6x^{\frac{2}{3}}y} \left[(1-x-y) \ln \frac{1-x-y}{((1-y)^{\frac{1}{3}}-x^{\frac{1}{3}})^3} - (1-x) \ln \frac{1-x}{(1-x^{\frac{1}{3}})^3} \right. \\ \left. - 2\sqrt{3} \left((1-x-y) \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2(1-y)^{\frac{1}{3}}+x^{\frac{1}{3}}} - (1-x) \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2+x^{\frac{1}{3}}} \right) \right]$
$\frac{7}{4}$	$\frac{1}{4}$	1	$\frac{1}{2}$	2	$\frac{2\sqrt{2}}{3y} \left[\frac{\sqrt{\sqrt{1-y}+\sqrt{1-x-y}}}{\sqrt{(1-x-y)(1-y)}} - \frac{\sqrt{1+\sqrt{1-x}}}{\sqrt{1-x}} \right]$
$\frac{7}{4}$	$\frac{1}{4}$	1	$\frac{3}{2}$	2	$\frac{4}{3\sqrt{xy}} \left[\frac{\sqrt{\sqrt{1-y}+\sqrt{x}}-\sqrt{\sqrt{1-y}-\sqrt{x}}}{\sqrt{1-y}} - \sqrt{1+\sqrt{x}} + \sqrt{1-\sqrt{x}} \right]$
$\frac{7}{4}$	1	1	$\frac{7}{4}$	2	$\frac{1}{x^{\frac{1}{4}}y} \left[\ln \frac{((1-y)^{\frac{1}{4}}+x^{\frac{1}{4}})(1-x^{\frac{1}{4}})}{((1-y)^{\frac{1}{4}}-x^{\frac{1}{4}})(1+x^{\frac{1}{4}})} - 2 \left(\arctan \left(\frac{x}{1-y} \right)^{\frac{1}{4}} - \arctan x^{\frac{1}{4}} \right) \right]$
$\frac{7}{4}$	1	1	$\frac{11}{4}$	2	$\frac{7((1-y)^{\frac{1}{4}}-1)}{3xy} - \frac{7}{4x^{\frac{3}{4}}y} \left[(1-x-y) \ln \frac{(1-y)^{\frac{1}{4}}+x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}}-x^{\frac{1}{4}}} - (1-x) \ln \frac{1+x^{\frac{1}{4}}}{1-x^{\frac{1}{4}}} \right. \\ \left. - 2 \left((1-x-y) \arctan \left(\frac{x}{1-y} \right)^{\frac{1}{4}} - (1-x) \arctan x^{\frac{1}{4}} \right) \right]$
$\frac{7}{4}$	$\frac{5}{4}$	1	$\frac{1}{2}$	2	$\frac{2}{3y} \left[(\sqrt{1-y}-\sqrt{x})^{-\frac{3}{2}} + (\sqrt{1-y}+\sqrt{x})^{-\frac{3}{2}} - (1-\sqrt{x})^{-\frac{3}{2}} - (1+\sqrt{x})^{-\frac{3}{2}} \right]$
$\frac{7}{4}$	$\frac{5}{4}$	1	$\frac{3}{2}$	2	$\frac{4}{3\sqrt{xy}} \left[(\sqrt{1-y}-\sqrt{x})^{-\frac{1}{2}} - (\sqrt{1-y}+\sqrt{x})^{-\frac{1}{2}} - (1-\sqrt{x})^{-\frac{1}{2}} + (1+\sqrt{x})^{-\frac{1}{2}} \right]$
$\frac{9}{5}$	1	1	$\frac{9}{5}$	2	$\frac{1}{4x^{\frac{4}{5}}y} \left[\ln \frac{(1-x-y)(1-x^{\frac{1}{5}})^5}{(1-x)((1-y)^{\frac{1}{5}}-x^{\frac{1}{5}})^5} - \sqrt{5} \ln \frac{((1-y)^{\frac{2}{5}}-\frac{\sqrt{5}-1}{2}(x(1-y))^{\frac{1}{5}}+x^{\frac{2}{5}})(1+\frac{\sqrt{5}+1}{2}x^{\frac{1}{5}}+x^{\frac{2}{5}})}{((1-y)^{\frac{2}{5}}+\frac{\sqrt{5}+1}{2}(x(1-y))^{\frac{1}{5}}+x^{\frac{2}{5}})(1-\frac{\sqrt{5}-1}{2}x^{\frac{1}{5}}+x^{\frac{2}{5}})} \right. \\ \left. - 2\sqrt{10+2\sqrt{5}} \left(\arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}}-(\sqrt{5}-1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}} \right) \right. \\ \left. - 2\sqrt{10-2\sqrt{5}} \left(\arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}}+(\sqrt{5}+1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}} \right) \right]$
$\frac{9}{5}$	1	1	$\frac{14}{5}$	2	$\frac{9((1-y)^{\frac{1}{5}}-1)}{4xy} + \frac{9}{20x^{\frac{4}{5}}y} \left[\sqrt{5} \left((1-x-y) \ln \frac{(1-y)^{\frac{2}{5}}-\frac{\sqrt{5}-1}{2}(x(1-y))^{\frac{1}{5}}+x^{\frac{2}{5}}}{(1-y)^{\frac{2}{5}}+\frac{\sqrt{5}+1}{2}(x(1-y))^{\frac{1}{5}}+x^{\frac{2}{5}}} - (1-x) \ln \frac{1-\frac{\sqrt{5}-1}{2}x^{\frac{1}{5}}+x^{\frac{2}{5}}}{1+\frac{\sqrt{5}+1}{2}x^{\frac{1}{5}}+x^{\frac{2}{5}}} \right) \right. \\ \left. - \left((1-x-y) \ln \frac{1-x-y}{((1-y)^{\frac{1}{5}}-x^{\frac{1}{5}})^5} - (1-x) \ln \frac{1-x}{(1-x^{\frac{1}{5}})^5} \right) \right. \\ \left. + 2\sqrt{10+2\sqrt{5}} \left((1-x-y) \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}}-(\sqrt{5}-1)x^{\frac{1}{5}}} - (1-x) \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}} \right) \right. \\ \left. + 2\sqrt{10-2\sqrt{5}} \left((1-x-y) \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}}+(\sqrt{5}+1)x^{\frac{1}{5}}} - (1-x) \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}} \right) \right]$
$\frac{11}{6}$	1	1	$\frac{11}{6}$	2	$\frac{1}{2x^{\frac{5}{6}}y} \left[\ln \frac{((1-y)^{\frac{1}{3}}+(x(1-y))^{\frac{1}{6}}+x^{\frac{1}{3}})((1-y)^{\frac{1}{6}}+x^{\frac{1}{6}})^2(1-x^{\frac{1}{6}}+x^{\frac{1}{3}})(1-x^{\frac{1}{6}})^2}{((1-y)^{\frac{1}{3}}-(x(1-y))^{\frac{1}{6}}+x^{\frac{1}{3}})((1-y)^{\frac{1}{6}}-x^{\frac{1}{6}})^2(1+x^{\frac{1}{6}}+x^{\frac{1}{3}})(1+x^{\frac{1}{6}})^2} \right. \\ \left. - 2\sqrt{3} \left(\arctan \frac{\sqrt{3}(x(1-y))^{\frac{1}{6}}}{(1-y)^{\frac{1}{3}}-x^{\frac{1}{3}}} - \arctan \frac{\sqrt{3}x^{\frac{1}{6}}}{1-x^{\frac{1}{3}}} \right) \right]$
$\frac{11}{6}$	1	1	$\frac{17}{6}$	2	$\frac{11((1-y)^{\frac{1}{6}}-1)}{5xy} - \frac{11}{6x^{\frac{11}{6}}y} \left[(1-x-y) \ln \frac{\sqrt{(1-y)^{\frac{1}{3}}+(x(1-y))^{\frac{1}{6}}+x^{\frac{1}{3}}((1-y)^{\frac{1}{6}}+x^{\frac{1}{6}})}}{\sqrt{(1-y)^{\frac{1}{3}}-(x(1-y))^{\frac{1}{6}}+x^{\frac{1}{3}}((1-y)^{\frac{1}{6}}-x^{\frac{1}{6}})}} \right. \\ \left. - (1-x) \ln \frac{\sqrt{1+x^{\frac{1}{6}}+x^{\frac{1}{3}}(1+x^{\frac{1}{6}})}}{\sqrt{1-x^{\frac{1}{6}}+x^{\frac{1}{3}}(1-x^{\frac{1}{6}})}} - \sqrt{3} \left((1-x-y) \arctan \frac{\sqrt{3}(x(1-y))^{\frac{1}{6}}}{(1-y)^{\frac{1}{3}}-x^{\frac{1}{3}}} - (1-x) \arctan \frac{\sqrt{3}x^{\frac{1}{6}}}{1-x^{\frac{1}{3}}} \right) \right]$
$\frac{15}{8}$	1	1	$\frac{15}{8}$	2	$\frac{1}{x^{\frac{7}{8}}y} \left[\ln \frac{((1-y)^{\frac{1}{8}}+x^{\frac{1}{8}})(1-x^{\frac{1}{8}})}{((1-y)^{\frac{1}{8}}-x^{\frac{1}{8}})(1+x^{\frac{1}{8}})} + 2^{-\frac{1}{2}} \ln \frac{((1-y)^{\frac{1}{4}}+\sqrt{2}(x(1-y))^{\frac{1}{8}}+x^{\frac{1}{4}})(1-\sqrt{2}x^{\frac{1}{8}}+x^{\frac{1}{4}})}{((1-y)^{\frac{1}{4}}-\sqrt{2}(x(1-y))^{\frac{1}{8}}+x^{\frac{1}{4}})(1+\sqrt{2}x^{\frac{1}{8}}+x^{\frac{1}{4}})} \right. \\ \left. - 2 \left(\arctan \left(\frac{x}{1-y} \right)^{\frac{1}{8}} - \arctan x^{\frac{1}{8}} \right) - \sqrt{2} \left(\arctan \frac{\sqrt{2}(x(1-y))^{\frac{1}{8}}}{(1-y)^{\frac{1}{4}}-x^{\frac{1}{4}}} - \arctan \frac{\sqrt{2}x^{\frac{1}{8}}}{1-x^{\frac{1}{4}}} \right) \right]$
2	$-\frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{y} \left[\frac{y}{1-y} - \sqrt{x} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - \tanh^{-1} \sqrt{x} \right) \right]$
2	$-\frac{1}{2}$	1	1	2	$\frac{1}{y} \left[(1-y)^{-\frac{3}{2}}(1-x-y)^{\frac{1}{2}} - (1-x)^{\frac{1}{2}} \right]$
2	$-\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{2y} \left[\frac{y}{1-y} + \frac{1}{\sqrt{x}} \left(\frac{(1-x-y) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - (1-x) \tanh^{-1} \sqrt{x} \right) \right]$
2	$-\frac{1}{2}$	1	2	2	$\frac{2}{3xy} \left[(1-x)^{\frac{3}{2}} - \left(\frac{1-x-y}{1-y} \right)^{\frac{3}{2}} \right]$
2	$-\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{3}{8xy} \left[\frac{xy}{1-y} - \frac{1}{\sqrt{x}} \left(\frac{(1-x-y)^2 \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - (1-x)^2 \tanh^{-1} \sqrt{x} \right) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
2	$-\frac{1}{2}$	1	3	2	$\frac{8}{15x^2y} \left[\frac{(1-x-y)^{\frac{5}{2}}}{(1-y)^{\frac{3}{2}}} - (1-x)^{\frac{5}{2}} + y \right]$
2	$-\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{48x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{(1-x-y)^3 \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - (1-x)^3 \tanh^{-1} \sqrt{x} \right) - \frac{3(1-y)^2 - 8x(1-y) - 3x^2}{1-y} + 3 - 8x - 3x^2 \right]$
2	$-\frac{1}{2}$	1	4	2	$\frac{8}{35x^3y} \left[2((1-y)^2 - 1) + 7xy - 2 \left(\frac{(1-x-y)^{\frac{7}{2}}}{(1-y)^{\frac{3}{2}}} - (1-x)^{\frac{7}{2}} \right) \right]$
2	$\frac{1}{8}$	1	$\frac{9}{8}$	2	$\frac{1}{8x^{\frac{1}{8}}y} \left[(1-y)^{-\frac{7}{8}} \ln \frac{(1-y)^{\frac{1}{8}} + x^{\frac{1}{8}}}{(1-y)^{\frac{1}{8}} - x^{\frac{1}{8}}} - \ln \frac{1+x^{\frac{1}{8}}}{1-x^{\frac{1}{8}}} + 2((1-y)^{-\frac{7}{8}} \arctan \left(\frac{x}{1-y} \right)^{\frac{1}{8}} - \arctan(x^{\frac{1}{8}})) \right. \\ \left. + \sqrt{2}((1-y)^{-\frac{7}{8}} \arctan \frac{\sqrt{2}(x(1-y))^{\frac{1}{8}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} - \arctan \frac{\sqrt{2}x^{\frac{1}{8}}}{1-x^{\frac{1}{4}}}) \right. \\ \left. - 2^{-\frac{1}{2}}((1-y)^{-\frac{7}{8}} \ln \frac{(1-y)^{\frac{1}{4}} - \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} + \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}}} - \ln \frac{1-\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}}}{1+\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}}}) \right]$
2	$\frac{1}{6}$	1	$\frac{7}{6}$	2	$\frac{1}{12x^{\frac{1}{6}}y} \left[(1-y)^{-\frac{5}{6}} \ln \frac{((1-y)^{\frac{1}{6}} + x^{\frac{1}{6}})^2 ((1-y)^{\frac{1}{3}} + (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}})}{((1-y)^{\frac{1}{6}} - x^{\frac{1}{6}})^2 ((1-y)^{\frac{1}{3}} - (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}})} - \ln \frac{(1+x^{\frac{1}{6}})^2 (1+x^{\frac{1}{6}} + x^{\frac{1}{3}})}{(1-x^{\frac{1}{6}})^2 (1-x^{\frac{1}{6}} + x^{\frac{1}{3}})} \right. \\ \left. + 2\sqrt{3}((1-y)^{-\frac{5}{6}} \arctan \frac{\sqrt{3}(x(1-y))^{\frac{1}{6}}}{(1-y)^{\frac{1}{3}} - x^{\frac{1}{3}}} - \arctan \frac{\sqrt{3}x^{\frac{1}{6}}}{1-x^{\frac{1}{3}}}) \right]$
2	$\frac{1}{6}$	1	$\frac{13}{6}$	2	$-\frac{7}{36x^{\frac{1}{6}}y} \left[\frac{1-x-y}{(1-y)^{\frac{5}{6}}} \ln \left(\frac{((1-y)^{\frac{1}{6}} + x^{\frac{1}{6}}) \sqrt{(1-y)^{\frac{1}{3}} + (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}}}}{((1-y)^{\frac{1}{6}} - x^{\frac{1}{6}}) \sqrt{(1-y)^{\frac{1}{3}} - (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}}}} \right) - (1-x) \ln \left(\frac{(1+x^{\frac{1}{6}}) \sqrt{1+x^{\frac{1}{6}} + x^{\frac{1}{3}}}}{(1-x^{\frac{1}{6}}) \sqrt{1-x^{\frac{1}{6}} + x^{\frac{1}{3}}}} \right) \right. \\ \left. + \sqrt{3} \left(\frac{1-x-y}{(1-y)^{\frac{5}{6}}} \arctan \left(\frac{\sqrt{3}(x(1-y))^{\frac{1}{6}}}{(1-y)^{\frac{1}{3}} - x^{\frac{1}{3}}} \right) - (1-x) \arctan \left(\frac{\sqrt{3}x^{\frac{1}{6}}}{1-x^{\frac{1}{3}}} \right) \right) \right]$
2	$\frac{1}{5}$	1	$\frac{6}{5}$	2	$\frac{1}{20x^{\frac{1}{5}}y} \left[((\sqrt{5}+1)((1-y)^{-\frac{4}{5}} \ln((1-y)^{\frac{2}{5}} + (\frac{\sqrt{5}+1}{2})(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}) - \ln(1 + (\frac{\sqrt{5}+1}{2})x^{\frac{1}{5}} + x^{\frac{2}{5}})) \right. \\ \left. - ((\sqrt{5}-1)((1-y)^{-\frac{4}{5}} \ln((1-y)^{\frac{2}{5}} - (\frac{\sqrt{5}-1}{2})(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}) - \ln(1 - (\frac{\sqrt{5}-1}{2})x^{\frac{1}{5}} + x^{\frac{2}{5}})) \right. \\ \left. + 2\sqrt{10-2\sqrt{5}}((1-y)^{-\frac{4}{5}} \arctan(\frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} - \arctan(\frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}})) \right. \\ \left. + 2\sqrt{10+2\sqrt{5}}((1-y)^{-\frac{4}{5}} \arctan(\frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} - \arctan(\frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}})) \right. \\ \left. - 4((1-y)^{-\frac{4}{5}} \ln((1-y)^{\frac{1}{5}} - x^{\frac{1}{5}}) - \ln(1-x^{\frac{1}{5}})) \right]$
2	$\frac{1}{5}$	1	$\frac{11}{5}$	2	$-\frac{3}{50x^{\frac{9}{5}}y} \left[((\sqrt{5}+1)((\frac{1-x-y}{(1-y)^{\frac{4}{5}}}) \ln((1-y)^{\frac{2}{5}} + (\frac{\sqrt{5}+1}{2})(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}) \right. \\ \left. - (1-x) \ln(1 + (\frac{\sqrt{5}+1}{2})x^{\frac{1}{5}} + x^{\frac{2}{5}})) \right. \\ \left. - ((\sqrt{5}-1)((\frac{1-x-y}{(1-y)^{\frac{4}{5}}}) \ln((1-y)^{\frac{2}{5}} - (\frac{\sqrt{5}-1}{2})(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}) - (1-x) \ln(1 - (\frac{\sqrt{5}-1}{2})x^{\frac{1}{5}} + x^{\frac{2}{5}})) \right. \\ \left. + 2\sqrt{10-2\sqrt{5}}((\frac{1-x-y}{(1-y)^{\frac{4}{5}}}) \arctan(\frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} - (1-x) \arctan(\frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}})) \right. \\ \left. + 2\sqrt{10+2\sqrt{5}}((\frac{1-x-y}{(1-y)^{\frac{4}{5}}}) \arctan(\frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} - (1-x) \arctan(\frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}})) \right. \\ \left. - 4((\frac{1-x-y}{(1-y)^{\frac{4}{5}}}) \ln((1-y)^{\frac{1}{5}} - x^{\frac{1}{5}}) - (1-x) \ln(1-x^{\frac{1}{5}})) \right]$
2	$\frac{1}{4}$	1	$\frac{5}{4}$	2	$\frac{1}{4x^{\frac{1}{4}}y} \left[(1-y)^{-\frac{3}{4}} \ln \left(\frac{(1-y)^{\frac{1}{4}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} \right) - \ln \left(\frac{1+x^{\frac{1}{4}}}{1-x^{\frac{1}{4}}} \right) + 2((1-y)^{-\frac{3}{4}} \arctan \left(\frac{x}{1-y} \right)^{\frac{1}{4}} - \arctan(x^{\frac{1}{4}})) \right]$
2	$\frac{1}{4}$	1	$\frac{9}{4}$	2	$\frac{5}{16x^{\frac{5}{4}}y} \left[(1-x) \ln \frac{1+x^{\frac{1}{4}}}{1-x^{\frac{1}{4}}} - \frac{1-x-y}{(1-y)^{\frac{3}{4}}} \ln \frac{(1-y)^{\frac{1}{4}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} + 2((1-x) \arctan x^{\frac{1}{4}} - \frac{1-x-y}{(1-y)^{\frac{3}{4}}} \arctan \left(\frac{x}{1-y} \right)^{\frac{1}{4}}) \right]$
2	$\frac{1}{3}$	1	$\frac{4}{3}$	2	$\frac{1}{6x^{\frac{1}{3}}y} \left[(1-y)^{-\frac{2}{3}} \ln \left(\frac{(1-y)^{\frac{2}{3}} + (x(1-y))^{\frac{1}{3}} + x^{\frac{2}{3}}}{((1-y)^{\frac{1}{3}} - x^{\frac{1}{3}})^2} \right) - \ln \left(\frac{1+x^{\frac{1}{3}} + x^{\frac{2}{3}}}{(1-x^{\frac{1}{3}})^2} \right) \right. \\ \left. + 2\sqrt{3}((1-y)^{-\frac{2}{3}} \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2(1-y)^{\frac{1}{3}} + x^{\frac{1}{3}}} - \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2+x^{\frac{1}{3}}}) \right]$
2	$\frac{1}{3}$	1	$\frac{7}{3}$	2	$\frac{4}{9x^{\frac{4}{3}}y} \left[(1-x) \ln \frac{\sqrt{1+x^{\frac{1}{3}} + x^{\frac{2}{3}}}}{1-x^{\frac{1}{3}}} - \frac{1-x-y}{(1-y)^{\frac{2}{3}}} \ln \frac{\sqrt{(1-y)^{\frac{2}{3}} + (x(1-y))^{\frac{1}{3}} + x^{\frac{2}{3}}}}{(1-y)^{\frac{1}{3}} - x^{\frac{1}{3}}} \right. \\ \left. + \sqrt{3}((1-x) \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2+x^{\frac{1}{3}}} - \frac{1-x-y}{(1-y)^{\frac{2}{3}}} \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2(1-y)^{\frac{1}{3}} + x^{\frac{1}{3}}}) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
2	$\frac{3}{8}$	1	$\frac{11}{8}$	2	$\frac{3}{8x^{\frac{3}{8}}y} \left[(1-y)^{-\frac{5}{8}} \ln \frac{(1-y)^{\frac{1}{8}} + x^{\frac{1}{8}}}{(1-y)^{\frac{1}{8}} - x^{\frac{1}{8}}} - \ln \frac{1+x^{\frac{1}{8}}}{1-x^{\frac{1}{8}}} \right.$ $- 2^{-\frac{1}{2}} \left((1-y)^{-\frac{5}{8}} \ln \frac{(1-y)^{\frac{1}{4}} + \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} - \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}}} - \ln \frac{1+\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}}}{1-\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}}} \right)$ $+ \sqrt{2} \left((1-y)^{-\frac{5}{8}} \arctan \frac{\sqrt{2}(x(1-y))^{\frac{1}{8}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} - \arctan \frac{\sqrt{2}x^{\frac{1}{8}}}{1-x^{\frac{1}{4}}} \right) - 2 \left((1-y)^{-\frac{5}{8}} \arctan \left(\frac{x}{1-y} \right)^{\frac{1}{8}} - \arctan x^{\frac{1}{8}} \right) \Big]$
2	$\frac{2}{5}$	1	$\frac{7}{5}$	2	$\frac{1}{10x^{\frac{2}{5}}y} \left[(1-y)^{-\frac{3}{5}} \ln \frac{1-x-y}{((1-y)^{\frac{1}{5}} - x^{\frac{1}{5}})^5} - \ln \frac{1-x}{(1-x^{\frac{1}{5}})^5} \right.$ $- \sqrt{5} \left((1-y)^{-\frac{3}{5}} \ln \frac{(1-y)^{\frac{2}{5}} + \frac{\sqrt{5}+1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{(1-y)^{\frac{2}{5}} - \frac{\sqrt{5}-1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}} - \ln \frac{1+\frac{\sqrt{5}+1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}}}{1-\frac{\sqrt{5}-1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}}} \right)$ $+ 2\sqrt{10-2\sqrt{5}} \left((1-y)^{-\frac{3}{5}} \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}} \right)$ $- 2\sqrt{10+2\sqrt{5}} \left((1-y)^{-\frac{3}{5}} \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}} \right) \Big]$
2	$\frac{2}{5}$	1	$\frac{12}{5}$	2	$-\frac{7}{50x^{\frac{2}{5}}y} \left[\frac{1-x-y}{(1-y)^{\frac{3}{5}}} \ln \frac{1-x-y}{((1-y)^{\frac{1}{5}} - x^{\frac{1}{5}})^5} - (1-x) \ln \frac{1-x}{(1-x^{\frac{1}{5}})^5} \right.$ $- \sqrt{5} \left(\frac{1-x-y}{(1-y)^{\frac{3}{5}}} \ln \frac{(1-y)^{\frac{2}{5}} + \frac{\sqrt{5}+1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{(1-y)^{\frac{2}{5}} - \frac{\sqrt{5}-1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}} - (1-x) \ln \frac{1+\frac{\sqrt{5}+1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}}}{1-\frac{\sqrt{5}-1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}}} \right)$ $+ 2\sqrt{10-2\sqrt{5}} \left(\frac{1-x-y}{(1-y)^{\frac{3}{5}}} \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} - (1-x) \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}} \right)$ $- 2\sqrt{10+2\sqrt{5}} \left(\frac{1-x-y}{(1-y)^{\frac{3}{5}}} \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} - (1-x) \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}} \right) \Big]$
2	$\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{y} \left[\frac{1-y-3x}{(1-x-y)^2} - \frac{1-3x}{(1-x)^2} \right]$
2	$\frac{1}{2}$	1	1	2	$\frac{1}{y} \left[(1-y)^{-\frac{1}{2}} (1-x-y)^{-\frac{1}{2}} - (1-x)^{-\frac{1}{2}} \right]$
2	$\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{\sqrt{xy}} \left[\frac{\arctan \sqrt{\frac{x}{1-y}}}{\sqrt{1-y}} - \arctan \sqrt{x} \right]$
2	$\frac{1}{2}$	1	2	2	$\frac{2}{xy} \left[\sqrt{1-x} - \sqrt{\frac{1-x-y}{1-y}} \right]$
2	$\frac{1}{2}$	1	$\frac{5}{2}$	2	$-\frac{3}{2x^{\frac{3}{2}}y} \left[\frac{(1-x-y) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{1-y}} - (1-x) \tanh^{-1} \sqrt{x} \right]$
2	$\frac{1}{2}$	1	3	2	$\frac{8}{3x^2y} \left[\frac{(1-x-y)^{\frac{3}{2}}}{\sqrt{1-y}} - (1-x)^{\frac{3}{2}} + y \right]$
2	$\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{15}{8x^2y} \left[\frac{1}{\sqrt{x}} \left(\frac{(1-x-y)^2 \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{1-y}} - (1-x)^2 \tanh^{-1} \sqrt{x} \right) + y \right]$
2	$\frac{3}{5}$	1	$\frac{8}{5}$	2	$\frac{3}{20x^{\frac{3}{5}}y} \left[(\sqrt{5}+1) \left((1-y)^{-\frac{2}{5}} \ln \left(\frac{(1-y)^{\frac{2}{5}} - \frac{\sqrt{5}-1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{(1-y)^{\frac{2}{5}}} \right) - \ln(1 - \frac{\sqrt{5}-1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}}) \right) \right.$ $- (\sqrt{5}-1) \left((1-y)^{-\frac{2}{5}} \ln \left(\frac{(1-y)^{\frac{2}{5}} + \frac{\sqrt{5}+1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{(1-y)^{\frac{2}{5}}} \right) - \ln(1 + \frac{\sqrt{5}+1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}}) \right)$ $- 4 \left((1-y)^{-\frac{2}{5}} \ln \left(\frac{(1-y)^{\frac{1}{5}} - x^{\frac{1}{5}}}{(1-y)^{\frac{1}{5}}} \right) - \ln(1 - x^{\frac{1}{5}}) \right)$ $+ 2\sqrt{10+2\sqrt{5}} \left((1-y)^{-\frac{2}{5}} \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4+(\sqrt{5}+1)x^{\frac{1}{5}}} \right)$ $- 2\sqrt{10-2\sqrt{5}} \left((1-y)^{-\frac{2}{5}} \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4-(\sqrt{5}-1)x^{\frac{1}{5}}} \right) \Big]$
2	$\frac{5}{8}$	1	$\frac{13}{8}$	2	$\frac{5}{8x^{\frac{5}{8}}y} \left[(1-y)^{-\frac{3}{8}} \ln \frac{(1-y)^{\frac{1}{8}} + x^{\frac{1}{8}}}{(1-y)^{\frac{1}{8}} - x^{\frac{1}{8}}} - \ln \frac{1+x^{\frac{1}{8}}}{1-x^{\frac{1}{8}}} \right.$ $- 2^{-\frac{1}{2}} \left((1-y)^{-\frac{3}{8}} \ln \frac{(1-y)^{\frac{1}{4}} + \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} - \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}}} - \ln \frac{1+\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}}}{1-\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}}} \right)$ $+ 2 \left((1-y)^{-\frac{3}{8}} \arctan \left(\frac{x}{1-y} \right)^{\frac{1}{8}} - \arctan x^{\frac{1}{8}} \right) - \sqrt{2} \left((1-y)^{-\frac{3}{8}} \arctan \frac{\sqrt{2}(x(1-y))^{\frac{1}{8}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} - \arctan \frac{\sqrt{2}x^{\frac{1}{8}}}{1-x^{\frac{1}{4}}} \right) \Big]$
2	$\frac{2}{3}$	1	$\frac{5}{3}$	2	$\frac{1}{3x^{\frac{2}{3}}y} \left[(1-y)^{-\frac{1}{3}} \ln \frac{1-x-y}{((1-y)^{\frac{1}{3}} - x^{\frac{1}{3}})^3} - \ln \frac{1-x}{(1-x^{\frac{1}{3}})^3} - 2\sqrt{3} \left((1-y)^{-\frac{1}{3}} \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2(1-y)^{\frac{1}{3}} + x^{\frac{1}{3}}} - \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2+x^{\frac{1}{3}}} \right) \right]$
2	$\frac{2}{3}$	1	$\frac{8}{3}$	2	$-\frac{5}{9x^{\frac{2}{3}}y} \left[\frac{1-x-y}{(1-y)^{\frac{1}{3}}} \ln \frac{1-x-y}{((1-y)^{\frac{1}{3}} - x^{\frac{1}{3}})^3} - (1-x) \ln \frac{1-x}{(1-x^{\frac{1}{3}})^3} \right.$ $- 2\sqrt{3} \left(\frac{1-x-y}{(1-y)^{\frac{1}{3}}} \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2(1-y)^{\frac{1}{3}} + x^{\frac{1}{3}}} - (1-x) \arctan \frac{\sqrt{3}x^{\frac{1}{3}}}{2+x^{\frac{1}{3}}} \right) \Big]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
2	$\frac{3}{4}$	1	$\frac{7}{4}$	2	$\frac{3}{4x^{\frac{3}{4}}y} \left[(1-y)^{-\frac{1}{4}} \ln \frac{(1-y)^{\frac{1}{4}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} - \ln \frac{1+x^{\frac{1}{4}}}{1-x^{\frac{1}{4}}} - 2 \left((1-y)^{-\frac{1}{4}} \arctan \left(\frac{x}{1-y} \right)^{\frac{1}{4}} - \arctan x^{\frac{1}{4}} \right) \right]$
2	$\frac{3}{4}$	1	$\frac{11}{4}$	2	$-\frac{21}{16x^{\frac{3}{4}}y} \left[\frac{1-x-y}{(1-y)^{\frac{1}{4}}} \ln \frac{(1-y)^{\frac{1}{4}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} - (1-x) \ln \frac{1+x^{\frac{1}{4}}}{1-x^{\frac{1}{4}}} - 2 \left(\frac{1-x-y}{(1-y)^{\frac{1}{4}}} \arctan \left(\frac{x}{1-y} \right)^{\frac{1}{4}} - (1-x) \arctan x^{\frac{1}{4}} \right) \right]$
2	$\frac{4}{5}$	1	$\frac{9}{5}$	2	$\frac{1}{5x^{\frac{4}{5}}y} \left[(1-y)^{-\frac{1}{5}} \ln \frac{1-x-y}{((1-y)^{\frac{1}{5}} - x^{\frac{1}{5}})^5} - \ln \frac{1-x}{(1-x^{\frac{1}{5}})^5} \right. \\ \left. - \sqrt{5} \left((1-y)^{-\frac{1}{5}} \ln \frac{(1-y)^{\frac{2}{5}} - \frac{\sqrt{5}-1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{(1-y)^{\frac{2}{5}} + \frac{\sqrt{5}+1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}} - \ln \frac{1 - \frac{\sqrt{5}-1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}}}{1 + \frac{\sqrt{5}+1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}}} \right) \right. \\ \left. - 2\sqrt{10+2\sqrt{5}} \left((1-y)^{-\frac{1}{5}} \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4 - (\sqrt{5}-1)x^{\frac{1}{5}}} \right) \right. \\ \left. - 2\sqrt{10-2\sqrt{5}} \left((1-y)^{-\frac{1}{5}} \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} - \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4 + (\sqrt{5}+1)x^{\frac{1}{5}}} \right) \right]$
2	$\frac{4}{5}$	1	$\frac{14}{5}$	2	$\frac{9}{25x^{\frac{9}{5}}y} \left[\sqrt{5} \left(\frac{1-x-y}{(1-y)^{\frac{1}{5}}} \ln \frac{(1-y)^{\frac{2}{5}} - \frac{\sqrt{5}-1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}}{(1-y)^{\frac{2}{5}} + \frac{\sqrt{5}+1}{2}(x(1-y))^{\frac{1}{5}} + x^{\frac{2}{5}}} - (1-x) \ln \frac{1 - \frac{\sqrt{5}-1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}}}{1 + \frac{\sqrt{5}+1}{2}x^{\frac{1}{5}} + x^{\frac{2}{5}}} \right) \right. \\ \left. - \left(\frac{1-x-y}{(1-y)^{\frac{1}{5}}} \ln \frac{1-x-y}{((1-y)^{\frac{1}{5}} - x^{\frac{1}{5}})^5} - (1-x) \ln \frac{1-x}{(1-x^{\frac{1}{5}})^5} \right) \right. \\ \left. + 2\sqrt{10+2\sqrt{5}} \left(\frac{1-x-y}{(1-y)^{\frac{1}{5}}} \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} - (\sqrt{5}-1)x^{\frac{1}{5}}} - (1-x) \arctan \frac{\sqrt{10+2\sqrt{5}}x^{\frac{1}{5}}}{4 - (\sqrt{5}-1)x^{\frac{1}{5}}} \right) \right. \\ \left. + 2\sqrt{10-2\sqrt{5}} \left(\frac{1-x-y}{(1-y)^{\frac{1}{5}}} \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4(1-y)^{\frac{1}{5}} + (\sqrt{5}+1)x^{\frac{1}{5}}} - (1-x) \arctan \frac{\sqrt{10-2\sqrt{5}}x^{\frac{1}{5}}}{4 + (\sqrt{5}+1)x^{\frac{1}{5}}} \right) \right]$
2	$\frac{5}{6}$	1	$\frac{11}{6}$	2	$\frac{5}{12x^{\frac{5}{6}}y} \left[(1-y)^{-\frac{1}{6}} \ln \frac{((1-y)^{\frac{1}{3}} + (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}})((1-y)^{\frac{1}{6}} + x^{\frac{1}{6}})^2}{((1-y)^{\frac{1}{3}} - (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}})((1-y)^{\frac{1}{6}} - x^{\frac{1}{6}})^2} - \ln \frac{(1+x^{\frac{1}{6}} + x^{\frac{1}{3}})(1+x^{\frac{1}{6}})^2}{(1-x^{\frac{1}{6}} + x^{\frac{1}{3}})(1-x^{\frac{1}{6}})^2} \right. \\ \left. - 2\sqrt{3} \left((1-y)^{-\frac{1}{6}} \arctan \frac{\sqrt{3}(x(1-y))^{\frac{1}{6}}}{(1-y)^{\frac{1}{3}} - x^{\frac{1}{3}}} - \arctan \frac{\sqrt{3}x^{\frac{1}{6}}}{1-x^{\frac{1}{3}}} \right) \right]$
2	$\frac{5}{6}$	1	$\frac{17}{6}$	2	$-\frac{55}{36x^{\frac{11}{6}}y} \left[\frac{1-x-y}{(1-y)^{\frac{1}{6}}} \ln \frac{\sqrt{(1-y)^{\frac{1}{3}} + (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}}((1-y)^{\frac{1}{6}} + x^{\frac{1}{6}})}}{\sqrt{(1-y)^{\frac{1}{3}} - (x(1-y))^{\frac{1}{6}} + x^{\frac{1}{3}}((1-y)^{\frac{1}{6}} - x^{\frac{1}{6}})}} - (1-x) \ln \frac{\sqrt{1+x^{\frac{1}{6}} + x^{\frac{1}{3}}(1+x^{\frac{1}{6}})}}{\sqrt{1-x^{\frac{1}{6}} + x^{\frac{1}{3}}(1-x^{\frac{1}{6}})}} \right. \\ \left. - \sqrt{3} \left(\frac{1-x-y}{(1-y)^{\frac{1}{6}}} \arctan \frac{\sqrt{3}(x(1-y))^{\frac{1}{6}}}{(1-y)^{\frac{1}{3}} - x^{\frac{1}{3}}} - (1-x) \arctan \frac{\sqrt{3}x^{\frac{1}{6}}}{1-x^{\frac{1}{3}}} \right) \right]$
2	$\frac{7}{8}$	1	$\frac{15}{8}$	2	$\frac{7}{8x^{\frac{7}{8}}y} \left[\frac{1}{(1-y)^{\frac{1}{8}}} \ln \frac{(1-y)^{\frac{1}{8}} + x^{\frac{1}{8}}}{(1-y)^{\frac{1}{8}} - x^{\frac{1}{8}}} - \ln \frac{1+x^{\frac{1}{8}}}{1-x^{\frac{1}{8}}} + \frac{1}{\sqrt{2}} \left((1-y)^{-\frac{1}{8}} \ln \frac{(1-y)^{\frac{1}{4}} + \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}}}{(1-y)^{\frac{1}{4}} - \sqrt{2}(x(1-y))^{\frac{1}{8}} + x^{\frac{1}{4}}} - \ln \frac{1+\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}}}{1-\sqrt{2}x^{\frac{1}{8}} + x^{\frac{1}{4}}} \right) \right. \\ \left. - 2 \left(\frac{1}{(1-y)^{\frac{1}{8}}} \arctan \left(\frac{x}{1-y} \right)^{\frac{1}{8}} - \arctan x^{\frac{1}{8}} \right) - \sqrt{2} \left(\frac{1}{(1-y)^{\frac{1}{8}}} \arctan \frac{\sqrt{2}(x(1-y))^{\frac{1}{8}}}{(1-y)^{\frac{1}{4}} - x^{\frac{1}{4}}} - \arctan \frac{\sqrt{2}x^{\frac{1}{8}}}{1-x^{\frac{1}{4}}} \right) \right]$
2	1	1	$-\frac{1}{2}$	2	$\frac{1}{y} \left[\frac{1-y-4x}{(1-x-y)^2} - \frac{1-4x}{(1-x)^2} - 3x^{\frac{3}{2}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{1}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{1}{2}}} \right) \right]$
2	1	1	$\frac{1}{2}$	2	$\frac{1}{(1-x-y)(1-x)} + \frac{\sqrt{x}}{y} \left[\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}} \right]$
2	1	1	1	2	$\frac{1}{y} [(1-x-y)^{-1} - (1-x)^{-1}]$
2	1	1	$\frac{3}{2}$	2	$\frac{1}{\sqrt{x}y} \left[\frac{\arcsin(\sqrt{\frac{x}{1-y}})}{\sqrt{1-x-y}} - \frac{\arcsin(\sqrt{x})}{\sqrt{1-x}} \right]$
2	1	1	2	2	$\frac{1}{xy} \ln \left(\frac{(1-x)(1-y)}{1-x-y} \right)$
2	1	1	$\frac{5}{2}$	2	$\frac{3}{x^{\frac{3}{2}}y} [\sqrt{1-x} \arcsin \sqrt{x} - \sqrt{1-x-y} \arcsin \sqrt{\frac{x}{1-y}}]$
2	1	1	3	2	$\frac{2}{x^2y} [(1-x-y) \ln \left(\frac{1-x-y}{1-y} \right) - (1-x) \ln(1-x)]$
2	1	1	$\frac{7}{2}$	2	$\frac{5}{x^2y} \left[\frac{(1-x-y)^{\frac{3}{2}} \arcsin \sqrt{\frac{x}{1-y}} - (1-x)^{\frac{3}{2}} \arcsin \sqrt{x}}{\sqrt{x}} + y \right]$
2	1	1	4	2	$\frac{3}{x^3y} [xy - (1-x-y)^2 \ln \left(\frac{1-x-y}{1-y} \right) + (1-x)^2 \ln(1-x)]$
2	1	1	5	2	$\frac{2}{x^2y} [2((1-x-y)^3 \ln \left(\frac{1-x-y}{1-y} \right) - (1-x)^3 \ln(1-x)) + 2x((1-y)^2 - 1) + 5x^2y]$
2	$\frac{3}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{y} \left[\frac{(1-y)^2 - 6x(1-y) - 3x^2}{(1-x-y)^3} - \frac{1-6x-3x^2}{(1-x)^3} \right]$
2	$\frac{3}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{y} \left[\frac{1-y+x}{(1-x-y)^2} - \frac{1+x}{(1-x)^2} \right]$
2	$\frac{3}{2}$	1	1	2	$\frac{1}{y} [(1-y)^{\frac{1}{2}}(1-x-y)^{-\frac{3}{2}} - (1-x)^{-\frac{3}{2}}]$
2	$\frac{3}{2}$	1	2	2	$\frac{2}{xy} \left[\frac{\sqrt{1-y}}{\sqrt{1-x-y}} - \frac{1}{\sqrt{1-x}} \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
2	$\frac{3}{2}$	1	$\frac{5}{2}$	2	$\frac{3}{x^{\frac{3}{2}}y} [\sqrt{1-y} \tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}]$
2	$\frac{3}{2}$	1	3	2	$\frac{4}{x^{\frac{3}{2}}y} [\sqrt{1-x} - \sqrt{(1-y)(1-x-y)} - y]$
2	$\frac{3}{2}$	1	$\frac{7}{2}$	2	$-\frac{15}{2x^{\frac{3}{2}}y} [y + \frac{\sqrt{1-y(1-x-y)} \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1-x) \tanh^{-1} \sqrt{x}}{\sqrt{x}}]$
2	$\frac{3}{2}$	1	4	2	$\frac{2}{x^{\frac{3}{2}}y} [8(1-y)^{\frac{1}{2}} ((1-x-y)^{\frac{3}{2}} - (1-y)^{\frac{3}{2}}) - 8((1-x)^{\frac{3}{2}} - 1) - 12xy]$
2	2	1	$-\frac{1}{2}$	2	$\frac{1}{2y} [\frac{2(1-y)^2 - 14x(1-y) - 3x^2}{(1-x-y)^3} - \frac{2-14x-3x^2}{(1-x)^3} - 15x^{\frac{3}{2}} (\frac{(1-y) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}})]$
2	2	1	$\frac{1}{2}$	2	$\frac{1}{2y} [\frac{2(1-y)+x}{(1-x-y)^2} - \frac{2+x}{(1-x)^2} + 3\sqrt{x} (\frac{(1-y) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}})]$
2	2	1	1	2	$\frac{1}{y} [(1-y)(1-x-y)^{-2} - (1-x)^{-2}]$
2	2	1	$\frac{3}{2}$	2	$\frac{1}{2} [\frac{1}{(1-x)(1-x-y)} + \frac{1}{\sqrt{xy}} (\frac{(1-y) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}})]$
2	2	1	$\frac{5}{2}$	2	$-\frac{3}{2x^{\frac{3}{2}}y} [\frac{(1-y) \arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{1-x-y}} - \frac{\arcsin \sqrt{x}}{\sqrt{1-x}}]$
2	2	1	3	2	$\frac{2}{x^{\frac{3}{2}}y} [\ln(1-x) - (1-y) \ln(\frac{1-x-y}{1-y})]$
2	2	1	$\frac{7}{2}$	2	$-\frac{15}{2x^{\frac{3}{2}}y} [y + \frac{(1-y)\sqrt{1-x-y} \arcsin \sqrt{\frac{x}{1-y}} - \sqrt{1-x} \arcsin \sqrt{x}}{\sqrt{x}}]$
2	2	1	4	2	$\frac{6}{x^{\frac{3}{2}}y} [(1-y)(1-x-y) \ln(\frac{1-x-y}{1-y}) - (1-x) \ln(1-x) - xy]$
2	$\frac{5}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{y} [\frac{(1-y)^3 - 9x(1-y)^2 - 9x^2(1-y) + x^3}{(1-x-y)^4} - \frac{1-9x-9x^2+x^3}{(1-x)^4}]$
2	$\frac{5}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{3y} [\frac{3(1-y)^2 + 6x(1-y) - x^2}{(1-x-y)^3} - \frac{3+6x-x^2}{(1-x)^3}]$
2	$\frac{5}{2}$	1	1	2	$\frac{1}{y} [(1-y)^{\frac{3}{2}} (1-x-y)^{-\frac{5}{2}} - (1-x)^{-\frac{5}{2}}]$
2	$\frac{5}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{3y} [\frac{3(1-y)-x}{(1-x-y)^2} - \frac{3-x}{(1-x)^2}]$
2	$\frac{5}{2}$	1	2	2	$\frac{2}{3xy} [\frac{(1-y)^{\frac{3}{2}}}{(1-x-y)^{\frac{3}{2}}} - \frac{1}{(1-x)^{\frac{3}{2}}}]$
2	$\frac{5}{2}$	1	3	2	$\frac{8}{3x^2y} [\frac{(1-y)^{\frac{3}{2}}}{\sqrt{1-x-y}} - \frac{1}{\sqrt{1-x}} + y]$
2	$\frac{5}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{x^{\frac{3}{2}}y} [\frac{(1-y)^{\frac{3}{2}} \tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} + y]$
2	$\frac{5}{2}$	1	4	2	$\frac{8}{x^{\frac{3}{2}}y} [2((1-y)^2 - (1-x-y)^{\frac{1}{2}} (1-y)^{\frac{3}{2}} + (1-x)^{\frac{1}{2}} - 1) + xy]$
2	3	1	$-\frac{1}{2}$	2	$\frac{1}{8y} [\frac{8(1-y)^3 - 80x(1-y)^2 - 39x^2(1-y) + 6x^3}{(1-x-y)^4} - \frac{8-80x-39x^2+6x^3}{(1-x)^4} - 105x^{\frac{3}{2}} (\frac{(1-y)^2 \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}})]$
2	3	1	$\frac{1}{2}$	2	$\frac{1}{8y} [\frac{8(1-y)^2 + 9x(1-y) - 2x^2}{(1-x-y)^3} - \frac{8+9x-2x^2}{(1-x)^3} + 15\sqrt{x} (\frac{(1-y)^2 \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}})]$
2	3	1	1	2	$\frac{1}{y} [(1-y)^2 (1-x-y)^{-3} - (1-x)^{-3}]$
2	3	1	$\frac{3}{2}$	2	$\frac{1}{8y} [\frac{5(1-y)-2x}{(1-x-y)^2} - \frac{5-2x}{(1-x)^2} + \frac{3}{\sqrt{x}} (\frac{(1-y)^2 \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}})]$
2	3	1	2	2	$\frac{1}{2y} [\frac{2(1-y)-x}{(1-x-y)^2} - \frac{2-x}{(1-x)^2}]$
2	3	1	$\frac{5}{2}$	2	$\frac{3}{8xy} [\frac{1}{\sqrt{x}} (\frac{(1-y)^2 \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}}) + \frac{1-y}{1-x-y} - \frac{1}{1-x}]$
2	3	1	$\frac{7}{2}$	2	$\frac{15}{8x^2y} [\frac{1}{\sqrt{x}} (\frac{(1-y)^2 \arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{1-x-y}} - \frac{\arcsin \sqrt{x}}{\sqrt{1-x}}) + y]$
2	3	1	4	2	$\frac{3}{x^{\frac{3}{2}}y} [xy + \ln(1-x) - (1-y)^2 \ln(\frac{1-x-y}{1-y})]$
2	$\frac{7}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{5y} [\frac{5(1-y)^4 - 60x(1-y)^3 - 90x^2(1-y)^2 + 20x^3(1-y) - 3x^4}{(1-x-y)^5} - \frac{5-60x-90x^2+20x^3-3x^4}{(1-x)^5}]$
2	$\frac{7}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{5y} [\frac{5(1-y)^3 - 15x(1-y)^2 - 5x^2(1-y) + x^3}{(1-x-y)^4} - \frac{5+15x-5x^2+x^3}{(1-x)^4}]$
2	$\frac{7}{2}$	1	1	2	$\frac{1}{y} [(1-y)^{\frac{5}{2}} (1-x-y)^{-\frac{7}{2}} - (1-x)^{-\frac{7}{2}}]$
2	$\frac{7}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{15y} [\frac{15(1-y)^2 - 10x(1-y) + 3x^2}{(1-x-y)^3} - \frac{15-10x+3x^2}{(1-x)^3}]$
2	$\frac{7}{2}$	1	2	2	$\frac{2}{5xy} [\frac{(1-y)^{\frac{5}{2}}}{(1-x-y)^{\frac{5}{2}}} - \frac{1}{(1-x)^{\frac{5}{2}}}]$
2	$\frac{7}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{5y} [\frac{5(1-y)-3x}{(1-x-y)^2} - \frac{5-3x}{(1-x)^2}]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
2	$\frac{7}{2}$	1	3	2	$\frac{8}{15x^2y} \left[\frac{(1-y)^{\frac{5}{2}}}{(1-x-y)^{\frac{3}{2}}} - \frac{1}{(1-x)^{\frac{3}{2}}} + y \right]$
2	$\frac{7}{2}$	1	4	2	$\frac{8}{5x^3y} \left[\frac{2(1-y)^{\frac{5}{2}}}{\sqrt{1-x-y}} - \frac{2}{\sqrt{1-x}} - 2((1-y)^2 - 1) + xy \right]$
2	$\frac{7}{2}$	1	$\frac{9}{2}$	2	$\frac{7}{3x^3y} \left[3 \frac{(1-y)^{\frac{5}{2}} \tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} - 3((1-y)^2 - 1) - xy \right]$
2	4	1	$-\frac{1}{2}$	2	$\frac{1}{16y} \left[\frac{16(1-y)^4 - 208x(1-y)^3 - 165x^2(1-y)^2 + 50x^3(1-y) - 8x^4}{(1-x-y)^5} - \frac{16 - 208x - 165x^2 + 50x^3 - 8x^4}{(1-x)^5} \right. \\ \left. - 315x^{\frac{3}{2}} \left(\frac{(1-y)^3 \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) \right]$
2	4	1	$\frac{1}{2}$	2	$\frac{1}{48y} \left[\frac{48(1-y)^3 + 87x(1-y)^2 - 38x^2(1-y) + 8x^3}{(1-x-y)^4} - \frac{48 + 87x - 38x^2 + 8x^3}{(1-x)^4} + 105\sqrt{x} \left(\frac{(1-y)^3 \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{9}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right]$
2	4	1	1	2	$\frac{1}{y} [(1-y)^3(1-x-y)^{-4} - (1-x)^{-4}]$
2	4	1	$\frac{3}{2}$	2	$\frac{1}{48y} \left[\frac{33(1-y)^2 - 26x(1-y) + 8x^2}{(1-x-y)^3} - \frac{33 - 26x + 8x^2}{(1-x)^3} + \frac{15}{\sqrt{x}} \left(\frac{(1-y)^3 \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{7}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right]$
2	4	1	2	2	$\frac{1}{3xy} \left[\frac{(1-y)^3}{(1-x-y)^3} - \frac{1}{(1-x)^3} \right]$
2	4	1	$\frac{5}{2}$	2	$\frac{1}{16xy} \left[\frac{3}{\sqrt{x}} \left(\frac{(1-y)^3 \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) - \frac{3(1-y)^2 - 14x(1-y) + 8x^2}{(1-x-y)^2} + \frac{3 - 14x + 8x^2}{(1-x)^2} \right]$
2	4	1	3	2	$\frac{1}{3y} \left[\frac{3(1-y) - 2x}{(1-x-y)^2} - \frac{3 - 2x}{(1-x)^2} \right]$
2	4	1	$\frac{7}{2}$	2	$\frac{5}{48x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{(1-y)^3 \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}} \right) - \frac{3(1-y)^2 + 2x(1-y) - 8x^2}{1-x-y} + \frac{3 + 2x - 8x^2}{1-x} \right]$
2	4	1	$\frac{9}{2}$	2	$\frac{35}{48x^4y} \left[3\sqrt{x} \left(\frac{(1-y)^3 \arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{1-x-y}} - \frac{\arcsin \sqrt{x}}{\sqrt{1-x}} \right) - 3x((1-y)^2 - 1) + 2x^2y \right]$
$\frac{9}{4}$	$\frac{3}{4}$	1	$\frac{1}{2}$	2	$\frac{2}{5y} \left[\frac{(\sqrt{1-y} - \sqrt{x})^{\frac{3}{2}} + (\sqrt{1-y} + \sqrt{x})^{\frac{3}{2}}}{(1-x-y)^{\frac{3}{2}} \sqrt{1-y}} - \frac{(1-\sqrt{x})^{\frac{3}{2}} + (1+\sqrt{x})^{\frac{3}{2}}}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{9}{4}$	$\frac{3}{4}$	1	$\frac{3}{2}$	2	$\frac{4}{5\sqrt{xy}} \left[\frac{\sqrt{\sqrt{1-y} + \sqrt{x}} - \sqrt{\sqrt{1-y} - \sqrt{x}}}{\sqrt{(1-y)(1-x-y)}} - \frac{\sqrt{1+\sqrt{x}} - \sqrt{1-\sqrt{x}}}{\sqrt{1-x}} \right]$
$\frac{5}{2}$	$-\frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{1-y-2x}{\sqrt{1-x-y}(1-y)^2} - \frac{1-2x}{\sqrt{1-x}} \right]$
$\frac{5}{2}$	$-\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{3y} [(1-y)^{-2}(1-x-y)^{\frac{1}{2}} - (1-x)^{\frac{1}{2}}]$
$\frac{5}{2}$	$-\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{4xy} \left[\frac{\arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}}{\sqrt{x}} - \frac{(1-y-2x)\sqrt{1-x-y}}{(1-y)^2} - (1-2x)\sqrt{1-x} \right]$
$\frac{5}{2}$	$-\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{48x^2y} \left[\frac{(3(1-y)^2 - 4x(1-y) + 4x^2)\sqrt{1-x-y}}{(1-y)^2} - (3-4x+x^2)\sqrt{1-x} \right. \\ \left. - 3 \left(\frac{(1-y-2x) \arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{x}} - (1-2x) \arcsin \sqrt{x} \right) \right]$
$\frac{5}{2}$	$\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{1-y-4x}{(1-x-y)^{\frac{3}{2}}} - \frac{1-4x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{5}{2}$	$\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{3y} [(1-y)^{-1}(1-x-y)^{-\frac{1}{2}} - (1-x)^{-\frac{1}{2}}]$
$\frac{5}{2}$	$\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{xy} \left[\frac{\arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}}{\sqrt{x}} - \frac{\sqrt{1-x-y}}{1-y} + \sqrt{1-x} \right]$
$\frac{5}{2}$	$\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{8x^2y} \left[\frac{(3(1-y) - 2x)\sqrt{1-x-y}}{1-y} - (3-2x)\sqrt{1-x} - \frac{(3(1-y) - 4x) \arcsin \sqrt{\frac{x}{1-y}} - (3-4x) \arcsin \sqrt{x}}{\sqrt{x}} \right]$
$\frac{5}{2}$	1	1	$-\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{(1-y)^2 - 6x(1-y) - 3x^2}{\sqrt{1-y}(1-x-y)^3} - \frac{1-6x-3x^2}{(1-x)^3} \right]$
$\frac{5}{2}$	1	1	$\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{1-y+x}{\sqrt{1-y}(1-x-y)^2} - \frac{1+x}{(1-x)^2} \right]$
$\frac{5}{2}$	1	1	$\frac{3}{2}$	2	$\frac{2}{3y} [(1-y)^{-\frac{1}{2}}(1-x-y)^{-1} - (1-x)^{-1}]$
$\frac{5}{2}$	1	1	2	2	$\frac{4}{3xy} [(1-x-y)^{-\frac{1}{2}} - (1-x)^{-\frac{1}{2}} - (1-y)^{-\frac{1}{2}} + 1]$
$\frac{5}{2}$	1	1	$\frac{5}{2}$	2	$\frac{2}{xy} \left[\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} - \frac{1}{\sqrt{1-y}} + 1 \right]$
$\frac{5}{2}$	1	1	3	2	$\frac{8}{3y} \left[\frac{1}{\sqrt{1-y}(\sqrt{1-y} + \sqrt{1-x-y})^2} - \frac{1}{(1+\sqrt{1-x})^2} \right]$
$\frac{5}{2}$	1	1	$\frac{7}{2}$	2	$\frac{5}{3x^2y} \left[\frac{3(1-y) - 2x}{\sqrt{1-y}} - (3-2x) - 3 \frac{(1-x-y) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1-x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{5}{2}$	1	1	4	2	$\frac{4}{3x^3y} \left[8 \left((1-x-y)^{\frac{3}{2}} - (1-x)^{\frac{3}{2}} \right) - \frac{8(1-y)^2 - 12x(1-y) + 3x^2}{\sqrt{1-y}} + 8 - 12x + 3x^2 \right]$
$\frac{5}{2}$	$\frac{3}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{(1-y)^2 - 8x(1-y) - 8x^2}{(1-x-y)^{\frac{7}{2}}} - \frac{1-8x-8x^2}{(1-x)^{\frac{7}{2}}} \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$\frac{5}{2}$	$\frac{3}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{1-y+2x}{(1-x-y)^{\frac{3}{2}}} - \frac{1+2x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{5}{2}$	$\frac{3}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{3y} [(1-x-y)^{-\frac{3}{2}} - (1-x)^{-\frac{3}{2}}]$
$\frac{5}{2}$	$\frac{3}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{xy} [(1-x-y)^{-\frac{1}{2}} - (1-x)^{-\frac{1}{2}} - \frac{\arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}}{\sqrt{x}}]$
$\frac{5}{2}$	$\frac{3}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{2x^2y} \left[\frac{(3(1-y)-2x) \arcsin \sqrt{\frac{x}{1-y}} - (3-2x) \arcsin \sqrt{x}}{\sqrt{x}} - 3(\sqrt{1-x-y} - \sqrt{1-x}) \right]$
$\frac{5}{2}$	2	1	$-\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{\sqrt{1-y}((1-y)^2-10x(1-y)-15x^2)}{(1-x-y)^4} - \frac{1-10x-15x^2}{(1-x)^4} \right]$
$\frac{5}{2}$	2	1	$\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{\sqrt{1-y}(1-y+3x)}{(1-x-y)^3} - \frac{1+3x}{(1-x)^3} \right]$
$\frac{5}{2}$	2	1	1	2	$\frac{1}{3y} \left[\frac{2(1-y)+x}{(1-x-y)^{\frac{5}{2}}} - \frac{2+x}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{5}{2}$	2	1	$\frac{3}{2}$	2	$\frac{2}{3y} [(1-y)^{\frac{1}{2}}(1-x-y)^{-2} - (1-x)^{-2}]$
$\frac{5}{2}$	2	1	$\frac{5}{2}$	2	$\frac{1}{xy} \left[\frac{\sqrt{1-y}}{1-x-y} - \frac{1}{1-x} - \frac{\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{5}{2}$	2	1	3	2	$\frac{8}{3x^2y} \left[\frac{2(1-y)-x}{\sqrt{1-x-y}} - \frac{2-x}{\sqrt{1-x}} - 2(\sqrt{1-y}-1) \right]$
$\frac{5}{2}$	2	1	$\frac{7}{2}$	2	$\frac{5}{2x^2y} \left[\frac{(3(1-y)-x) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (3-x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} - 3(\sqrt{1-y}-1) \right]$
$\frac{5}{2}$	2	1	4	2	$\frac{16}{3y} [(\sqrt{1-y} + \sqrt{1-x-y})^4 - 3] - (1 + \sqrt{1-x})]$
$\frac{5}{2}$	$\frac{5}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{(1-y)((1-y)^2-12x(1-y)-24x^2)}{(1-x-y)^{\frac{9}{2}}} - \frac{1-12x-24x^2}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{5}{2}$	$\frac{5}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{(1-y)(1-y+4x)}{(1-x-y)^{\frac{7}{2}}} - \frac{1+4x}{(1-x)^{\frac{7}{2}}} \right]$
$\frac{5}{2}$	$\frac{5}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{3y} [(1-y)(1-x-y)^{-\frac{5}{2}} - (1-x)^{-\frac{5}{2}}]$
$\frac{5}{2}$	$\frac{5}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{3x^2y} \left[\frac{3(1-y)-x}{\sqrt{1-x-y}} - \frac{3-x}{\sqrt{1-x}} - 3 \frac{(1-y) \arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}}{\sqrt{x}} \right]$
$\frac{5}{2}$	3	1	$-\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{(1-y)^{\frac{3}{2}}((1-y)^2-14x(1-y)-35x^2)}{(1-x-y)^5} - \frac{1-14x-35x^2}{(1-x)^5} \right]$
$\frac{5}{2}$	3	1	$\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{(1-y)^{\frac{3}{2}}(1-y-5x)}{(1-x-y)^4} - \frac{1+5x}{(1-x)^4} \right]$
$\frac{5}{2}$	3	1	1	2	$\frac{1}{12y} \left[\frac{8(1-y)^2+8x(1-y)-x^2}{(1-x-y)^{\frac{7}{2}}} - \frac{8+8x-x^2}{(1-x)^{\frac{7}{2}}} \right]$
$\frac{5}{2}$	3	1	$\frac{3}{2}$	2	$\frac{2}{3y} [(1-y)^{\frac{3}{2}}(1-x-y)^{-3} - (1-x)^{-3}]$
$\frac{5}{2}$	3	1	2	2	$\frac{1}{6y} \left[\frac{4(1-y)-x}{(1-x-y)^{\frac{5}{2}}} - \frac{4-x}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{5}{2}$	3	1	$\frac{5}{2}$	2	$\frac{1}{4xy} \left[\frac{\sqrt{1-y}(1-y+x)}{(1-x-y)^2} - \frac{1+x}{(1-x)^2} - \frac{\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{5}{2}$	3	1	$\frac{7}{2}$	2	$\frac{5}{8x^2y} \left[\frac{\sqrt{1-y}(3(1-y)-x)}{1-x-y} - \frac{3-x}{1-x} - \frac{(3(1-y)+x) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (3+x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{5}{2}$	3	1	4	2	$\frac{4}{3x^3y} \left[\frac{8(1-y)^2-4x(1-y)-x^2}{\sqrt{1-x-y}} - \frac{8-4x-x^2}{\sqrt{1-x}} - 8((1-y)^{\frac{3}{2}}-1) \right]$
$\frac{5}{2}$	$\frac{7}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{(1-y)^2((1-y)^2-16x(1-y)-48x^2)}{(1-x-y)^{\frac{11}{2}}} - \frac{1-16x-48x^2}{(1-x)^{\frac{11}{2}}} \right]$
$\frac{5}{2}$	$\frac{7}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{(1-y)^2(1-y+6x)}{(1-x-y)^{\frac{9}{2}}} - \frac{1+6x}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{5}{2}$	$\frac{7}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{3y} [(1-y)^2(1-x-y)^{-\frac{7}{2}} - (1-x)^{-\frac{7}{2}}]$
$\frac{5}{2}$	$\frac{7}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{15y} \left[\frac{5(1-y)-2x}{(1-x-y)^{\frac{9}{2}}} - \frac{5-2x}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{5}{2}$	4	1	$-\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{(1-y)^{\frac{5}{2}}((1-y)^2-18x(1-y)-63x^2)}{(1-x-y)^6} - \frac{1-18x-63x^2}{(1-x)^6} \right]$
$\frac{5}{2}$	4	1	$\frac{1}{2}$	2	$\frac{2}{3y} \left[\frac{(1-y)^{\frac{5}{2}}(1-y+7x)}{(1-x-y)^5} - \frac{1+7x}{(1-x)^5} \right]$
$\frac{5}{2}$	4	1	1	2	$\frac{1}{24y} \left[\frac{16(1-y)^3+24x(1-y)^2-6x^2(1-y)+x^3}{(1-x-y)^{\frac{9}{2}}} - \frac{16+24x-6x^2+x^3}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{5}{2}$	4	1	$\frac{3}{2}$	2	$\frac{2}{3y} [(1-y)^{\frac{5}{2}}(1-x-y)^{-4} - (1-x)^{-4}]$
$\frac{5}{2}$	4	1	2	2	$\frac{1}{12y} \left[\frac{8(1-y)^2-4x(1-y)+x^2}{(1-x-y)^{\frac{7}{2}}} - \frac{8-4x+x^2}{(1-x)^{\frac{7}{2}}} \right]$
$\frac{5}{2}$	4	1	$\frac{5}{2}$	2	$\frac{1}{24xy} \left[\frac{\sqrt{1-y}(3(1-y)^2+8x(1-y)-3x^2)}{(1-x-y)^3} - \frac{3+8x-3x^2}{(1-x)^3} - 3 \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$\frac{5}{2}$	4	1	3	2	$\frac{1}{3y} \left[\frac{2(1-y)-x}{(1-x-y)^{\frac{5}{2}}} - \frac{2-x}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{5}{2}$	4	1	$\frac{7}{2}$	2	$\frac{5}{48x^2y} \left[\frac{\sqrt{1-y}(3(1-y)^2-2x(1-y)+3x^2)}{(1-x-y)^2} - \frac{3-2x+3x^2}{(1-x)^2} - 3 \left(\frac{(1+x-y) \tanh^{-1} \sqrt{\frac{x}{1-y}} - (1+x) \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right) \right]$
3	$-\frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{4y} \left[\frac{(2(1-y)-3x)}{(1-y)^2(1-x-y)} - \frac{2-3x}{1-x} - 3\sqrt{x} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{5}{2}}} - \tanh^{-1} \sqrt{x} \right) \right]$
3	$-\frac{1}{2}$	1	1	2	$\frac{1}{4y} \left[\frac{2(1-y)-3x}{(1-y)^{\frac{5}{2}} \sqrt{1-x-y}} - \frac{2-3x}{\sqrt{1-x}} \right]$
3	$-\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{8y} \left[3((1-y)^{-2} - 1) + \frac{1}{\sqrt{x}} \left(\frac{(1-y-3x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{5}{2}}} - (1-3x) \tanh^{-1} \sqrt{x} \right) \right]$
3	$-\frac{1}{2}$	1	2	2	$\frac{1}{2y} [(1-y)^{-\frac{5}{2}}(1-x-y)^{\frac{1}{2}} - (1-x)^{\frac{1}{2}}]$
3	$-\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{3}{32xy} \left[\frac{1}{\sqrt{x}} \left(\frac{(1-y+3x)(1-y-x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{5}{2}}} - (1+3x)(1-x) \tanh^{-1} \sqrt{x} \right) + 1-3x - \frac{(1-y-3x)}{(1-y)^2} \right]$
3	$-\frac{1}{2}$	1	3	2	$\frac{2}{15x^2y} \left[(2+3x)(1-x)^{\frac{3}{2}} - \frac{(2(1-y)+3x)(1-x-y)^{\frac{3}{2}}}{(1-y)^{\frac{5}{2}}} \right]$
3	$-\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{64x^2y} \left[\frac{3(1-y)^2-2x(1-y)+3x^2}{(1-y)^2} - (3-2x+3x^2) - \frac{3}{\sqrt{x}} \left(\frac{(1-x-y)^2(1-y+x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{5}{2}}} - (1-x)^2(1-x) \tanh^{-1} \sqrt{x} \right) \right]$
3	$-\frac{1}{2}$	1	4	2	$\frac{4}{35x^3y} \left[\frac{(4(1-y)+3x)(1-y-x)^{\frac{5}{2}}}{(1-y)^{\frac{5}{2}}} - (4+3x)(1-x)^{\frac{5}{2}} + 4y \right]$
3	$\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{2y} \left[\frac{1-y-5x}{(1-x-y)^3} - \frac{1-5x}{(1-x)^3} \right]$
3	$\frac{1}{2}$	1	1	2	$\frac{1}{4y} \left[\frac{2(1-y)-x}{((1-y)(1-x-y))^{\frac{3}{2}}} - \frac{2-x}{(1-x)^{\frac{3}{2}}} \right]$
3	$\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{4y} \left[\frac{1}{(1-y)(1-x-y)} - \frac{1}{1-x} + \frac{1}{\sqrt{x}} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - \tanh^{-1} \sqrt{x} \right) \right]$
3	$\frac{1}{2}$	1	2	2	$\frac{1}{2y} [(1-y)^{-\frac{3}{2}}(1-x-y)^{-\frac{1}{2}} - (1-x)^{-\frac{1}{2}}]$
3	$\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{3}{8xy} \left[\frac{1}{\sqrt{x}} \left(\frac{(1-y+x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - (1-x) \tanh^{-1} \sqrt{x} \right) - \frac{y}{1-y} \right]$
3	$\frac{1}{2}$	1	3	2	$-\frac{2}{3x^2y} \left[\frac{(2(1-y)+x) \sqrt{1-x-y}}{(1-y)^{\frac{3}{2}}} - (2+x) \sqrt{1-x} \right]$
3	$\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{15}{32x^2y} \left[\frac{3(1-y)-x}{1-y} - (3-x) - \frac{1}{\sqrt{x}} \left(\frac{(1-x-y)(3(1-y)+x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - (1-x)(3+x) \tanh^{-1} \sqrt{x} \right) \right]$
3	$\frac{1}{2}$	1	4	2	$\frac{4}{5x^3y} \left[(4(1-y)+x) \left(\frac{1-x-y}{1-y} \right)^{\frac{3}{2}} - (4+x)(1-x)^{\frac{3}{2}} + 4y \right]$
3	1	1	$-\frac{1}{2}$	2	$\frac{1}{4y} \left[\frac{2(1-y)^2-14x(1-y)-3x^2}{(1-y)(1-x-y)^3} - \frac{2-14x-3x^2}{(1-x)^3} - 15x^{\frac{3}{2}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{7}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right]$
3	1	1	$\frac{1}{2}$	2	$\frac{1}{4y} \left[\frac{2(1-y)+x}{(1-y)(1-x-y)^2} - \frac{2+x}{(1-x)^2} + 3\sqrt{x} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) \right]$
3	1	1	$\frac{3}{2}$	2	$\frac{1}{4y} \left[\frac{1}{(1-y)(1-x-y)} - \frac{1}{1-x} + \frac{1}{\sqrt{x}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}} \right) \right]$
3	1	1	2	2	$\frac{1}{2y} [(1-y)^{-1}(1-x-y)^{-1} - (1-x)^{-1}]$
3	1	1	$\frac{5}{2}$	2	$\frac{3}{4xy} \left[\frac{1}{\sqrt{x}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{1-x-y}} - \frac{\arcsin \sqrt{x}}{\sqrt{1-x}} \right) - \frac{y}{1-y} \right]$
3	1	1	3	2	$-\frac{1}{x^2y} \left[\frac{xy}{1-y} + \ln \left(\frac{1-x-y}{(1-x)(1-y)} \right) \right]$
3	1	1	$\frac{7}{2}$	2	$\frac{5}{4x^2y} \left[\frac{3(1-y)-x}{1-y} - (3-x) - 3 \frac{\sqrt{1-x-y} \arcsin \sqrt{\frac{x}{1-y}} - \sqrt{1-x} \arcsin \sqrt{x}}{\sqrt{x}} \right]$
3	1	1	4	2	$\frac{3}{2x^3y} \left[2 \left((1-x-y) \ln \left(\frac{1-x-y}{1-y} \right) - (1-x) \ln(1-x) \right) - \frac{x^2y}{1-y} \right]$
3	$\frac{3}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{2y} \left[\frac{(1-y)^2-10x(1-y)-15x^2}{(1-x-y)^4} - \frac{1-10x-15x^2}{(1-x)^4} \right]$
3	$\frac{3}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{2y} \left[\frac{1-y+3x}{(1-x-y)^3} - \frac{1+3x}{(1-x)^3} \right]$
3	$\frac{3}{2}$	1	1	2	$\frac{1}{4y} \left[\frac{2(1-y)+x}{\sqrt{1-y}(1-x-y)^{\frac{3}{2}}} - \frac{2+x}{(1-x)^{\frac{3}{2}}} \right]$
3	$\frac{3}{2}$	1	2	2	$\frac{1}{2y} [(1-y)^{-\frac{1}{2}}(1-x-y)^{-\frac{3}{2}} - (1-x)^{-\frac{3}{2}}]$
3	$\frac{3}{2}$	1	$\frac{5}{2}$	2	$\frac{3}{4xy} \left[\frac{y}{(1-x-y)(1-x)} - \frac{1}{\sqrt{x}} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{1-y}} - \tanh^{-1} \sqrt{x} \right) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
3	$\frac{3}{2}$	1	3	2	$\frac{2}{x^2 y} \left[\frac{2(1-y)-x}{\sqrt{(1-y)(1-x-y)}} - \frac{2-x}{\sqrt{1-x}} \right]$
3	$\frac{3}{2}$	1	$\frac{7}{2}$	2	$\frac{15}{8x^{\frac{3}{2}} y} \left[\frac{(3(1-y)-x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{1-y}} - (3-x) \tanh^{-1} \sqrt{x} \right]$
3	$\frac{3}{2}$	1	4	2	$-\frac{4}{x^3 y} \left[(4(1-y)-x) \sqrt{\frac{1-x-y}{1-y}} - (4-x) \sqrt{1-x} + 4y \right]$
3	2	1	$-\frac{1}{2}$	2	$\frac{1}{8y} \left[\frac{4(1-y)^2 - 48x(1-y) - 61x^2}{(1-x-y)^4} - \frac{4-48x-61x^2}{(1-x)^4} - 15x^{\frac{3}{2}} \left(\frac{(5(1-y)+2x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{9}{2}}} - \frac{(5+2x) \arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right]$
3	2	1	$\frac{1}{2}$	2	$\frac{1}{8y} \left[\frac{4(1-y)+11x}{(1-x-y)^3} - \frac{4+11x}{(1-x)^3} + 3\sqrt{x} \left(\frac{(3(1-y)+2x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{7}{2}}} - \frac{(3+2x) \arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right]$
3	2	1	1	2	$\frac{1}{2y} \left[\frac{1+x-y}{(1-x-y)^3} - \frac{1+x}{(1-x)^3} \right]$
3	2	1	$\frac{3}{2}$	2	$\frac{1}{8y} \left[\frac{3}{(1-x-y)^2} - \frac{3}{(1-x)^2} + \frac{1}{\sqrt{x}} \left(\frac{(1-y+2x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{(1+2x) \arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) \right]$
3	2	1	2	2	$\frac{1}{2y} [(1-x-y)^{-2} - (1-x)^{-2}]$
3	2	1	$\frac{5}{2}$	2	$\frac{3}{8xy} \left[\frac{y}{(1-x-y)(1-x)} - \frac{1}{\sqrt{x}} \left(\frac{(1-y-2x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{(1-2x) \arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}} \right) \right]$
3	2	1	3	2	$\frac{1}{x(1-x)(1-x-y)} + \frac{1}{x^2 y} \ln \left(\frac{1-x-y}{(1-x)(1-y)} \right)$
3	2	1	$\frac{7}{2}$	2	$\frac{15}{8x^{\frac{5}{2}} y} \left[\frac{(3(1-y)-2x) \arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{1-x-y}} - \frac{(3-2x) \arcsin \sqrt{x}}{\sqrt{1-x}} \right]$
3	2	1	4	2	$\frac{3}{x^3 y} \left[(2-x) \ln(1-x) - (2(1-y)-x) \ln \left(1 - \frac{x}{1-y} \right) \right]$
3	$\frac{5}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{2y} \left[\frac{(1-y)^3 - 15x(1-y)^2 - 45x^2(1-y) - 5x^3}{(1-x-y)^5} - \frac{1-15x-45x^2-5x^3}{(1-x)^5} \right]$
3	$\frac{5}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{2y} \left[\frac{(1-y)^2 + 6x(1-y) + x^2}{(1-x-y)^4} - \frac{1+6x+x^2}{(1-x)^4} \right]$
3	$\frac{5}{2}$	1	1	2	$\frac{1}{4y} \left[\frac{(1-y)^{\frac{1}{2}} (2(1-y)+3x)}{(1-x-y)^{\frac{7}{2}}} - \frac{2+3x}{(1-x)^{\frac{7}{2}}} \right]$
3	$\frac{5}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{6y} \left[\frac{3(1-y)+x}{(1-x-y)^3} - \frac{3+x}{(1-x)^3} \right]$
3	$\frac{5}{2}$	1	2	2	$\frac{1}{2y} [(1-y)^{\frac{1}{2}} (1-x-y)^{-\frac{5}{2}} - (1-x)^{-\frac{5}{2}}]$
3	$\frac{5}{2}$	1	3	2	$\frac{2}{3x^2 y} \left[\frac{2-3x}{(1-x)^{\frac{3}{2}}} - \frac{\sqrt{1-y} (2(1-y)-3x)}{(1-x-y)^{\frac{3}{2}}} \right]$
3	$\frac{5}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{4x^2 y} \left[\frac{xy}{(1-x-y)(1-x)} - 3 \frac{\sqrt{1-y} \tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
3	$\frac{5}{2}$	1	4	2	$\frac{4}{y} \left[\frac{1}{\sqrt{1-x-y}} \left(\frac{1}{\sqrt{1-y} + \sqrt{1-x-y}} \right)^3 - \frac{1}{\sqrt{1-x}} \left(\frac{1}{1 + \sqrt{1-x}} \right)^3 \right]$
3	$\frac{5}{2}$	1	5	2	$\frac{8}{y} \left[\left(\frac{1}{\sqrt{1-y} + \sqrt{1-x-y}} \right)^4 - \left(\frac{1}{1 + \sqrt{1-x}} \right)^3 \right]$
3	3	1	$-\frac{1}{2}$	2	$\frac{1}{32y} \left[\frac{16(1-y)^3 - 272x(1-y)^2 - 659x^2(1-y) - 30x^3}{(1-x-y)^5} - \frac{16-272x-659x^2-30x^3}{(1-x)^5} \right. \\ \left. - 105x^{\frac{3}{2}} \left(\frac{(1-y)(5(1-y)+4x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{11}{2}}} - \frac{(5+4x) \arcsin \sqrt{x}}{(1-x)^{\frac{11}{2}}} \right) \right]$
3	3	1	$\frac{1}{2}$	2	$\frac{1}{32y} \left[\frac{16(1-y)^2 + 83x(1-y) + 6x^2}{(1-x-y)^4} - \frac{16+83x+6x^2}{(1-x)^4} \right. \\ \left. + 15\sqrt{x} \left(\frac{(1-y)(3(1-y)+4x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{9}{2}}} - \frac{(3+4x) \arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right]$
3	3	1	1	2	$\frac{1}{2y} \left[\frac{(1-y)(1-y+2x)}{(1-x-y)^4} - \frac{1+2x}{(1-x)^4} \right]$
3	3	1	$\frac{3}{2}$	2	$\frac{1}{32y} \left[\frac{13(1-y)+2x}{(1-x-y)^3} - \frac{13+2x}{(1-x)^3} \right. \\ \left. + \frac{3}{\sqrt{x}} \left(\frac{(1-y)(1-y+4x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{7}{2}}} - \frac{(1+4x) \arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right]$
3	3	1	2	2	$\frac{1}{2y} [(1-y)(1-x-y)^{-3} - (1-x)^{-3}]$
3	3	1	$\frac{5}{2}$	2	$\frac{3}{32xy} \left[\frac{1-y+2x}{(1-x-y)^2} - \frac{1+2x}{(1-x)^2} \right. \\ \left. - \frac{1}{\sqrt{x}} \left(\frac{(1-y)(1-y-4x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{(1-4x) \arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) \right]$
3	3	1	$\frac{7}{2}$	2	$\frac{15}{32x^2 y} \left[\frac{3(1-y)-2x}{1-x-y} - \frac{3-2x}{1-x} \right. \\ \left. - \frac{1}{\sqrt{x}} \left(\frac{(1-y)(3(1-y)-4x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{(3-4x) \arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}} \right) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
3	3	1	4	2	$\frac{3}{2x^3y} \left[\frac{x^2y}{(1-x)(1-x-y)} + 2 \left((1-y) \ln \frac{1-x-y}{1-y} - \ln(1-x) \right) \right]$
3	$\frac{7}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{2y} \left[\frac{(1-y)^4 - 20x(1-y)^3 - 90x^2(1-y)^2 - 20x^3(1-y) + x^4}{(1-x-y)^6} - \frac{1-20x-90x^2-20x^3+x^4}{(1-x)^6} \right]$
3	$\frac{7}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{10y} \left[\frac{5(1-y)^3 + 45x(1-y)^2 + 15x^2(1-y) - x^3}{(1-x-y)^5} - \frac{5+45x+15x^2-x^3}{(1-x)^5} \right]$
3	$\frac{7}{2}$	1	1	2	$\frac{1}{4y} \left[\frac{(1-y)^{\frac{3}{2}} (2(1-y)+5x)}{(1-x-y)^{\frac{9}{2}}} - \frac{2+5x}{(1-x)^{\frac{9}{2}}} \right]$
3	$\frac{7}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{30y} \left[\frac{15(1-y)^2 + 10x(1-y) - x^2}{(1-x-y)^4} - \frac{15+10x-x^2}{(1-x)^4} \right]$
3	$\frac{7}{2}$	1	2	2	$\frac{1}{2y} \left[(1-y)^{\frac{3}{2}} (1-x-y)^{-\frac{7}{2}} - (1-x)^{-\frac{7}{2}} \right]$
3	$\frac{7}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{10y} \left[\frac{5(1-y)-x}{(1-x-y)^3} - \frac{5-x}{(1-x)^3} \right]$
3	$\frac{7}{2}$	1	3	2	$\frac{4}{15x^2y} \left[\frac{2-5x}{(1-x)^{\frac{7}{2}}} - \frac{(1-y)^{\frac{3}{2}} (2(1-y)-5x)}{(1-x-y)^{\frac{7}{2}}} \right]$
3	$\frac{7}{2}$	1	4	2	$\frac{8}{5x^3y} \left[\frac{4-5x}{(1-x)^{\frac{9}{2}}} - \frac{(1-y)^{\frac{3}{2}} (4(1-y)-5x)}{(1-x-y)^{\frac{9}{2}}} - 4y \right]$
3	4	1	$-\frac{1}{2}$	2	$\frac{1}{64y} \left[\frac{32(1-y)^4 - 704x(1-y)^3 - 2553x^2(1-y)^2 - 260x^3(1-y) + 20x^4}{(1-x-y)^6} - \frac{32-704x-2553x^2-260x^3+20x^4}{(1-x)^6} \right. \\ \left. - 315x^{\frac{3}{2}} \left(\frac{(1-y)^2 (5(1-y)+6x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{13}{2}}} - \frac{(5+6x) \arcsin \sqrt{x}}{(1-x)^{\frac{13}{2}}} \right) \right]$
3	4	1	$\frac{1}{2}$	2	$\frac{1}{64y} \left[\frac{32(1-y)^3 + 247x(1-y)^2 + 40x^2(1-y) - 4x^3}{(1-x-y)^5} - \frac{32+247x+40x^2-4x^3}{(1-x)^5} \right. \\ \left. + 105\sqrt{x} \left(\frac{(1-y)^2 (1-y+2x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{11}{2}}} - \frac{(1+2x) \arcsin \sqrt{x}}{(1-x)^{\frac{11}{2}}} \right) \right]$
3	4	1	1	2	$\frac{1}{2y} \left[\frac{(1-y)^2 (1-y+3x)}{(1-x-y)^5} - \frac{1+3x}{(1-x)^5} \right]$
3	4	1	$\frac{3}{2}$	2	$\frac{1}{192y} \left[\frac{81(1-y)^2 + 28x(1-y) - 4x^2}{(1-x-y)^4} - \frac{81+28x-4x^2}{(1-x)^4} + \frac{15}{\sqrt{x}} \left(\frac{(1-y)^2 (1-y+6x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{9}{2}}} - \frac{(1+6x) \arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right]$
3	4	1	2	2	$\frac{1}{2y} \left[(1-y)^2 (1-x-y)^{-4} - (1-x)^{-4} \right]$
3	4	1	$\frac{5}{2}$	2	$\frac{1}{64xy} \left[\frac{3(1-y)^2 + 16x(1-y) - 4x^2}{(1-x-y)^3} - \frac{3+16x-4x^2}{(1-x)^3} + \frac{3}{\sqrt{x}} \left(\frac{(1-y)^2 (1-y-6x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{7}{2}}} - \frac{(1-6x) \arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right]$
3	4	1	3	2	$\frac{1}{6y} \left[\frac{3(1-y)-x}{(1-x-y)^3} - \frac{3-x}{(1-x)^3} \right]$
3	4	1	$\frac{7}{2}$	2	$\frac{5}{64x^2y} \left[\frac{3(1-y)^2 - 4x(1-y) + 4x^2}{(1-x-y)^2} - \frac{3-4x+4x^2}{(1-x)^2} - \frac{3}{\sqrt{x}} \left(\frac{(1-y)^2 (1-y-2x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{(1-2x) \arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) \right]$
$\frac{7}{2}$	$-\frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{15y} \left[\frac{3(1-y)^2 - 12x(1-y) + 8x^2}{(1-y)^3 (1-x-y)^{\frac{3}{2}}} - \frac{3-12x+8x^2}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{7}{2}$	$-\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{15y} \left[\frac{3(1-y)-4x}{(1-y)^3 \sqrt{1-x-y}} - \frac{3-4x}{\sqrt{1-x}} \right]$
$\frac{7}{2}$	$-\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{5y} \left[(1-y)^{-3} (1-x-y)^{\frac{1}{2}} - (1-x)^{\frac{1}{2}} \right]$
$\frac{7}{2}$	$-\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{1}{24x^2y} \left[3 \left(\frac{\arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}}{\sqrt{x}} \right) - \frac{3(1-y)^3 - x(1-y)^2 - 10x^2(1-y) + 8x^3}{(1-y)^3 \sqrt{1-x-y}} + \frac{3-x-10x^2+8x^3}{\sqrt{1-x}} \right]$
$\frac{7}{2}$	$\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{5y} \left[\frac{1-y-6x}{(1-x-y)^{\frac{7}{2}}} - \frac{1-6x}{(1-x)^{\frac{7}{2}}} \right]$
$\frac{7}{2}$	$\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{15y} \left[\frac{3(1-y)-2x}{(1-y)^2 (1-x-y)^{\frac{3}{2}}} - \frac{3-2x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{7}{2}$	$\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{5y} \left[(1-y)^{-2} (1-x-y)^{-\frac{1}{2}} - (1-x)^{-\frac{1}{2}} \right]$
$\frac{7}{2}$	$\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{1}{4x^2y} \left[3 \frac{\arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}}{\sqrt{x}} - \frac{(3(1-y)+2x) \sqrt{1-x-y}}{(1-y)^2} + (3+2x) \sqrt{1-x} \right]$
$\frac{7}{2}$	1	1	$-\frac{1}{2}$	2	$\frac{2}{5y} \left[\frac{(1-y)^3 - 9x(1-y)^2 - 9x^2(1-y) + x^3}{(1-y)^{\frac{3}{2}} (1-x-y)^4} - \frac{1-9x-9x^2+x^3}{(1-x)^4} \right]$
$\frac{7}{2}$	1	1	$\frac{1}{2}$	2	$\frac{2}{15y} \left[\frac{3(1-y)^2 + 6x(1-y) - x^2}{(1-y)^{\frac{3}{2}} (1-x-y)^3} - \frac{3+6x-x^2}{(1-x)^3} \right]$
$\frac{7}{2}$	1	1	$\frac{3}{2}$	2	$\frac{2}{15y} \left[\frac{3(1-y)-x}{(1-y)^{\frac{3}{2}} (1-x-y)^2} - \frac{3-x}{(1-x)^2} \right]$
$\frac{7}{2}$	1	1	2	2	$\frac{4}{15xy} \left[(1-x-y)^{-\frac{3}{2}} - (1-x)^{-\frac{3}{2}} - (1-y)^{-\frac{3}{2}} + 1 \right]$
$\frac{7}{2}$	1	1	$\frac{5}{2}$	2	$\frac{2}{5y} \left[(1-y)^{-\frac{3}{2}} (1-x-y)^{-1} - (1-x)^{-1} \right]$
$\frac{7}{2}$	1	1	3	2	$\frac{8}{15x^2y} \left[\frac{2}{\sqrt{1-x-y}} - \frac{2}{\sqrt{1-x}} - \frac{2(1-y)+x}{(1-y)^{\frac{3}{2}}} + 2 + x \right]$
$\frac{7}{2}$	1	1	$\frac{7}{2}$	2	$\frac{2}{3x^2y} \left[3 \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right) - \frac{3(1-y)+x}{(1-y)^{\frac{3}{2}}} + 3 + x \right]$
$\frac{7}{2}$	1	1	4	2	$\frac{4}{5x^3y} \left[\frac{8(1-y)^2 - 4x(1-y) - x^2}{(1-y)^{\frac{3}{2}}} - (8-4x-x^2) - 8(\sqrt{1-x-y} - \sqrt{1-x}) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$\frac{7}{2}$	2	1	3	2	$\frac{8}{15x^2y} \left[2((1-y)^{-\frac{1}{2}} - 1) - \frac{2(1-y)-3x}{(1-x-y)^{\frac{3}{2}}} + \frac{2-3x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{7}{2}$	2	1	$\frac{7}{2}$	2	$\frac{1}{x^2y} \left[\frac{3(1-y)-2x}{\sqrt{1-y}(1-x-y)} - \frac{3-2x}{1-x} - 3 \frac{\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} \right]$
$\frac{7}{2}$	2	1	4	2	$\frac{16}{5x^3y} \left[\frac{4(1-y)-3x}{\sqrt{1-x-y}} - \frac{4-3x}{\sqrt{1-x}} - \frac{4(1-y)-x}{\sqrt{1-y}} + 4-x \right]$
$\frac{7}{2}$	2	1	5	2	$\frac{32}{5x^4y} \left[\frac{(\sqrt{1-y}-\sqrt{1-x-y})^4}{\sqrt{1-y}} - (1-\sqrt{1-x})^4 \right]$
$\frac{7}{2}$	$\frac{5}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{5y} \left[\frac{(1-y)^3-18x(1-y)^2-72x^2(1-y)-16x^3}{(1-x-y)^{\frac{11}{2}}} - \frac{1-18x-72x^2-16x^3}{(1-x)^{\frac{11}{2}}} \right]$
$\frac{7}{2}$	$\frac{5}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{15y} \left[\frac{3(1-y)^2+24x(1-y)+8x^2}{(1-x-y)^{\frac{9}{2}}} - \frac{3+24x+8x^2}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{7}{2}$	$\frac{5}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{15y} \left[\frac{3(1-y)+2x}{(1-x-y)^{\frac{7}{2}}} - \frac{3+2x}{(1-x)^{\frac{7}{2}}} \right]$
$\frac{7}{2}$	$\frac{5}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{5y} [(1-x-y)^{-\frac{5}{2}} - (1-x)^{-\frac{5}{2}}]$
$\frac{7}{2}$	$\frac{5}{2}$	1	$\frac{7}{2}$	2	$\frac{2}{3x^2y} \left[\frac{3}{\sqrt{x}} (\arcsin \sqrt{\frac{x}{1-y}} - \arcsin \sqrt{x}) - \left(\frac{3(1-y)-4x}{(1-x-y)^{\frac{3}{2}}} - \frac{3-4x}{(1-x)^{\frac{3}{2}}} \right) \right]$
$\frac{7}{2}$	3	1	$-\frac{1}{2}$	2	$\frac{2}{5y} \left[\frac{\sqrt{1-y}((1-y)^3-21x(1-y)^2-105x^2(1-y)-35x^3)}{(1-x-y)^6} - \frac{1-21x-105x^2-35x^3}{(1-x)^6} \right]$
$\frac{7}{2}$	3	1	$\frac{1}{2}$	2	$\frac{2}{5y} \left[\frac{\sqrt{1-y}((1-y)^2+10x(1-y)+5x^2)}{(1-x-y)^5} - \frac{1+10x+5x^2}{(1-x)^5} \right]$
$\frac{7}{2}$	3	1	1	2	$\frac{1}{20y} \left[\frac{8(1-y)^2+24x(1-y)+3x^2}{(1-x-y)^{\frac{9}{2}}} - \frac{8+24x+3x^2}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{7}{2}$	3	1	$\frac{3}{2}$	2	$\frac{2}{5y} \left[\frac{\sqrt{1-y}(1-y+x)}{(1-x-y)^4} - \frac{1+x}{(1-x)^4} \right]$
$\frac{7}{2}$	3	1	2	2	$\frac{1}{10y} \left[\frac{4(1-y)+x}{(1-x-y)^{\frac{7}{2}}} - \frac{4+x}{(1-x)^{\frac{7}{2}}} \right]$
$\frac{7}{2}$	3	1	$\frac{5}{2}$	2	$\frac{2}{5y} [(1-y)^{\frac{1}{2}}(1-x-y)^{-3} - (1-x)^{-3}]$
$\frac{7}{2}$	3	1	$\frac{7}{2}$	2	$\frac{1}{4x^2y} \left[\frac{3}{\sqrt{x}} (\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}) - \left(\frac{\sqrt{1-y}(3(1-y)-5x)}{(1-x-y)^2} - \frac{3-5x}{(1-x)^2} \right) \right]$
$\frac{7}{2}$	3	1	4	2	$\frac{4}{5x^3y} \left[8(\sqrt{1-y}-1) - \left(\frac{8(1-y)^2-12x(1-y)+3x^2}{(1-x-y)^{\frac{3}{2}}} - \frac{8-12x+3x^2}{(1-x)^{\frac{3}{2}}} \right) \right]$
$\frac{7}{2}$	$\frac{7}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{5y} \left[\frac{(1-y)((1-y)^3-24x(1-y)^2-144x^2(1-y)-64x^3)}{(1-x-y)^{\frac{13}{2}}} - \frac{1-24x-144x^2-64x^3}{(1-x)^{\frac{13}{2}}} \right]$
$\frac{7}{2}$	$\frac{7}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{5y} \left[\frac{(1-y)((1-y)^2+12x(1-y)+8x^2)}{(1-x-y)^{\frac{11}{2}}} - \frac{1+12x+8x^2}{(1-x)^{\frac{11}{2}}} \right]$
$\frac{7}{2}$	$\frac{7}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{15y} \left[\frac{(1-y)(3(1-y)+4x)}{(1-x-y)^{\frac{9}{2}}} - \frac{3+4x}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{7}{2}$	$\frac{7}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{5y} [(1-y)(1-x-y)^{-\frac{7}{2}} - (1-x)^{-\frac{7}{2}}]$
$\frac{7}{2}$	4	1	$-\frac{1}{2}$	2	$\frac{2}{5y} \left[\frac{(1-y)^{\frac{3}{2}}((1-y)^3-27x(1-y)^2-189x^2(1-y)-105x^3)}{(1-x-y)^7} - \frac{1-27x-189x^2-105x^3}{(1-x)^7} \right]$
$\frac{7}{2}$	4	1	$\frac{1}{2}$	2	$\frac{2}{15y} \left[\frac{(1-y)^{\frac{3}{2}}(3(1-y)^2+42x(1-y)+35x^2)}{(1-x-y)^6} - \frac{3+42x+35x^2}{(1-x)^6} \right]$
$\frac{7}{2}$	4	1	1	2	$\frac{1}{40y} \left[\frac{16(1-y)^3+72x(1-y)^2+18x^2(1-y)-x^3}{(1-x-y)^{\frac{11}{2}}} - \frac{16+72x+18x^2-x^3}{(1-x)^{\frac{11}{2}}} \right]$
$\frac{7}{2}$	4	1	$\frac{3}{2}$	2	$\frac{2}{15y} \left[\frac{(1-y)^{\frac{3}{2}}(3(1-y)+5x)}{(1-x-y)^5} - \frac{3+5x}{(1-x)^5} \right]$
$\frac{7}{2}$	4	1	2	2	$\frac{1}{60y} \left[\frac{24(1-y)^2+12x(1-y)-x^2}{(1-x-y)^{\frac{9}{2}}} - \frac{24+12x-x^2}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{7}{2}$	4	1	$\frac{5}{2}$	2	$\frac{2}{5y} [(1-y)^{\frac{3}{2}}(1-x-y)^{-4} - (1-x)^{-4}]$
$\frac{7}{2}$	4	1	3	2	$\frac{1}{15y} \left[\frac{6(1-y)-x}{(1-x-y)^{\frac{7}{2}}} - \frac{6-x}{(1-x)^{\frac{7}{2}}} \right]$
$\frac{7}{2}$	4	1	$\frac{7}{2}$	2	$\frac{1}{24x^2y} \left[\frac{3}{\sqrt{x}} (\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}) - \left(\frac{\sqrt{1-y}(3(1-y)^2-8x(1-y)-3x^2)}{(1-x-y)^3} - \frac{3-8x-3x^2}{(1-x)^3} \right) \right]$
4	$-\frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{24y} \left[\frac{8(1-y)^2-25x(1-y)+15x^2}{(1-y)^3(1-x-y)^2} - \frac{8-25x+15x^2}{(1-x)^2} - 15\sqrt{x} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{1}{2}}} - \frac{\tanh^{-1} \sqrt{x}}{(1-x)^{\frac{1}{2}}} \right) \right]$
4	$-\frac{1}{2}$	1	1	2	$\frac{1}{24y} \left[\frac{8(1-y)^2-24x(1-y)+15x^2}{(1-y)^{\frac{3}{2}}(1-x-y)^{\frac{3}{2}}} - \frac{8-24x+15x^2}{(1-x)^{\frac{3}{2}}} \right]$
4	$-\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{48y} \left[\frac{13(1-y)-15x}{(1-y)^3(1-x-y)} - \frac{13-15x}{1-x} + \frac{3}{\sqrt{x}} \left(\frac{(1-y-5x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{7}{2}}} - (1-5x) \tanh^{-1} \sqrt{x} \right) \right]$
4	$-\frac{1}{2}$	1	2	2	$\frac{1}{12y} \left[\frac{4(1-y)-5x}{(1-y)^{\frac{7}{2}} \sqrt{1-x-y}} - \frac{4-5x}{\sqrt{1-x}} \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
4	$-\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{64xy} \left[\frac{1}{\sqrt{x}} \left(\frac{((1-y)^2 + 6x(1-y) - 15x^2) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{7}{2}}} - (1 + 6x - 15x^2) \tanh^{-1} \sqrt{x} \right) - \frac{(1-y-15x)}{(1-y)^3} + 1 - 15x \right]$
4	$-\frac{1}{2}$	1	3	2	$\frac{1}{3y} [(1-y)^{-\frac{7}{2}} (1-x-y)^{\frac{1}{2}} - (1-x)^{\frac{1}{2}}]$
4	$-\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{384x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{((1-y)^2 + 2x(1-y) + 5x^2)(1-x-y) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{7}{2}}} - (1 + 2x + 5x^2)(1-x) \tanh^{-1} \sqrt{x} \right) - \frac{(3(1-y)^2 + 4x(1-y) - 15x^2)}{(1-y)^3} + 3 + 4x - 15x^2 \right]$
4	$-\frac{1}{2}$	1	4	2	$\frac{2}{105x^3y} \left[(8 + 12x + 15x^2)(1-x)^{\frac{3}{2}} - \frac{(8(1-y)^2 + 12x(1-y) + 15x^2)(1-x-y)^{\frac{3}{2}}}{(1-y)^{\frac{7}{2}}} \right]$
4	$\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{3y} \left[\frac{1-y-7x}{(1-x-y)^4} - \frac{1-7x}{(1-x)^4} \right]$
4	$\frac{1}{2}$	1	1	2	$\frac{1}{24y} \left[\frac{8(1-y)^2 - 8x(1-y) + 3x^2}{((1-y)(1-x-y))^{\frac{5}{2}}} - \frac{8-8x+3x^2}{(1-x)^{\frac{5}{2}}} \right]$
4	$\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{24y} \left[\frac{5(1-y)-3x}{((1-y)(1-x-y))^2} - \frac{5-3x}{(1-x)^2} + \frac{3}{\sqrt{x}} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{5}{2}}} - \tanh^{-1} \sqrt{x} \right) \right]$
4	$\frac{1}{2}$	1	2	2	$\frac{1}{12y} \left[\frac{4(1-y)-3x}{(1-y)^{\frac{5}{2}}(1-x-y)^{\frac{3}{2}}} - \frac{4-3x}{(1-x)^{\frac{5}{2}}} \right]$
4	$\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{16xy} \left[\frac{1}{\sqrt{x}} \left(\frac{(1-y+3x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{5}{2}}} - (1+3x) \tanh^{-1} \sqrt{x} \right) - \frac{1-y-3x}{(1-y)^2(1-x-y)} + \frac{1-3x}{1-x} \right]$
4	$\frac{1}{2}$	1	3	2	$\frac{1}{3y} [(1-y)^{-\frac{5}{2}} (1-x-y)^{-\frac{1}{2}} - (1-x)^{-\frac{1}{2}}]$
4	$\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{64x^2y} \left[\frac{1}{\sqrt{x}} \left(\frac{(3(1-y)^2 + 2x(1-y) + 3x^2) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{5}{2}}} - (3 + 2x + 3x^2) \tanh^{-1} \sqrt{x} \right) - 3 \left(\frac{1+x+y}{(1-y)^2} - (1+x) \right) \right]$
4	$\frac{1}{2}$	1	4	2	$-\frac{2}{15x^3y} \left[\frac{(8(1-y)^2 + 4x(1-y) + 3x^2) \sqrt{1-x-y}}{(1-y)^{\frac{5}{2}}} - (8 + 4x + 3x^2) \sqrt{1-x} \right]$
4	1	1	$-\frac{1}{2}$	2	$\frac{1}{24y} \left[\frac{8(1-y)^3 - 80x(1-y)^2 - 39x^2(1-y) + 6x^3}{(1-y)^2(1-x-y)^4} - \frac{8-80x-39x^2+6x^3}{(1-x)^4} - 105x^{\frac{3}{2}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{9}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right]$
4	1	1	$\frac{1}{2}$	2	$\frac{1}{24y} \left[\frac{8(1-y)^2 + 9x(1-y) - 2x^2}{(1-y)^2(1-x-y)^3} - \frac{8+9x-2x^2}{(1-x)^3} + 15\sqrt{x} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{7}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right]$
4	1	1	$\frac{3}{2}$	2	$\frac{1}{24y} \left[\frac{5(1-y)-2x}{((1-y)(1-x-y))^2} - \frac{5-2x}{(1-x)^2} + \frac{3}{\sqrt{x}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) \right]$
4	1	1	2	2	$\frac{1}{6y} \left[\frac{2(1-y)-x}{((1-y)(1-x-y))^2} - \frac{2-x}{(1-x)^2} \right]$
4	1	1	$\frac{5}{2}$	2	$\frac{1}{8xy} \left[\frac{1}{\sqrt{x}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}} \right) - \frac{1-y-2x}{(1-y)^2(1-x-y)} + \frac{1-2x}{1-x} \right]$
4	1	1	3	2	$\frac{1}{3y} [(1-y)^{-2} (1-x-y)^{-1} - (1-x)^{-1}]$
4	1	1	$\frac{7}{2}$	2	$\frac{5}{24x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{1-x-y}} - \frac{\arcsin \sqrt{x}}{\sqrt{1-x}} \right) - \frac{y(2x(2-y) + 3(1-y))}{(1-y)^2} \right]$
4	1	1	4	2	$-\frac{1}{2x^3y} \left[\frac{x(2(1-y)+x)}{(1-y)^2} - x(x+2) + 2 \ln \left(\frac{1-x-y}{(1-x)(1-y)} \right) \right]$
4	$\frac{3}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{3y} \left[\frac{(1-y)^2 - 14x(1-y) - 35x^2}{(1-x-y)^5} - \frac{1-14x-35x^2}{(1-x)^5} \right]$
4	$\frac{3}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{3y} \left[\frac{1-y+5x}{(1-x-y)^4} - \frac{1+5x}{(1-x)^4} \right]$
4	$\frac{3}{2}$	1	1	2	$\frac{1}{24y} \left[\frac{8(1-y)^2 + 8x(1-y) - x^2}{(1-y)^{\frac{3}{2}}(1-x-y)^{\frac{7}{2}}} - \frac{8+8x-x^2}{(1-x)^{\frac{7}{2}}} \right]$
4	$\frac{3}{2}$	1	2	2	$\frac{1}{12y} \left[\frac{4(1-y)-x}{(1-y)^{\frac{3}{2}}(1-x-y)^{\frac{5}{2}}} - \frac{4-x}{(1-x)^{\frac{5}{2}}} \right]$
4	$\frac{3}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{8xy} \left[\frac{1-y+x}{(1-y)(1-x-y)^2} - \frac{1+x}{(1-x)^2} - \frac{1}{\sqrt{x}} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - \tanh^{-1} \sqrt{x} \right) \right]$
4	$\frac{3}{2}$	1	3	2	$\frac{1}{3y} [(1-y)^{-\frac{3}{2}} (1-x-y)^{-\frac{3}{2}} - (1-x)^{-\frac{3}{2}}]$
4	$\frac{3}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{16x^2y} \left[\frac{3(1-y)-x}{(1-y)(1-x-y)} - \frac{3-x}{1-x} - \frac{1}{\sqrt{x}} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - \tanh^{-1} \sqrt{x} \right) \right]$
4	$\frac{3}{2}$	1	4	2	$\frac{2}{3x^3y} \left[\frac{8(1-y)^2 - 4x(1-y) - x^2}{(1-y)^{\frac{3}{2}} \sqrt{1-x-y}} - \frac{8-4x-x^2}{\sqrt{1-x}} \right]$
4	2	1	$-\frac{1}{2}$	2	$\frac{1}{48y} \left[\frac{16(1-y)^3 - 272x(1-y)^2 - 659x^2(1-y) - 30x^3}{(1-y)(1-x-y)^5} - \frac{16-272x-659x^2-30x^3}{(1-x)^5} - 105x^{\frac{3}{2}} \left(\frac{(5(1-y)+4x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{11}{2}}} - \frac{(5+4x) \arcsin \sqrt{x}}{(1-x)^{\frac{11}{2}}} \right) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
4	2	1	$\frac{1}{2}$	2	$\frac{1}{48y} \left[\frac{16(1-y)^2+83x(1-y)+6x^2}{(1-y)(1-x-y)^4} - \frac{16+83x+6x^2}{(1-x)^4} + 15\sqrt{x} \left(\frac{(3(1-y)+4x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{9}{2}}} - \frac{(3+4x) \arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right]$
4	2	1	1	2	$\frac{1}{3y} \left[\frac{1-y+2x}{(1-x-y)^4} - \frac{1+2x}{(1-x)^4} \right]$
4	2	1	$\frac{3}{2}$	2	$\frac{1}{48y} \left[\frac{13(1-y)+2x}{(1-y)(1-x-y)^3} - \frac{13+2x}{(1-x)^3} + \frac{3}{\sqrt{x}} \left(\frac{(1-y+4x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{7}{2}}} - \frac{(1+4x) \arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right]$
4	2	1	$\frac{5}{2}$	2	$\frac{1}{16y} \left[\frac{1-y+2x}{(1-y)(1-x-y)^2} - \frac{1+2x}{(1-x)^2} - \frac{1}{\sqrt{x}} \left(\frac{(1-y-4x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{(1-4x) \arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) \right]$
4	2	1	3	2	$\frac{1}{3y} [(1-y)^{-1}(1-x-y)^{-2} - (1-x)^{-2}]$
4	2	1	$\frac{7}{2}$	2	$\frac{5}{16x^2} \left[\frac{2}{1-y} + \frac{1}{(1-x)(1-x-y)} - \frac{1}{\sqrt{xy}} \left(\frac{(3(1-y)-4x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{(3-4x) \arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}} \right) \right]$
4	2	1	4	2	$\frac{1}{x^2} \left[\frac{1}{1-y} + \frac{1}{(1-x)(1-x-y)} \right] + \frac{2}{x^3 y} \ln \left(\frac{1-x-y}{(1-y)(1-x)} \right)$
4	$\frac{5}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{3y} \left[\frac{(1-y)^3-21x(1-y)^2-105x^2(1-y)-35x^3}{(1-x-y)^6} - \frac{1-21x-105x^2-35x^3}{(1-x)^6} \right]$
4	$\frac{5}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{3y} \left[\frac{(1-y)^2+10x(1-y)+5x^2}{(1-x-y)^5} - \frac{1+10x+5x^2}{(1-x)^5} \right]$
4	$\frac{5}{2}$	1	1	2	$\frac{1}{24y} \left[\frac{8(1-y)^2+24x(1-y)+3x^2}{\sqrt{1-y}(1-x-y)^{\frac{9}{2}}} - \frac{8+24x+3x^2}{(1-x)^{\frac{9}{2}}} \right]$
4	$\frac{5}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{3y} \left[\frac{1-y+x}{(1-x-y)^4} - \frac{1+x}{(1-x)^4} \right]$
4	$\frac{5}{2}$	1	2	2	$\frac{1}{12y} \left[\frac{4(1-y)+x}{\sqrt{1-y}(1-x-y)^{\frac{7}{2}}} - \frac{4+x}{(1-x)^{\frac{7}{2}}} \right]$
4	$\frac{5}{2}$	1	3	2	$\frac{1}{3y} [(1-y)^{-\frac{1}{2}}(1-x-y)^{-\frac{5}{2}} - (1-x)^{-\frac{5}{2}}]$
4	$\frac{5}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{24x^2 y} \left[\frac{3}{\sqrt{x}} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{1-y}} - \tanh^{-1} \sqrt{x} \right) - \frac{3(1-y)-5x}{(1-x-y)^2} + \frac{3-5x}{(1-x)^2} \right]$
4	$\frac{5}{2}$	1	4	2	$-\frac{2}{3x^3 y} \left[\frac{8(1-y)^2-12x(1-y)+3x^2}{\sqrt{1-y}(1-x-y)^{\frac{3}{2}}} - \frac{8-12x+3x^2}{(1-x)^{\frac{3}{2}}} \right]$
4	3	1	$-\frac{1}{2}$	2	$\frac{1}{192y} \left[\frac{64(1-y)^3-1536x(1-y)^2-6885x^2(1-y)-2038x^3}{(1-x-y)^6} - \frac{64-1536x-6885x^2-2038x^3}{(1-x)^6} \right. \\ \left. -105x^{\frac{3}{2}} \left(\frac{(35(1-y)^2+56x(1-y)+8x^2) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{13}{2}}} - \frac{(35+56x+8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{13}{2}}} \right) \right]$
4	3	1	$\frac{1}{2}$	2	$\frac{1}{192y} \left[\frac{64(1-y)^2+607x(1-y)+274x^2}{(1-x-y)^5} - \frac{64+607x+274x^2}{(1-x)^5} \right. \\ \left. +15\sqrt{x} \left(\frac{(15(1-y)^2+40x(1-y)+8x^2) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{11}{2}}} - \frac{(15+40x+8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{11}{2}}} \right) \right]$
4	3	1	1	2	$\frac{1}{3y} \left[\frac{(1-y)^2+4x(1-y)+x^2}{(1-x-y)^5} - \frac{1+4x+x^2}{(1-x)^5} \right]$
4	3	1	$\frac{3}{2}$	2	$\frac{1}{192y} \left[5 \left(\frac{11(1-y)+10x}{(1-x-y)^4} - \frac{11+10x}{(1-x)^4} \right) + \frac{3}{\sqrt{x}} \left(\frac{(3(1-y)^2+24x(1-y)+8x^2) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{9}{2}}} - \frac{(3+24x+8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right]$
4	3	1	2	2	$\frac{1}{6y} \left[\frac{2(1-y)+x}{(1-x-y)^4} - \frac{2+x}{(1-x)^4} \right]$
4	3	1	$\frac{5}{2}$	2	$\frac{1}{64xy} \left[\frac{1-y+14x}{(1-x-y)^3} - \frac{1+14x}{(1-x)^3} - \frac{1}{\sqrt{x}} \left(\frac{((1-y)^2-8x(1-y)-8x^2) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{7}{2}}} - \frac{(1-8x-8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right]$
4	3	1	3	2	$\frac{1}{3y} [(1-x-y)^{-3} - (1-x)^{-3}]$
4	3	1	$\frac{7}{2}$	2	$\frac{5}{64x^2 y} \left[\frac{1}{\sqrt{x}} \left(\frac{(3(1-y)^2-8x(1-y)+8x^2) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{(3-8x+8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) - 3 \left(\frac{1-y-2x}{(1-x-y)^2} - \frac{1-2x}{(1-x)^2} \right) \right]$
4	3	1	4	2	$-\frac{1}{2x^3 y} \left[\frac{x(2(1-y)-3x)}{(1-x-y)^2} - \frac{x(2-3x)}{(1-x)^2} + 2 \ln \left(\frac{1-x-y}{(1-x)(1-y)} \right) \right]$
4	$\frac{7}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{3y} \left[\frac{(1-y)^4-28x(1-y)^3-210x^2(1-y)^2-140x^3(1-y)-7x^4}{(1-x-y)^7} - \frac{1-28x-210x^2-140x^3-7x^4}{(1-x)^7} \right]$
4	$\frac{7}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{3y} \left[\frac{(1-y)^3+15x(1-y)^2+15x^2(1-y)+x^3}{(1-x-y)^6} - \frac{1+15x+15x^2+x^3}{(1-x)^6} \right]$
4	$\frac{7}{2}$	1	1	2	$\frac{1}{24y} \left[\frac{\sqrt{1-y}(8(1-y)^2+40x(1-y)+15x^2)}{(1-x-y)^{\frac{11}{2}}} - \frac{8+40x+15x^2}{(1-x)^{\frac{11}{2}}} \right]$
4	$\frac{7}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{15y} \left[\frac{5(1-y)^2+10x(1-y)+x^2}{(1-x-y)^5} - \frac{5+10x+x^2}{(1-x)^5} \right]$
4	$\frac{7}{2}$	1	2	2	$\frac{1}{12y} \left[\frac{\sqrt{1-y}(4(1-y)+3x)}{(1-x-y)^{\frac{9}{2}}} - \frac{4+3x}{(1-x)^{\frac{9}{2}}} \right]$
4	$\frac{7}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{15y} \left[\frac{5(1-y)+x}{(1-x-y)^4} - \frac{5+x}{(1-x)^4} \right]$
4	$\frac{7}{2}$	1	3	2	$\frac{1}{3y} [(1-y)^{\frac{1}{2}}(1-x-y)^{-\frac{7}{2}} - (1-x)^{-\frac{7}{2}}]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
4	$\frac{7}{2}$	1	4	2	$\frac{2}{15x^3y} \left[\frac{\sqrt{1-y}(8(1-y)^2-20x(1-y)+15x^2)}{(1-x-y)^{\frac{5}{2}}} - \frac{8-20x+15x^2}{(1-x)^{\frac{5}{2}}} \right]$
4	4	1	$-\frac{1}{2}$	2	$\frac{1}{384y} \left[\frac{128(1-y)^4-3968x(1-y)^3-26223x^2(1-y)^2-14702x^3(1-y)-280x^4}{(1-x-y)^7} - \frac{128-3968x-26223x^2-14702x^3-280x^4}{(1-x)^7} \right]$ $-315x^{\frac{3}{2}} \left(\frac{(1-y)(35(1-y)^2+84x(1-y)+24x^2)}{(1-x-y)^{\frac{15}{2}}} \arcsin \sqrt{\frac{x}{1-y}} - \frac{(35+84x+24x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{15}{2}}} \right)$
4	4	1	$\frac{1}{2}$	2	$\frac{1}{384y} \left[\frac{128(1-y)^3+1779x(1-y)^2+1518x^2(1-y)+40x^3}{(1-x-y)^6} - \frac{128+1779x+1518x^2+40x^3}{(1-x)^6} \right]$ $+105\sqrt{x} \left(\frac{(1-y)(5(1-y)^2+20x(1-y)+8x^2)}{(1-x-y)^{\frac{13}{2}}} \arcsin \sqrt{\frac{x}{1-y}} - \frac{(5+20x+8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{13}{2}}} \right)$
4	4	1	1	2	$\frac{1}{3y} \left[\frac{(1-y)((1-y)^2+6x(1-y)+3x^2)}{(1-x-y)^6} - \frac{1+6x+3x^2}{(1-x)^6} \right]$
4	4	1	$\frac{3}{2}$	2	$\frac{1}{384y} \left[\frac{113(1-y)^2+194x(1-y)+8x^2}{(1-x-y)^5} - \frac{113+194x+8x^2}{(1-x)^5} \right]$ $+\frac{15}{\sqrt{x}} \left(\frac{(1-y)((1-y)^2+12x(1-y)+8x^2)}{(1-x-y)^{\frac{11}{2}}} \arcsin \sqrt{\frac{x}{1-y}} - \frac{(1+12x+8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{11}{2}}} \right)$
4	4	1	2	2	$\frac{1}{3y} \left[\frac{(1-y)(1-y+x)}{(1-x-y)^5} - \frac{1+x}{(1-x)^5} \right]$
4	4	1	$\frac{5}{2}$	2	$\frac{1}{384xy} \left[\frac{3(1-y)^2+94x(1-y)+8x^2}{(1-x-y)^4} - \frac{3+94x+8x^2}{(1-x)^4} \right]$ $-\frac{3}{\sqrt{x}} \left(\frac{(1-y)((1-y)^2-12x(1-y)-24x^2)}{(1-x-y)^{\frac{9}{2}}} \arcsin \sqrt{\frac{x}{1-y}} - \frac{(1-12x-24x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right)$
4	4	1	3	2	$\frac{1}{3y} [(1-y)(1-x-y)^{-4} - (1-x)^{-4}]$
4	4	1	$\frac{7}{2}$	2	$\frac{5}{384x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{(1-y)((1-y)^2-4x(1-y)+8x^2)}{(1-x-y)^{\frac{7}{2}}} \arcsin \sqrt{\frac{x}{1-y}} - \frac{(1-4x+8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) - \frac{3(1-y)^2-10x(1-y)-8x^2}{(1-x-y)^3} \right]$ $+\frac{3-10x-8x^2}{(1-x)^3}$
$\frac{9}{2}$	$-\frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)^3-30x(1-y)^2+40x^2(1-y)-16x^3}{(1-y)^4(1-x-y)^{\frac{5}{2}}} - \frac{5-30x+40x^2-16x^3}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{9}{2}$	$-\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{105y} \left[\frac{15(1-y)^2-40x(1-y)+24x^2}{(1-y)^4(1-x-y)^{\frac{3}{2}}} - \frac{15-40x+24x^2}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{9}{2}$	$-\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)-6x}{(1-y)^4\sqrt{1-x-y}} - \frac{5-6x}{\sqrt{1-x}} \right]$
$\frac{9}{2}$	$-\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{2}{7y} [(1-y)^{-4}(1-x-y)^{\frac{1}{2}} - (1-x)^{\frac{1}{2}}]$
$\frac{9}{2}$	$\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{7y} \left[\frac{1-y-8x}{(1-x-y)^{\frac{9}{2}}} - \frac{1-8x}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{9}{2}$	$\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{105y} \left[\frac{15(1-y)^2-20x(1-y)+8x^2}{(1-y)^3(1-x-y)^{\frac{3}{2}}} - \frac{15-20x+8x^2}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{9}{2}$	$\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)-4x}{(1-y)^3(1-x-y)^{\frac{3}{2}}} - \frac{5-4x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{9}{2}$	$\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{2}{7y} [(1-y)^{-3}(1-x-y)^{-\frac{1}{2}} - (1-x)^{-\frac{1}{2}}]$
$\frac{9}{2}$	1	1	$-\frac{1}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)^4-60x(1-y)^3-90x^2(1-y)^2+20x^3(1-y)-3x^4}{(1-y)^{\frac{5}{2}}(1-x-y)^5} - \frac{5-60x-90x^2+20x^3-3x^4}{(1-x)^5} \right]$
$\frac{9}{2}$	1	1	$\frac{1}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)^3+15x(1-y)^2-5x^2(1-y)+x^3}{(1-y)^{\frac{5}{2}}(1-x-y)^4} - \frac{5+15x-5x^2+x^3}{(1-x)^4} \right]$
$\frac{9}{2}$	1	1	$\frac{3}{2}$	2	$\frac{2}{105y} \left[\frac{15(1-y)^2-10x(1-y)+3x^2}{(1-y)^{\frac{3}{2}}(1-x-y)^3} - \frac{15-10x+3x^2}{(1-x)^3} \right]$
$\frac{9}{2}$	1	1	2	2	$\frac{4}{35xy} [(1-x-y)^{-\frac{5}{2}} - (1-x)^{-\frac{5}{2}} - (1-y)^{-\frac{5}{2}} + 1]$
$\frac{9}{2}$	1	1	$\frac{5}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)-3x}{(1-y)^{\frac{5}{2}}(1-x-y)^2} - \frac{5-3x}{(1-x)^2} \right]$
$\frac{9}{2}$	1	1	3	2	$\frac{8}{105x^2y} \left[\frac{2}{(1-x-y)^{\frac{3}{2}}} - \frac{2}{(1-x)^{\frac{3}{2}}} - \frac{2(1-y)+3x}{(1-y)^{\frac{3}{2}}} + 2 + 3x \right]$
$\frac{9}{2}$	1	1	$\frac{7}{2}$	2	$\frac{2}{7y} [(1-y)^{-\frac{5}{2}}(1-x-y)^{-1} - (1-x)^{-1}]$
$\frac{9}{2}$	1	1	4	2	$\frac{4}{35x^3y} \left[\frac{8}{\sqrt{1-x-y}} - \frac{8}{\sqrt{1-x}} - \frac{8(1-y)^2+4x(1-y)+3x^2}{(1-y)^{\frac{5}{2}}} + 8 + 4x + 3x^2 \right]$
$\frac{9}{2}$	1	1	$\frac{9}{2}$	2	$\frac{2}{15x^3y} \left[15 \frac{\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}}{\sqrt{x}} - \frac{15(1-y)^2+5x(1-y)+3x^2}{(1-y)^{\frac{5}{2}}} + 15 + 5x + 3x^2 \right]$
$\frac{9}{2}$	$\frac{3}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{7y} \left[\frac{(1-y)^2-16x(1-y)-48x^2}{(1-x-y)^{\frac{11}{2}}} - \frac{1-16x-48x^2}{(1-x)^{\frac{11}{2}}} \right]$
$\frac{9}{2}$	$\frac{3}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{7y} \left[\frac{1-y+6x}{(1-x-y)^{\frac{9}{2}}} - \frac{1+6x}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{9}{2}$	$\frac{3}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)-2x}{(1-y)^2(1-x-y)^{\frac{3}{2}}} - \frac{5-2x}{(1-x)^{\frac{3}{2}}} \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$\frac{9}{2}$	$\frac{3}{2}$	1	$\frac{7}{2}$	2	$\frac{2}{7y}[(1-y)^{-2}(1-x-y)^{-\frac{3}{2}} - (1-x)^{-\frac{3}{2}}]$
$\frac{9}{2}$	2	1	$-\frac{1}{2}$	2	$\frac{2}{7y} \left[\frac{(1-y)^4 - 20x(1-y)^3 - 90x^2(1-y)^2 - 20x^3(1-y) + x^4}{(1-y)^{\frac{3}{2}}(1-x-y)^6} - \frac{1-20x-90x^2-20x^3+x^4}{(1-x)^6} \right]$
$\frac{9}{2}$	2	1	$\frac{1}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)^3 + 45x(1-y)^2 + 15x^2(1-y) - x^3}{(1-y)^{\frac{3}{2}}(1-x-y)^5} - \frac{5+45x+15x^2-x^3}{(1-x)^5} \right]$
$\frac{9}{2}$	2	1	1	2	$\frac{1}{7y} \left[\frac{2(1-y)+5x}{(1-x-y)^{\frac{9}{2}}} - \frac{2+5x}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{9}{2}$	2	1	$\frac{3}{2}$	2	$\frac{2}{105y} \left[\frac{15(1-y)^2 + 10x(1-y) - x^2}{(1-y)^{\frac{3}{2}}(1-x-y)^4} - \frac{15+10x-x^2}{(1-x)^4} \right]$
$\frac{9}{2}$	2	1	$\frac{5}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)-x}{(1-y)^{\frac{3}{2}}(1-x-y)^3} - \frac{5-x}{(1-x)^3} \right]$
$\frac{9}{2}$	2	1	3	2	$\frac{8}{105x^2y} \left[\frac{2}{(1-y)^{\frac{3}{2}}} - 2 - \frac{2(1-y)-5x}{(1-x-y)^{\frac{5}{2}}} + \frac{2-5x}{(1-x)^{\frac{5}{2}}} \right]$
$\frac{9}{2}$	2	1	$\frac{7}{2}$	2	$\frac{2}{7y}[(1-y)^{-\frac{3}{2}}(1-x-y)^{-2} - (1-x)^{-2}]$
$\frac{9}{2}$	2	1	4	2	$\frac{16}{35x^3y} \left[\frac{4(1-y)+x}{(1-y)^{\frac{3}{2}}} - (4+x) - \frac{4(1-y)-5x}{(1-x-y)^{\frac{3}{2}}} + \frac{4-5x}{(1-x)^{\frac{3}{2}}} \right]$
$\frac{9}{2}$	$\frac{5}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{7y} \left[\frac{(1-y)^3 - 24x(1-y)^2 - 144x^2(1-y) - 64x^3}{(1-x-y)^{\frac{13}{2}}} - \frac{1-24x-144x^2-64x^3}{(1-x)^{\frac{13}{2}}} \right]$
$\frac{9}{2}$	$\frac{5}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{7y} \left[\frac{(1-y)^2 + 12x(1-y) + 8x^2}{(1-x-y)^{\frac{11}{2}}} - \frac{1+12x+8x^2}{(1-x)^{\frac{11}{2}}} \right]$
$\frac{9}{2}$	$\frac{5}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{21y} \left[\frac{3(1-y)+4x}{(1-x-y)^{\frac{9}{2}}} - \frac{3+4x}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{9}{2}$	$\frac{5}{2}$	1	$\frac{7}{2}$	2	$\frac{2}{7y}[(1-y)^{-1}(1-x-y)^{-\frac{5}{2}} - (1-x)^{-\frac{5}{2}}]$
$\frac{9}{2}$	3	1	$-\frac{1}{2}$	2	$\frac{2}{7y} \left[\frac{(1-y)^4 - 28x(1-y)^3 - 210x^2(1-y)^2 - 140x^3(1-y) - 7x^4}{\sqrt{1-y}(1-x-y)^7} - \frac{1-28x-210x^2-140x^3-7x^4}{(1-x)^7} \right]$
$\frac{9}{2}$	3	1	$\frac{1}{2}$	2	$\frac{2}{7y} \left[\frac{(1-y)^3 + 15x(1-y)^2 + 15x^2(1-y) + x^3}{\sqrt{1-y}(1-x-y)^6} - \frac{1+15x+15x^2+x^3}{(1-x)^6} \right]$
$\frac{9}{2}$	3	1	1	2	$\frac{1}{28y} \left[\frac{8(1-y)^2 + 40x(1-y) + 15x^2}{(1-x-y)^{\frac{11}{2}}} - \frac{8+40x+15x^2}{(1-x)^{\frac{11}{2}}} \right]$
$\frac{9}{2}$	3	1	$\frac{3}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)^2 + 10x(1-y) + x^2}{\sqrt{1-y}(1-x-y)^5} - \frac{5+10x+x^2}{(1-x)^5} \right]$
$\frac{9}{2}$	3	1	2	2	$\frac{1}{14y} \left[\frac{4(1-y)+3x}{(1-x-y)^{\frac{9}{2}}} - \frac{4+3x}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{9}{2}$	3	1	$\frac{5}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)+x}{\sqrt{1-y}(1-x-y)^4} - \frac{5+x}{(1-x)^4} \right]$
$\frac{9}{2}$	3	1	$\frac{7}{2}$	2	$\frac{2}{7y}[(1-y)^{-\frac{1}{2}}(1-x-y)^{-3} - (1-x)^{-3}]$
$\frac{9}{2}$	3	1	4	2	$\frac{4}{35x^3y} \left[\frac{8(1-y)^2 - 20x(1-y) + 15x^2}{(1-x-y)^{\frac{5}{2}}} - \frac{8-20x+15x^2}{(1-x)^{\frac{5}{2}}} - 8((1-y)^{-\frac{1}{2}} - 1) \right]$
$\frac{9}{2}$	$\frac{7}{2}$	1	$-\frac{1}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)^4 - 160x(1-y)^3 - 1440x^2(1-y)^2 - 1280x^3(1-y) - 128x^4}{(1-x-y)^{\frac{15}{2}}} - \frac{5-160x-1440x^2-1280x^3-128x^4}{(1-x)^{\frac{15}{2}}} \right]$
$\frac{9}{2}$	$\frac{7}{2}$	1	$\frac{1}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)^3 + 90x(1-y)^2 + 120x^2 + 16x^3}{(1-x-y)^{\frac{13}{2}}} - \frac{5+90x+120x^2+16x^3}{(1-x)^{\frac{13}{2}}} \right]$
$\frac{9}{2}$	$\frac{7}{2}$	1	$\frac{3}{2}$	2	$\frac{2}{105y} \left[\frac{15(1-y)^2 + 40x(1-y) + 8x^2}{(1-x-y)^{\frac{11}{2}}} - \frac{15+4x+8x^2}{(1-x)^{\frac{11}{2}}} \right]$
$\frac{9}{2}$	$\frac{7}{2}$	1	$\frac{5}{2}$	2	$\frac{2}{35y} \left[\frac{5(1-y)+2x}{(1-x-y)^{\frac{9}{2}}} - \frac{5+2x}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{9}{2}$	$\frac{7}{2}$	1	$\frac{7}{2}$	2	$\frac{2}{7y}[(1-x-y)^{-\frac{7}{2}} - (1-x)^{-\frac{7}{2}}]$
$\frac{9}{2}$	4	1	$-\frac{1}{2}$	2	$\frac{2}{7y} \left[\frac{\sqrt{1-y}((1-y)^4 - 36x(1-y)^3 - 378x^2(1-y)^2 - 420x^3(1-y) - 63x^4)}{(1-x-y)^8} - \frac{1-36x-378x^2-420x^3-63x^4}{(1-x)^8} \right]$
$\frac{9}{2}$	4	1	$\frac{1}{2}$	2	$\frac{2}{7y} \left[\frac{\sqrt{1-y}((1-y)^3 + 21x(1-y)^2 + 35x^2(1-y) + 5x^3)}{(1-x-y)^7} - \frac{1+21x+35x^2+7x^3}{(1-x)^7} \right]$
$\frac{9}{2}$	4	1	1	2	$\frac{1}{56y} \left[\frac{16(1-y)^3 + 120x(1-y)^2 + 90x^2(1-y) + 5x^3}{(1-x-y)^{\frac{13}{2}}} - \frac{16+120x+90x^2+5x^3}{(1-x)^{\frac{13}{2}}} \right]$
$\frac{9}{2}$	4	1	$\frac{3}{2}$	2	$\frac{2}{21y} \left[\frac{\sqrt{1-y}(3(1-y)^2 + 10x(1-y) + 3x^2)}{(1-x-y)^6} - \frac{3+10x+3x^2}{(1-x)^6} \right]$
$\frac{9}{2}$	4	1	2	2	$\frac{1}{28y} \left[\frac{8(1-y)^2 + 12x(1-y) + x^2}{(1-x-y)^{\frac{11}{2}}} - \frac{8+12x+x^2}{(1-x)^{\frac{11}{2}}} \right]$
$\frac{9}{2}$	4	1	$\frac{5}{2}$	2	$\frac{2}{35y} \left[\frac{\sqrt{1-y}(5(1-y)+3x)}{(1-x-y)^5} - \frac{5+3x}{(1-x)^5} \right]$
$\frac{9}{2}$	4	1	3	2	$\frac{1}{21y} \left[\frac{6(1-y)+x}{(1-x-y)^{\frac{9}{2}}} - \frac{6+x}{(1-x)^{\frac{9}{2}}} \right]$
$\frac{9}{2}$	4	1	$\frac{7}{2}$	2	$\frac{2}{7y}[(1-y)^{\frac{1}{2}}(1-x-y)^{-4} - (1-x)^{-4}]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
5	$-\frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{192y} \left[\frac{48(1-y)^3 - 231x(1-y)^2 + 280x^2(1-y) - 105x^3}{(1-y)^4(1-x-y)^3} - \frac{48-231x+280x^2-105x^3}{(1-x)^3} \right. \\ \left. - 105\sqrt{x} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{9}{2}}} - \tanh^{-1} \sqrt{x} \right) \right]$
5	$-\frac{1}{2}$	1	1	2	$\frac{1}{64y} \left[\frac{16(1-y)^3 - 72x(1-y)^2 + 90x^2(1-y) - 35x^3}{(1-y)^{\frac{9}{2}}(1-x-y)^{\frac{5}{2}}} - \frac{16-72x+90x^2-35x^3}{(1-x)^{\frac{5}{2}}} \right]$
5	$-\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{384y} \left[\frac{81(1-y)^2 - 190x(1-y) + 105x^2}{(1-y)^4(1-x-y)^2} - \frac{81-190x+105x^2}{(1-x)^2} + \frac{15}{\sqrt{x}} \left(\frac{(1-y-7x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{9}{2}}} - (1-7x) \tanh^{-1} \sqrt{x} \right) \right]$
5	$-\frac{1}{2}$	1	2	2	$\frac{1}{96y} \left[\frac{24(1-y)^2 - 60x(1-y) + 35x^2}{(1-y)^{\frac{9}{2}}(1-x-y)^{\frac{3}{2}}} - \frac{24-60x+35x^2}{(1-x)^{\frac{3}{2}}} \right]$
5	$-\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{512xy} \left[\frac{3}{\sqrt{x}} \left(\frac{((1-y)^2 + 10x(1-y) - 35x^2) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{9}{2}}} - (1+10x-35x^2) \tanh^{-1} \sqrt{x} \right) \right. \\ \left. - \frac{3(1-y)^2 + 100x(1-y) + 105x^2}{(1-y)^4(1-x-y)} + \frac{3+100x+105x^2}{1-x} \right]$
5	$-\frac{1}{2}$	1	3	2	$\frac{1}{24y} \left[\frac{6(1-y)-7x}{(1-y)^{\frac{9}{2}} \sqrt{1-x-y}} - \frac{6-7x}{\sqrt{1-x}} \right]$
5	$-\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{3072x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{((1-y)^3 + 3x(1-y)^2 + 15x^2(1-y) - 35x^3) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{9}{2}}} - (1+3x+15x^2-35x^3) \tanh^{-1} \sqrt{x} \right) \right. \\ \left. - \frac{3(1-y)^2 + 10x(1-y) - 105x^2}{(1-y)^4} + 3 + 10x - 105x^2 \right]$
5	$-\frac{1}{2}$	1	4	2	$\frac{1}{4y} [(1-y)^{-\frac{9}{2}}(1-x-y)^{\frac{1}{2}} - (1-x)^{\frac{1}{2}}]$
5	$\frac{1}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{4y} \left[\frac{1-y-9x}{(1-x-y)^5} - \frac{1-9x}{(1-x)^5} \right]$
5	$\frac{1}{2}$	1	1	2	$\frac{1}{64y} \left[\frac{16(1-y)^3 - 24x(1-y)^2 + 18x^2(1-y) - 5x^3}{((1-y)(1-x-y))^{\frac{7}{2}}} - \frac{16-24x+18x^2-5x^3}{(1-x)^{\frac{7}{2}}} \right]$
5	$\frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{192y} \left[\frac{33(1-y)^2 - 40x(1-y) + 15x^2}{((1-y)(1-x-y))^3} - \frac{33-40x+15x^2}{(1-x)^3} + \frac{15}{\sqrt{x}} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{7}{2}}} - \tanh^{-1} \sqrt{x} \right) \right]$
5	$\frac{1}{2}$	1	2	2	$\frac{1}{32y} \left[\frac{8(1-y)^2 - 12x(1-y) + 5x^2}{(1-y)^{\frac{7}{2}}(1-x-y)^{\frac{5}{2}}} - \frac{8-12x+5x^2}{(1-x)^{\frac{5}{2}}} \right]$
5	$\frac{1}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{128xy} \left[\frac{3}{\sqrt{x}} \left(\frac{(1-y+5x) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{7}{2}}} - (1+5x) \tanh^{-1} \sqrt{x} \right) - \frac{3(1-y)^2 - 22x(1-y) + 15x^2}{(1-y)^3(1-x-y)^2} + \frac{3-22x+15x^2}{(1-x)^2} \right]$
5	$\frac{1}{2}$	1	3	2	$\frac{1}{24y} \left[\frac{6(1-y)-5x}{(1-y)^{\frac{7}{2}}(1-x-y)^{\frac{3}{2}}} - \frac{6-5x}{(1-x)^{\frac{3}{2}}} \right]$
5	$\frac{1}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{512x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{((1-y)^2 + 2x(1-y) + 5x^2) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{7}{2}}} - (1+2x+5x^2) \tanh^{-1} \sqrt{x} \right) - \frac{3(1-y)^2 + 4x(1-y) - 15x^2}{(1-y)^3(1-x-y)} \right. \\ \left. + \frac{3+4x-15x^2}{1-x} \right]$
5	$\frac{1}{2}$	1	4	2	$\frac{1}{4y} [(1-y)^{-\frac{7}{2}}(1-x-y)^{-\frac{1}{2}} - (1-x)^{-\frac{1}{2}}]$
5	1	1	$-\frac{1}{2}$	2	$\frac{1}{64y} \left[\frac{16(1-y)^4 - 208x(1-y)^3 - 165x^2 + 50x^3(1-y) - 8x^4}{(1-y)^3(1-x-y)^5} - \frac{16-208x-165x^2+50x^3-8x^4}{(1-x)^5} \right. \\ \left. - 315x^{\frac{3}{2}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{11}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{11}{2}}} \right) \right]$
5	1	1	$\frac{1}{2}$	2	$\frac{1}{192y} \left[\frac{48(1-y)^3 + 87x(1-y)^2 - 38x^2(1-y) + 8x^3}{(1-y)^3(1-x-y)^4} - \frac{48+87x-38x^2+8x^3}{(1-x)^4} + 105\sqrt{x} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{9}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right]$
5	1	1	$\frac{3}{2}$	2	$\frac{1}{192y} \left[\frac{33(1-y)^2 - 26x(1-y) + 8x^2}{((1-y)(1-x-y))^3} - \frac{33-26x+8x^2}{(1-x)^3} + \frac{15}{\sqrt{x}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{7}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right]$
5	1	1	2	2	$\frac{1}{12xy} [(1-x-y)^{-3} - (1-x)^{-3} - (1-y)^{-3} + 1]$
5	1	1	$\frac{5}{2}$	2	$\frac{1}{64xy} \left[\frac{3}{\sqrt{x}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) - \frac{3(1-y)^2 - 14x(1-y) + 8x^2}{(1-y)^3(1-x-y)^2} + \frac{3-14x+8x^2}{(1-x)^2} \right]$
5	1	1	3	2	$\frac{1}{12y} \left[\frac{3(1-y)-2x}{(1-y)^3(1-x-y)^2} - \frac{3-2x}{(1-x)^2} \right]$
5	1	1	$\frac{7}{2}$	2	$\frac{5}{192x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}}} \right) - \frac{3(1-y)^2 + 2x(1-y) - 8x^2}{(1-y)^3(1-x-y)} + \frac{3+2x-8x^2}{1-x} \right]$
5	1	1	$\frac{9}{2}$	2	$\frac{7}{192x^3y} \left[\frac{15}{\sqrt{x}} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{1-x-y}} - \frac{\arcsin \sqrt{x}}{\sqrt{1-x}} \right) - \frac{15(1-y)^2 + 10x(1-y) + 8x^2}{(1-y)^3} + 15 + 10x + 8x^2 \right]$
5	1	1	4	2	$\frac{1}{4y} [(1-y)^{-3}(1-x-y)^{-1} - (1-x)^{-1}]$
5	$\frac{3}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{4y} \left[\frac{(1-y)^2 - 18x(1-y) - 63x^2}{(1-x-y)^6} - \frac{1-18x-63x^2}{(1-x)^6} \right]$
5	$\frac{3}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{4y} \left[\frac{1-y+7x}{(1-x-y)^5} - \frac{1+7x}{(1-x)^5} \right]$
5	$\frac{3}{2}$	1	1	2	$\frac{1}{64y} \left[\frac{16(1-y)^3 + 24x(1-y)^2 - 6x^2(1-y) + x^3}{(1-y)^{\frac{5}{2}}(1-x-y)^{\frac{5}{2}}} - \frac{16+24x-6x^2+x^3}{(1-x)^{\frac{5}{2}}} \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
5	$\frac{3}{2}$	1	2	2	$\frac{1}{32y} \left[\frac{8(1-y)^2 - 4x(1-y) + x^2}{(1-y)^{\frac{3}{2}}(1-x-y)^{\frac{3}{2}}} - \frac{8-4x+x^2}{(1-x)^{\frac{3}{2}}} \right]$
5	$\frac{3}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{64xy} \left[\frac{3(1-y)^2 + 8x(1-y) - 3x^2}{(1-y)^2(1-x-y)^3} - \frac{3+8x-3x^2}{(1-x)^3} - \frac{3}{\sqrt{x}} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - \tanh^{-1} \sqrt{x} \right) \right]$
5	$\frac{3}{2}$	1	3	2	$\frac{1}{8y} \left[\frac{2(1-y)-x}{((1-y)(1-x-y))^{\frac{5}{2}}} - \frac{2-x}{(1-x)^{\frac{5}{2}}} \right]$
5	$\frac{3}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{128x^2y} \left[\frac{3(1-y)^2 - 2x(1-y) + 3x^2}{((1-y)(1-x-y))^2} - \frac{3-2x+3x^2}{(1-x)^2} - \frac{3}{\sqrt{x}} \left(\frac{(1+x-y) \tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - (1+x) \tanh^{-1} \sqrt{x} \right) \right]$
5	$\frac{3}{2}$	1	4	2	$\frac{1}{4y} [(1-y)^{-\frac{5}{2}}(1-x-y)^{-\frac{3}{2}} - (1-x)^{-\frac{3}{2}}]$
5	2	1	$-\frac{1}{2}$	2	$\frac{1}{128y} \left[\frac{32(1-y)^4 - 704x(1-y)^3 - 2553x^2(1-y)^2 - 260x^3(1-y) + 20x^4}{(1-y)^2(1-x-y)^6} - \frac{32-704x-2553x^2-260x^3+20x^4}{(1-x)^6} \right. \\ \left. - 315x^{\frac{3}{2}} \left(\frac{(5(1-y)+6x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{13}{2}}} - \frac{(5+6x) \arcsin \sqrt{x}}{(1-x)^{\frac{13}{2}}} \right) \right]$
5	2	1	$\frac{1}{2}$	2	$\frac{1}{128y} \left[\frac{32(1-y)^3 + 247x(1-y)^2 + 40x^2(1-y) - 4x^3}{(1-y)^2(1-x-y)^5} - \frac{32+247x+40x^2-4x^3}{(1-x)^5} \right. \\ \left. + 105\sqrt{x} \left(\frac{(1-y+2x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{11}{2}}} - \frac{(1+2x) \arcsin \sqrt{x}}{(1-x)^{\frac{11}{2}}} \right) \right]$
5	2	1	1	2	$\frac{1}{4y} \left[\frac{1-y+3x}{(1-x-y)^5} - \frac{1+3x}{(1-x)^5} \right]$
5	2	1	$\frac{3}{2}$	2	$\frac{1}{384y} \left[\frac{81(1-y)^2 + 28x(1-y) - 4x^2}{(1-y)^2(1-x-y)^4} - \frac{81+28x-4x^2}{(1-x)^4} + \frac{15}{\sqrt{x}} \left(\frac{(1-y+6x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{9}{2}}} - \frac{(1+6x) \arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right]$
5	2	1	$\frac{5}{2}$	2	$\frac{1}{128xy} \left[\frac{3(1-y)^2 + 16x(1-y) - 4x^2}{(1-y)^2(1-x-y)^3} - \frac{3+16x-4x^2}{(1-x)^3} - \frac{3}{\sqrt{x}} \left(\frac{(1-y-6x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{7}{2}}} - \frac{(1-6x) \arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right]$
5	2	1	3	2	$\frac{1}{12y} \left[\frac{3(1-y)-x}{(1-y)^2(1-x-y)^3} - \frac{3-x}{(1-x)^3} \right]$
5	2	1	$\frac{7}{2}$	2	$\frac{5}{128x^2y} \left[\frac{3(1-y)^2 - 4x(1-y) + 4x^2}{((1-y)(1-x-y))^2} - \frac{3-4x+4x^2}{(1-x)^2} - \frac{3}{\sqrt{x}} \left(\frac{(1-y-2x) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{5}{2}}} - \frac{(1-2x) \arcsin \sqrt{x}}{(1-x)^{\frac{5}{2}}} \right) \right]$
5	2	1	4	2	$\frac{1}{4y} [(1-y)^{-2}(1-x-y)^{-2} - (1-x)^{-2}]$
5	$\frac{5}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{4y} \left[\frac{(1-y)^3 - 27x(1-y)^2 - 189x^2(1-y) - 105x^3}{(1-x-y)^7} - \frac{1-27x-189x^2-105x^3}{(1-x)^7} \right]$
5	$\frac{5}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{12y} \left[\frac{3(1-y)^2 + 42x(1-y) + 35x^2}{(1-x-y)^6} - \frac{3+42x+35x^2}{(1-x)^6} \right]$
5	$\frac{5}{2}$	1	1	2	$\frac{1}{64y} \left[\frac{16(1-y)^3 + 72x(1-y)^2 + 18x^2(1-y) - x^3}{(1-y)^{\frac{3}{2}}(1-x-y)^{\frac{11}{2}}} - \frac{16+72x+18x^2-x^3}{(1-x)^{\frac{11}{2}}} \right]$
5	$\frac{5}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{12y} \left[\frac{3(1-y)+5x}{(1-x-y)^5} - \frac{3+5x}{(1-x)^5} \right]$
5	$\frac{5}{2}$	1	2	2	$\frac{1}{96y} \left[\frac{24(1-y)^2 + 12x(1-y) - x^2}{(1-y)^{\frac{3}{2}}(1-x-y)^{\frac{9}{2}}} - \frac{24+12x-x^2}{(1-x)^{\frac{9}{2}}} \right]$
5	$\frac{5}{2}$	1	3	2	$\frac{1}{24y} \left[\frac{6(1-y)-x}{(1-y)^{\frac{3}{2}}(1-x-y)^{\frac{7}{2}}} - \frac{6-x}{(1-x)^{\frac{7}{2}}} \right]$
5	$\frac{5}{2}$	1	$\frac{7}{2}$	2	$\frac{5}{192x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{\tanh^{-1} \sqrt{\frac{x}{1-y}}}{(1-y)^{\frac{3}{2}}} - \tanh^{-1} \sqrt{x} \right) - \frac{3(1-y)^2 - 8x(1-y) - 3x^2}{(1-y)(1-x-y)^3} + \frac{3-8x-3x^2}{(1-x)^3} \right]$
5	$\frac{5}{2}$	1	4	2	$\frac{1}{4y} [(1-y)^{-\frac{3}{2}}(1-x-y)^{-\frac{5}{2}} - (1-x)^{-\frac{5}{2}}]$
5	3	1	$-\frac{1}{2}$	2	$\frac{1}{512y} \left[\frac{128(1-y)^4 - 3968x(1-y)^3 - 26223x^2(1-y)^2 - 14702x^3(1-y) - 280x^4}{(1-y)(1-x-y)^7} - \frac{128-3968x-26223x^2-14702x^3-280x^4}{(1-x)^7} \right. \\ \left. - 315x^{\frac{3}{2}} \left(\frac{(35(1-y)^2 + 84x(1-y) + 24x^2) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{15}{2}}} - \frac{(35+84x+24x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{15}{2}}} \right) \right]$
5	3	1	$\frac{1}{2}$	2	$\frac{1}{512y} \left[\frac{128(1-y)^3 + 1779x(1-y)^2 + 1518x^2(1-y) + 40x^3}{(1-y)(1-x-y)^6} - \frac{128+1779x+1518x^2+40x^3}{(1-x)^6} \right. \\ \left. + 105\sqrt{x} \left(\frac{(5(1-y)^2 + 20x(1-y) + 8x^2) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{13}{2}}} - \frac{(5+20x+8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{13}{2}}} \right) \right]$
5	3	1	1	2	$\frac{1}{4y} \left[\frac{(1-y)^2 + 6x(1-y) + 3x^2}{(1-x-y)^6} - \frac{1+6x+3x^2}{(1-x)^6} \right]$
5	3	1	$\frac{3}{2}$	2	$\frac{1}{512y} \left[\frac{113(1-y)^2 + 194x(1-y) + 8x^2}{(1-y)(1-x-y)^5} - \frac{113+194x+8x^2}{(1-x)^5} \right. \\ \left. + \frac{15}{\sqrt{x}} \left(\frac{((1-y)^2 + 12x(1-y) + 8x^2) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{11}{2}}} - \frac{(1+12x+8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{11}{2}}} \right) \right]$
5	3	1	2	2	$\frac{1}{4y} \left[\frac{1-y+x}{(1-x-y)^5} - \frac{1+x}{(1-x)^5} \right]$
5	3	1	$\frac{5}{2}$	2	$\frac{1}{512xy} \left[\frac{3(1-y)^2 + 94x(1-y) + 8x^2}{(1-y)(1-x-y)^4} - \frac{3+94x+8x^2}{(1-x)^4} \right. \\ \left. - \frac{3}{\sqrt{x}} \left(\frac{((1-y)^2 - 12x(1-y) - 24x^2) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{9}{2}}} - \frac{(1-12x-24x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
5	3	1	$\frac{7}{2}$	2	$\frac{5}{512x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{((1-y)^2 - 4x(1-y) + 8x^2) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x)^{\frac{7}{2}}} - \frac{(1-4x+8x^2) \arcsin \sqrt{x}}{(1-x)^{\frac{7}{2}}} \right) \right. \\ \left. - \frac{3(1-y)^2 - 10x(1-y) - 8x^2}{(1-y)(1-x-y)^3} + \frac{3+94x+8x^2}{(1-x)^3} \right]$
5	3	1	4	2	$\frac{1}{4y} [(1-y)^{-1}(1-x-y)^{-3} - (1-x)^{-3}]$
5	$\frac{7}{2}$	1	$-\frac{1}{2}$	2	$\frac{1}{4y} \left[\frac{(1-y)^4 - 36(1-y)^3 - 378x^2(1-y)^2 - 420x^3(1-y) - 63x^4}{(1-x-y)^8} - \frac{1-36-378x^2-420x^3-63x^4}{(1-x)^8} \right]$
5	$\frac{7}{2}$	1	$\frac{1}{2}$	2	$\frac{1}{4y} \left[\frac{(1-y)^3 + 21x(1-y)^2 + 35x^2(1-y) + 7x^3}{(1-x-y)^7} - \frac{1+21x+35x^2+7x^3}{(1-x)^7} \right]$
5	$\frac{7}{2}$	1	1	2	$\frac{1}{64y} \left[\frac{16(1-y)^3 + 120x(1-y)^2 + 90x^2(1-y) + 5x^3}{\sqrt{1-y}(1-x-y)^{\frac{13}{2}}} - \frac{16+120x+90x^2+5x^3}{(1-x)^{\frac{13}{2}}} \right]$
5	$\frac{7}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{12y} \left[\frac{3(1-y)^2 + 10x(1-y) + 3x}{(1-x-y)^6} - \frac{3+10x+3x^2}{(1-x)^6} \right]$
5	$\frac{7}{2}$	1	2	2	$\frac{1}{32y} \left[\frac{8(1-y)^2 + 12x(1-y) + x^2}{\sqrt{1-y}(1-x-y)^{\frac{11}{2}}} - \frac{8+12x+x^2}{(1-x)^{\frac{11}{2}}} \right]$
5	$\frac{7}{2}$	1	$\frac{5}{2}$	2	$\frac{1}{20y} \left[\frac{5(1-y) + 3x}{(1-x-y)^5} - \frac{5+3x}{(1-x)^5} \right]$
5	$\frac{7}{2}$	1	3	2	$\frac{1}{24y} \left[\frac{6(1-y) + x}{\sqrt{1-y}(1-x-y)^{\frac{9}{2}}} - \frac{6+x}{(1-x)^{\frac{9}{2}}} \right]$
5	$\frac{7}{2}$	1	4	2	$\frac{1}{4y} [(1-y)^{-\frac{1}{2}}(1-x-y)^{-\frac{7}{2}} - (1-x)^{-\frac{7}{2}}]$
5	4	1	$-\frac{1}{2}$	2	$\frac{1}{1024y} \left[\frac{256(1-y)^4 - 10240x(1-y)^3 - 99021x^2(1-y)^2 - 102592x^3(1-y) - 13628x^4}{(1-x-y)^8} \right. \\ \left. - \frac{256 - 10240x - 99021x^2 - 102592x^3 - 13628x^4}{(1-x)^8} \right. \\ \left. - 315x^{\frac{3}{2}} \left(\frac{(105(1-y)^3 + 378x(1-y)^2 + 216x^2(1-y) + 16x^3) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{17}{2}}} - \frac{(105+378x+216x^2+16x^3) \arcsin \sqrt{x}}{(1-x)^{\frac{17}{2}}} \right) \right]$
5	4	1	$\frac{1}{2}$	2	$\frac{1}{1024y} \left[\frac{256(1-y)^3 + 5175x(1-y)^2 + 8132x^2(1-y) + 1452x^3}{(1-x-y)^7} - \frac{256+5175x+8132x^2+1452x^3}{(1-x)^7} \right. \\ \left. + 35\sqrt{x} \left(\frac{(35(1-y)^3 + 210x(1-y)^2 + 168x^2(1-y) + 16x^3) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{15}{2}}} - \frac{(35+210x+168x^2+16x^3) \arcsin \sqrt{x}}{(1-x)^{\frac{15}{2}}} \right) \right]$
5	4	1	1	2	$\frac{1}{4y} \left[\frac{(1-y)^3 + 9x(1-y)^2 + 9x^2(1-y) + x^3}{(1-x-y)^7} - \frac{1+9x+9x^2+x^3}{(1-x)^7} \right]$
5	4	1	$\frac{3}{2}$	2	$\frac{1}{1024y} \left[\frac{7(33(1-y)^2 + 104x(1-y) + 28x^2)}{(1-x-y)^6} - \frac{7(33+104x+28x^2)}{(1-x)^6} \right. \\ \left. + \frac{5}{\sqrt{x}} \left(\frac{(5(1-y)^3 + 90x(1-y)^2 + 120x^2(1-y) + 16x^3) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{13}{2}}} - \frac{(5+90x+120x^2+16x^3) \arcsin \sqrt{x}}{(1-x)^{\frac{13}{2}}} \right) \right]$
5	4	1	2	2	$\frac{1}{12y} \left[\frac{3(1-y)^2 + 6x(1-y) + x^2}{(1-x-y)^6} - \frac{3+6x+x^2}{(1-x)^6} \right]$
5	4	1	$\frac{5}{2}$	2	$\frac{3}{1024xy} \left[\frac{(1-y)^2 + 68x(1-y) + 36x^2}{(1-x-y)^5} - \frac{1+68x+36x^2}{(1-x)^5} \right. \\ \left. - \frac{1}{\sqrt{x}} \left(\frac{((1-y)^3 - 18x(1-y)^2 - 72x^2(1-y) - 16x^3) \arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{11}{2}}} - \frac{(1-18x-72x^2-16x^3) \arcsin \sqrt{x}}{(1-x)^{\frac{11}{2}}} \right) \right]$
5	4	1	3	2	$\frac{1}{12y} \left[\frac{3(1-y) + x}{(1-x-y)^5} - \frac{3+x}{(1-x)^5} \right]$
5	4	1	$\frac{7}{2}$	2	$\frac{5}{3072x^2y} \left[\frac{3}{\sqrt{x}} \left(\frac{(1-y)^3 - 6x(1-y)^2 + 24x^2(1-y) + 16x^3}{(1-x-y)^{\frac{9}{2}}} \arcsin \sqrt{\frac{x}{1-y}} - \frac{(1-6x+24x^2+16x^3) \arcsin \sqrt{x}}{(1-x)^{\frac{9}{2}}} \right) \right. \\ \left. - \frac{3(1-y)^2 - 16x(1-y) - 92x^2}{(1-x-y)^4} + \frac{3-16x-92x^2}{(1-x)^4} \right]$
5	4	1	4	2	$\frac{1}{4y} [(1-x-y)^{-4} - (1-x)^{-4}]$

III. REPRESENTATIONS OF APPELL HYPERGEOMETRIC FUNCTION F_2

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
σ	α_1	1	β_1	2	$(1-x)^{-\sigma} F_2(\sigma; \beta_1 - \alpha_1, 1; \beta_1, 2; \frac{x}{x-1}, \frac{y}{1-x}), (\sigma \neq 0)$
$a+1$	$a - \frac{1}{2}$	1	$2a$	2	$\frac{1}{ay} \left[\frac{1}{\sqrt{1-y}} \left(\frac{\sqrt{1-y} + \sqrt{1-x-y}}{2} \right)^{1-2a} - \left(\frac{1+\sqrt{1-x}}{2} \right)^{1-2a} \right]$
$a+1$	$a + \frac{1}{2}$	1	$2a$	2	$\frac{1}{ay} \left[\frac{1}{\sqrt{1-y}} \left(\frac{\sqrt{1-y} + \sqrt{1-x-y}}{2} \right)^{2a-1} - \frac{1}{\sqrt{1-x}} \left(\frac{2}{1+\sqrt{1-x}} \right)^{2a-1} \right]$
$a+1$	$a + \frac{1}{2}$	1	$2a+1$	2	$\frac{1}{ay} \left[\left(\frac{\sqrt{1-y} + \sqrt{1-x-y}}{2} \right)^{2a} - \left(\frac{2}{1+\sqrt{1-x}} \right)^{2a} \right], \quad (a \neq -\frac{1}{2}, -1)$
$a+1$	$a + \frac{1}{2}$	1	$\frac{1}{2}$	2	$\frac{(\sqrt{1-y} + \sqrt{x})^{-2a} + (\sqrt{1-y} - \sqrt{x})^{-2a} - (1+\sqrt{x})^{-2a} - (1-\sqrt{x})^{-2a}}{2ay}$
$a+1$	$a + \frac{1}{2}$	1	$\frac{3}{2}$	2	$\frac{1}{2a(2a-1)\sqrt{xy}} [(\sqrt{1-y} - \sqrt{x})^{1-2a} - (1-\sqrt{x})^{1-2a} - (\sqrt{1-y} + \sqrt{x})^{1-2a} + (1+\sqrt{x})^{1-2a}]$
$a+1$	$\frac{a}{2} + 1$	1	$\frac{a}{2}$	2	$\frac{1}{ay} \left[\frac{1-y+x}{(1-x-y)^{a+1}} - \frac{1+x}{(1-x)^{a+1}} \right]$
$a+1$	a	1	$a+1$	2	$-2^a [\psi(\frac{a+1}{2}) - \psi(\frac{a}{2})] + 2^{a+1} \Gamma(a) \Gamma(1-a), \quad x=y=\frac{1}{2}, \quad a < 1, \quad a \neq 0, -1, -2, \dots$
a	a	1	$a+1$	2	$-2^a (\Gamma(a+1) \Gamma(1-a) + a [\psi(\frac{a}{2}) - \psi(\frac{a-1}{2})] + \frac{a}{1-a}), \quad x=y=\frac{1}{2}, \quad a < 2, \quad a \neq 0, -1, -2, \dots$
$a+1$	$-a$	1	$\frac{1}{2}$	2	$\frac{1}{ay} \left[\frac{\cos((2a) \arcsin \sqrt{\frac{x}{1-y}})}{(1-y)^a} - \cos((2a) \arcsin \sqrt{x}) \right]$
$a+1$	$1-a$	1	$\frac{1}{2}$	2	$\frac{1}{ay} \left[\frac{\cos((2a-1) \arcsin \sqrt{\frac{x}{1-y}})}{(1-y)^{a-\frac{1}{2}} \sqrt{1-x-y}} - \frac{\cos((2a-1) \arcsin \sqrt{x})}{\sqrt{1-x}} \right], \quad (a \neq 0)$
$a+1$	$1-a$	1	$\frac{3}{2}$	2	$\frac{1}{a(2a-1)\sqrt{xy}} \left[\frac{\sin((2a-1) \arcsin \sqrt{\frac{x}{1-y}})}{(1-y)^{a-\frac{1}{2}}} - \sin((2a-1) \arcsin \sqrt{x}) \right], \quad (a \neq 0)$
$a+1$	$2-a$	1	$\frac{3}{2}$	2	$\frac{1}{2a(a-1)\sqrt{xy}} \left[\frac{\sin(2(a-1) \arcsin \sqrt{\frac{x}{1-y}})}{(1-y)^{a-1} \sqrt{1-x-y}} - \frac{\sin(2(a-1) \arcsin \sqrt{x})}{\sqrt{1-x}} \right]$
$a+1$	α	1	a	2	$\frac{1}{ay} [(1-y)^{\alpha-a} (1-x-y)^{-\alpha} - (1-x)^{-\alpha}], \quad (a \neq 0)$
$a+1$	α	1	α	2	$\frac{1}{ay} [(1-x-y)^{-a} - (1-x)^{-a}]$
$a+1$	1	1	2	2	$\frac{(1-x-y)^{1-a} - (1-y)^{1-a} - (1-x)^{1-a} + 1}{a(a-1)xy}$
$a + \frac{3}{2}$	a	1	$2a$	2	$\frac{1}{(a+\frac{1}{2})y} \left[\frac{1}{\sqrt{(1-x-y)(1-y)}} \left(\frac{\sqrt{1-y} + \sqrt{1-x-y}}{2} \right)^{2a-1} - \frac{1}{\sqrt{1-x}} \left(\frac{2}{1+\sqrt{1-x}} \right)^{2a-1} \right]$
$a + \frac{3}{2}$	a	1	$2a+1$	2	$\frac{1}{(a+\frac{1}{2})y} \left[\frac{1}{\sqrt{1-y}} \left(\frac{\sqrt{1-y} + \sqrt{1-x-y}}{2} \right)^{2a} - \left(\frac{2}{1+\sqrt{1-x}} \right)^{2a} \right]$
$2a+1$	$a+1$	1	a	2	$\frac{1}{2ay} \left[\frac{1-y+x}{(1-x-y)^{2a+1}} - \frac{1+x}{(1-x)^{2a+1}} \right]$
$\frac{a}{2} + 2$	a	1	$\frac{a}{2}$	2	$\frac{2}{(a+4)y} \left[\frac{(1-y)^{\frac{a}{2}-1} (1-y+x)}{(1-x-y)^{a+1}} - \frac{1+x}{(1-x)^{a+1}} \right]$
$\frac{1}{2}$	$\frac{n+1}{2}$	1	$\frac{n-1}{2}$	2	$\frac{2}{(n-1)y} \left[\frac{(n-1)-nx}{\sqrt{1-x}} - \frac{(n-1)(1-y)-nx}{\sqrt{1-x-y}} \right], \quad n=2, 3, \dots$
1	0	1	β	2	$-\frac{\ln(1-y)}{y}$
1	α_1	1	α_1	2	$\frac{1}{y} \ln \left(\frac{1-x}{1-x-y} \right)$
1	$\beta+1$	1	β	2	$\frac{1}{\beta} \frac{x}{(x-1)(x+y-1)} + \frac{1}{y} \ln \left(\frac{1-x}{1-x-y} \right)$
2	b	1	2	2	$\frac{1}{(b-1)xy} \left[\left(\frac{1-x-y}{1-y} \right)^{1-b} - (1-x)^{1-b} \right]$
1	1	1	m	2	$\frac{1}{y} \left[\sum_{k=3}^m \frac{(x+y-1)^{k-2} - (x-1)^{k-2}}{(m-k+1)x^{k-2}} - \left(\frac{x+y-1}{x} \right)^{m-1} \ln \left(\frac{1-x-y}{1-y} \right) + \left(\frac{x-1}{x} \right)^{m-1} \ln(1-x) - \ln(1-y) \right], \quad (m=1, 2, 3, \dots)$
$\frac{3}{2}$	1	1	$m + \frac{1}{2}$	2	$\frac{2(\frac{1}{2})_m}{(m-1)!x^m y} \left[2\sqrt{x}((x+y-1)^{m-1} \tanh^{-1} \sqrt{\frac{x}{1-y}} - (x-1)^{m-1} \tanh^{-1} \sqrt{x}) + \sum_{k=1}^{m-1} \frac{(k-1)!x^k}{(\frac{1}{2})_k} (\sqrt{1-y}(x+y-1)^{m-k-1} - (x-1)^{m-k-1}) \right]$
2	n	1	m	2	$\frac{m-1}{y} \sum_{k=0}^{n-m} \frac{(m-n)_k x^k}{k!(m+k-1)} \left[\frac{(1-x-y)^{m-n-1}}{(1-y)^{m-n+k}} - (1-x)^{m-n-1} \right] \quad (m \leq n)$
2	n	1	m	2	$\frac{(m-1)!}{(m-n-1)!xy} \left[\sum_{k=1}^{m-n-1} \frac{(m-n-k-1)!}{(m-k-1)!x^{k-1}} ((x+y-1)^{k-1} - (x-1)^{k-1}) - \frac{1}{(n-1)!x^{m-n-2}} \left(\sum_{k=1}^{n-1} \frac{(1-y)^{k-1} (x+y-1)^{m-n-1-(x-1)^{m-n-1}}}{(n-k)x^k} + x^{-n} ((x+y-1)^{m-n-1} (1-y)^{n-1} \ln \left(\frac{1-x-y}{1-y} \right) - (x-1)^{m-n-1} \ln(1-x)) \right) \right], \quad (m > n)$
2	n	1	$n + \frac{1}{2}$	2	$\frac{(\frac{1}{2})_n}{(n-1)!x^n y} \left[2\sqrt{x} \left(\frac{(1-y)^{n-1}}{\sqrt{1-x-y}} \arcsin \sqrt{\frac{x}{1-y}} - \frac{\arcsin \sqrt{x}}{\sqrt{1-x}} \right) - \sum_{k=1}^{n-2} \frac{(k-1)!x^k}{(\frac{1}{2})_k} ((1-y)^{n-k-1} - 1) \right]$
2	$n - \frac{1}{2}$	1	$n + \frac{1}{2}$	2	$\frac{2n-1}{x^n y} \left[\sqrt{x} ((1-y)^{n-\frac{3}{2}} \tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x}) - \sum_{k=1}^{n-1} \frac{x^k}{2k-1} ((1-y)^{n-k-1} - 1) \right]$
2	n	1	$n+1$	2	$-\frac{n}{x^n y} \left[(1-y)^{n-1} \ln \left(\frac{1-x-y}{1-y} \right) - \ln(1-x) + \sum_{k=1}^{n-2} \frac{x^k}{k} ((1-y)^{n-k-1} - 1) \right], \quad (n=1, 2, 3, \dots)$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
2	1	1	m	2	$\frac{(m-1)x}{y} \left[\sum_{k=2}^{m-1} \frac{(x+y-1)^{k-2} - (x-1)^{k-2}}{(m-k)x^k} - x^{-m} \left((x+y-1)^{m-2} \ln \left(\frac{1-x-y}{1-y} \right) - (x-1)^{m-2} \ln(1-x) \right) \right]$
2	$\frac{1}{2}$	1	$m + \frac{1}{2}$	2	$\frac{(\frac{1}{2})_m}{(m-1)!x^m y} \left[2\sqrt{x} \left(\frac{(x+y-1)^{m-1} \tanh^{-1} \sqrt{\frac{x}{1-y}}}{\sqrt{1-y}} - (x-1)^{m-1} \tanh^{-1} \sqrt{x} \right) + \sum_{k=1}^{m-2} \frac{(k-1)!x^k}{(\frac{1}{2})_k} \left((x+y-1)^{m-k-1} - (x-1)^{m-k-1} \right) \right]$
2	1	1	$m + \frac{1}{2}$	2	$\frac{2m-1}{x^m y} \left[(-1)^{m-1} \sqrt{x} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{(1-x-y)^{\frac{3}{2}-m}} - \frac{\arcsin \sqrt{x}}{(1-x)^{\frac{3}{2}-m}} \right) + \sum_{k=1}^{m-1} \frac{x^k}{2k-1} \left((x+y-1)^{m-k-1} - (x-1)^{m-k-1} \right) \right], \quad (m = 1, 2, 3, \dots)$
2	$-n$	1	m	2	$\frac{n!(-x)^{1-m}}{(m)ny} \left[\frac{(1-x-y)^{m+n-1}}{(1-y)^{n+1}} - (1-x)^{m+n-1} - \sum_{k=0}^{m-3} \frac{(1-m-n)_k x^k}{k!} \left((1-y)^{m-k-2} + 1 \right) \right]$
2	$-n$	1	$-m$	2	$\frac{1}{y} \left[\frac{m+1}{n+1} \sum_{k=0}^{m-n} \frac{(n-m)_k}{(n+2)_k} \left(\frac{(1-y)^k}{(1-x-y)^{k+1}} - \frac{1}{(1-x)^{k+1}} \right) + \frac{(-1)^n n! x^{m+1}}{(-m)_n} \left(\frac{(1-y)^{-n-1}}{(x+y-1)^{m-n+1}} - \frac{1}{(x-1)^{m-n+1}} \right) \right], \quad (n > m)$
$n+1$	1	1	m	2	$\frac{m-1}{ny} \sum_{k=0}^{n-m} \frac{(m-n)_k x^k}{k!(m+k-1)} \left[\frac{(1-x-y)^{m-n-1}}{(1-y)^{m+k-1}} - (1-x)^{m-n-1} \right], \quad (m \leq n, n \neq 0)$
$n+1$	1	1	m	2	$\frac{(m-1)!}{(m-n-1)!nxy} \left[\sum_{k=1}^{m-n-1} \frac{(m-n-k-1)!}{(m-k-1)!x^{k-1}} \left(\frac{(x+y-1)^{k-1}}{(1-y)^{n-1}} - (x-1)^{k-1} \right) - \frac{1}{(n-1)!x^{m-n-2}} \left(\sum_{k=1}^{n-1} \frac{(1-y)^{k-n}(x+y-1)^{m-n-1-(x-1)^{m-n-1}}}{(n-k)x^k} \right) + x^{-n} \left((x+y-1)^{m-n-1} \ln \left(\frac{1-x-y}{1-y} \right) - (x-1)^{m-n-1} \ln(1-x) \right) \right], \quad (m > n, n \neq 0)$
$n+1$	1	1	m	2	$\frac{(1-m)_n}{(n-1)!ny} \left[(-x)^{1-m} \left((1-x)^{m-n-1} \ln(1-x) - (1-x-y)^{m-n-1} \ln \left(\frac{1-x-y}{1-y} \right) \right) + (-x)^{1-n} \sum_{k=0}^{m-n-1} \frac{(n-m+1)_k}{k!} \sum_{j=1}^{n+k-1} \frac{x^{j-k-1}}{j} \left((1-y)^{k-j} - 1 \right) \right], \quad (m > n > 1)$
$n+1$	1	1	$n + \frac{1}{2}$	2	$\frac{(\frac{1}{2})_n}{(n-1)!nxy} \left[2\sqrt{x} \left(\frac{\arcsin \sqrt{\frac{x}{1-y}}}{\sqrt{1-x-y}} - \frac{\arcsin \sqrt{x}}{\sqrt{1-x}} \right) - \sum_{k=1}^{n-1} \frac{(k-1)!x^k}{(\frac{1}{2})_k} \left((1-y)^{-k} - 1 \right) \right], \quad (n \neq 0)$
$n + \frac{1}{2}$	1	1	$n + \frac{1}{2}$	2	$\frac{2}{x^ny} \left[\sqrt{x} \left(\tanh^{-1} \sqrt{\frac{x}{1-y}} - \tanh^{-1} \sqrt{x} \right) - \sum_{k=1}^{n-1} \frac{x^k}{2k-1} \left((1-y)^{\frac{1}{2}-k} - 1 \right) \right], \quad (n = 1, 2, 3, \dots)$
$n+1$	1	1	$n+1$	2	$-\frac{1}{x^ny} \left[\ln \left(\frac{1-x-y}{(1-y)(1-x)} \right) + \sum_{k=1}^{n-1} \frac{x^k}{k} \left((1-y)^{-k} - 1 \right) \right], \quad (n = 1, 2, 3, \dots)$
$1-n$	1	1	$-m$	2	$-\frac{1}{ny} \left[\frac{m+1}{n+1} \sum_{k=0}^{m-n} \frac{(n-m)_k}{(n+2)_k} \left(\frac{(1-y)^{k+n+1}}{(1-x-y)^{k+1}} - \frac{1}{(1-x)^{k+1}} \right) + \frac{(-1)^n n! x^{m+1}}{(-m)_n} \left(\frac{(1-y)^{m+1}}{(x+y-1)^{m-n+1}} - \frac{1}{(x-1)^{m-n+1}} \right) \right], \quad (n > m)$
$1-n$	1	1	m	2	$-\frac{(n-1)!(-x)^{1-m}}{(m)ny} \left[(1-x-y)^{m+n-1} - (1-x)^{m+n-1} - \sum_{k=0}^{m-2} \frac{(1-m-n)_k x^k}{k!} \left((1-y)^{n-k} - 1 \right) \right]$
$1 - \frac{n}{2}$	$\frac{1-n}{2}$	1	$-n$	2	$-\frac{1}{2^n ny} \left[\frac{(\sqrt{1-y} + \sqrt{1-x-y})^{n+1} - (\sqrt{1-y} - \sqrt{1-x-y})^{n+1}}{\sqrt{1-x-y}} - \frac{(1+\sqrt{1-x})^{n+1} - (1-\sqrt{1-x})^{n+1}}{\sqrt{1-x}} \right], \quad (n \neq 0)$
$\frac{3-n}{2}$	$-\frac{n}{2}$	1	$-n$	2	$\frac{1}{2^n(1-n)y} \left[\frac{(\sqrt{1-y} + \sqrt{1-x-y})^{n+1} - (\sqrt{1-y} - \sqrt{1-x-y})^{n+1}}{\sqrt{(1-y)(1-x-y)}} - \frac{(1+\sqrt{1-x})^{n+1} - (1-\sqrt{1-x})^{n+1}}{\sqrt{1-x}} \right], \quad (n \neq 0, 1)$
2	b	1	$b-m$	2	$\frac{1}{by} \left[\frac{b-m-1}{b-1} \sum_{k=0}^{m-1} \frac{(-m)_k}{(2-b)_k} \left(\frac{(1-y)^{k-b+1}}{(1-x-y)^{k+1}} - \frac{1}{(1-x)^{k+1}} \right) - \frac{m!}{(1-b)_m} \left(\frac{(1-y)^{m-b+1}}{(x+y-1)^{m+1}} - \frac{1}{(x-1)^{m+1}} \right) \right]$
2	b	1	m	2	$\frac{(m-1)!}{(1-b)_{m-1}(-x)^{m-1}y} \left[(1-x-y)^{m-b-1}(1-y)^{b+1} - (1-x)^{m-b-1} - \sum_{k=0}^{m-2} \frac{(b-m-1)_k x^k}{k!} \left((1-y)^{m-k} - 1 \right) \right], \quad (m = 1, 2, 3, \dots; m-b \neq 1, 2, 3, \dots)$
2	b	1	m	2	$\frac{1}{(b-1)xy} \left[\left(\frac{1-x-y}{1-y} \right)^{1-b} - (1-x)^{1-b} \right]$
$b+1$	1	1	$b-m$	2	$\frac{1}{y} \left[\frac{b-m-1}{b-1} \sum_{k=0}^{m-1} \frac{(-m)_k}{(2-b)_k} \left(\frac{(1-y)^k}{(1-x-y)^{k+1}} - \frac{1}{(1-x)^{k+1}} \right) - \frac{m!}{(1-b)_m} \left(\frac{(1-y)^m}{(x+y-1)^{m+1}} - \frac{1}{(x-1)^{m+1}} \right) \right], \quad (b \neq 0)$
$b+1$	1	1	m	2	$\frac{(m-1)!}{b(1-b)_{m-1}(-x)^{m-1}y} \left[(1-x-y)^{m-b-1} - (1-x)^{m-b-1} - \sum_{k=0}^{m-2} \frac{(b-m-1)_k x^k}{k!} \left((1-y)^{m-b-k-1} - 1 \right) \right], \quad (m = 1, 2, 3, \dots; m-b \neq 1, 2, 3, \dots)$
$b+1$	1	1	2	2	$\frac{1}{b(b-1)xy} \left[(1-x-y)^{1-b} - (1-x)^{1-b} - (1-y)^{1-b} + 1 \right]$
$b+1$	$-n$	1	c	2	$\frac{1}{by} \sum_{k=0}^n \frac{(-n)_k(b)_k x^k}{(c)_k k!} \left((1-y)^{-(b+k)} - 1 \right) = \frac{x^{1-c}}{b(c)ny} \left[\frac{(1-x-y)^{n+c-b}}{(1-y)^{n+1}} \left(\frac{d}{d(\frac{x}{1-y})} \right)^n \left[\left(\frac{x}{1-y} \right)^{n+c-1} \left(1 - \frac{x}{1-y} \right)^{b-c} \right] - (1-x)^{n+c-b} \left(\frac{d}{dx} \right)^n \left[x^{n+c-1} (1-x)^{b-c} \right] \right]$

σ	α_1	α_2	β_1	β_2	$F_2(\sigma; \alpha_1, \alpha_2; \beta_1, \beta_2; x, y)$
$1-n$	b	1	c	2	$-\frac{1}{ny} \sum_{k=0}^{n-1} \frac{(-n)_k (b)_k x^k}{(c)_k k!} ((1-y)^{n-k} - 1)$ $= -\frac{x^{1-c}}{n(c)_n y} \left[\frac{(1-x-y)^{n+c-b}}{(1-y)^{1-b}} \left(\frac{d}{d(\frac{x}{1-y})} \right)^n \left[\left(\frac{x}{1-y} \right)^{n+c-1} \left(1 - \frac{x}{1-y} \right)^{b-c} \right] \right.$ $\left. - (1-x)^{n+c-b} \left(\frac{d}{dx} \right)^n [x^{n+c-1} (1-x)^{b-c}] \right], \quad (n \neq 0)$

Acknowledgments

The present study was supported, in part, by the *Natural Sciences and Engineering Research Council of Canada* under Grant GP249507 (NS).

-
- [1] P. Appell, *Sur les fonctions hypergométriques de plusieurs variables* In Mémoir. Sci. Math. Paris: Gauthier-Villars, 1925.
 - [2] P. Appell and Kampé de Fériet J, *Fonctions Hypergéométriques et Hypersphériques*, Polynome d'Hermite (Paris: Gautheir-Villars), 1926.
 - [3] W. N. Bailey, *Appell's Hypergeometric Functions of Two Variables.*, Ch. 9 in Generalised Hypergeometric Series. Cambridge, England: Cambridge University Press, pp. 73-83 and 99-101, 1935.
 - [4] U. Becker, N. Grün and W. Scheid, *Evaluation of Appell functions in relativistic Coulomb-Dirac form factors*, J. Phys. A: Math. Gen. **20** (1987) 5447-5458.
 - [5] H. Exton, *Multiple Hypergeometric Functions and Applications*, Halsted Press (Ellis Horwood Limited, Chichester), John Wiley and Sons, New York, 1976.
 - [6] A. Erdélyi, *Hypergeometric functions of two variables*, Acta Mathematica, 83 (1964) 131-164.
 - [7] A. Erdélyi, *Higher Transcendental Functions* Vol. 1, New York: McGraw-Hill, 1953.
 - [8] J. Fleischer, F. Jegerlehner and O. V. Tarasov, *A new hypergeometric next term representation of one-loop scalar integrals in d dimensions*, Nuclear Physics B **672** (2003) 303-328.
 - [9] L. Galué, *Una generalización de la integral de Hubbell*, Rev. Téc. Ing. Univ. Zulia 14 (2), 153160 (1991).
 - [10] L. Galué, *Unification of generalized radiation field integrals involving confluent hypergeometric function*, Rad. Phys. Chem. 66 (2003) 269-273.
 - [11] L. Galué, S. L. Kalla and C. Leubner, *Algorithms for the approximation of the Hubbell rectangular source integral and its generalizations*, Radiat. Phys. Chem. 43 (1994) 497-502.
 - [12] M. EL-Gabali and S. Kalla, *Some generalised radiation field integrals*, Computers Math. Applic 32 (1996) 121-128.
 - [13] B. Gabutti, S. L. Kalla and J. H. Hubbell, *Some expansions related to the Hubbell rectangular source integral*. J. Comput. Appl. Math. 37, 273285 (1991).
 - [14] L. Galué and V. Kiryakova, *Further results on a family of generalized integrals*, Radiat. Phys. Chem. 43 (6), 573579 (1994).
 - [15] I. I. Guseinov and B. N. Mamedov, *Calculation of the generalized Hubbell rectangular source integrals using binomial coefficients*, Appl. Math. Comput. 161 (2005) 285-292.
 - [16] Richard L. Hall, Nasser Saad, and Attila B von Keviczky, *Closed-form sums for some perturbation series involving associated Laguerre polynomials*, J. Phys. A: Math. Gen. 34, 11287-11300 (2001).
 - [17] J. H. Hubbell, R. L. Bach and J. C. Lamkin, *Radiation field from a rectangular source*, J. Res. Nat. Bur. Stand 64C (1960) 121-138.
 - [18] S. Kalla, *The Hubbell rectangular source integral and its generalizations*, Radiat. Phys. Chem. 41 (1993) 775781.
 - [19] S. L. Kalla, B. Al-Saqabi and S. Conde, *Some results related to radiation field problems*, Hadronic J. 10 (1987) 221230.
 - [20] S. L. Kalla and H. G. Khajah, *Tau method approximation of some integrals related to radiation field problems*, Computers Math. Applic 33 (1997) 21-27.
 - [21] S. L. Kalla, L. Galué and V. Kiryakova *Some expansion related to a family of generalized radiation integrals*, Math. Balkanic 5 (1991) 190-202.
 - [22] S. L. Kalla, C. Leubner, and B. Al-Saqabi, *Some results for the radiation flux in a rectangular straight duct*, Nucl. Sci. J. 28 (1991) 403-410.
 - [23] E. Karule, *Integrals of two confluent hypergeometric functions*, J. Phys. A: Math. Gen. **23** (1990), 1969-1971.
 - [24] L. D. Landau and E. M. Lifshitz, *Quantum Mechanics: Non-Relativistic Theory*, Pergamon Press, London, 1981.
 - [25] J. L. Madajczyk and M. Trippenbach, *Singular part of the hydrogen dipole matrix element*, J. Phys. A: Math. Gen. **22** (1989), 2369-2374.
 - [26] Sheldon B. Opps, Nasser Saad and H. M. Srivastava, *Some reduction and transformation formulas for the Appell hypergeometric function F_2* , J. Math. Anal. Appl. 302 (2005) 180-195.
 - [27] A.P. Prudnikov, Yu. A. Brychkov and O.I. Marichev, *Integrals and Series*, Vol. 3: *More Special Functions* (Translated from the 1983 Russian Edition by G.G. Gould), Gordon and Breach Science Publishers, New York, 1990

- [28] M. Salman, *Generalized elliptic-type integrals and their representations*, Applied Mathematics and Computation **181** (2006) 12491256.
- [29] Nasser Saad and Richard L. Hall, *Integrals containing confluent hypergeometric functions with applications to perturbed singular potentials*, *J. Phys. A: Math. Gen.* **36** (2003), 7771-7788.
- [30] Nasser Saad and Richard L. Hall, *Closed-form sums for some perturbation series involving hypergeometric functions*, *J. Phys. A.: Gen. Math.* 35, 4105-4123 (2002)
- [31] L. J. Slater, *Generalized Hypergeometric Functions*, Cambridge University Press, Cambridge, 1966.
- [32] H. M. Srivastava and P. W. Karlsson, *Multiple Gaussian Hypergeometric Series*, Halsted Press (Ellis Horwood Limited, Chichester), John Wiley and Sons, New York, 1985.
- [33] V. F. Tarasov, W. Gordon's integral (1929) and its representations by means of Appell's functions F_2 , F_1 , and F_3 , *J. Math. Phys.*, **44** (2003) 1449-1452.
- [34] V. F. Tarasov, *The generalizations of Slaters and Marvins integrals and their representations by means of Appells functions $F_2(x, y)$* . *Mod. Phys. Lett. B* 8 (1994) 14171426.
- [35] V. F. Tarasov, *Hypergeometric representation of the two-loop equal mass sunrise diagram*, arXiv:hep-ph/0603227v1 (2006).